



2023/24

Warranty Updates	4-5
Gastronorm Containers	6

BAR EQUIPMENT

Mini Bars	8-9
Under Counter Bottle Coolers	10-14
Upright Bottle Coolers	15-17
Beer Dumps	18
Glass Frosters	19
Wine Cabinets	20
Integral Ice Makers	23-26
High Capacity Ice Makers	27
Modular Ice Makers	28-29

STORAGE EQUIPMENT

Under Counter Refrigeration	33-37
Upright Refrigeration	39-43
Gastronorm Refrigeration	44-50
Specialist Refrigeration	51-53
Refrigerated Workstations	57
Compact Storage Counters	58-61
Compact Prep Counters	62-63
Compact Saladettes	64-65
Compact Display Saladettes	66-69
Compact Pizza Prep Counters	70
Slim Line Storage Counters	71-72
Storage Counters	73-77
Glass Door Storage Counters	78-79
Prep Counters	80-81
Low Height Snack Counters	82-83
Pizza Prep Counters	84-86
Prep Top Units	91
Blast Chillers	93
Chest Freezers	94-95

DISPLAY EQUIPMENT

Upright Glass Door Refrigerators	98-100
Upright Glass Door Freezers	101-104
Display Freezers	106-107
Ice Cream Display	109-112
Grab & Go Merchandisers	114-115
Low Height Merchandisers	116-117
Upright Slim Line Multi-Decks	118-120
Upright Multi-Decks	121
Upright Multi-Decks With Shutters	123-124
Counter Top Refrigeration	127-128
Counter Top Merchandisers	129-133
Free-standing Patisserie Display	135-139
Custom Solutions	140
Serve Over Counters	143-148

CATERING EQUIPMENT

Microwaves	152-153
Convection Ovens	154
Pizza Ovens	155
Induction Hobs	156
Salamander Grills	157
Toasters	158-159
Grills & Griddles	160-161
Fryers	162-164
Planetary Mixers	165
Combination Ovens	166

SERVICE EQUIPMENT

Catering Urns	170
Water Boilers	171
Counter Top Bain Maries	173-175
Free-standing Bain Maries	177-178
Heated Cupboards & Gantries	180-181

WARE WASHING EQUIPMENT

Under Counter Ware washing	184-185
Upright Ware washing	186

RRP's and specifications are correct at time of print - we reserve the right to change RRP's and manufacturers' specifications without prior notice. All prices are subject to VAT at the current rate. E&OE.
See www.pentlandwholesale.co.uk for full terms and conditions.


Whilst we hold a large stock, due to the options available, some products require special order and a **30% non-refundable deposit** is required.



STAINLESS STEEL GASTRONORM CONTAINERS

Coming in a variety of styles and sizes the GN range from Blizzard is the perfect addition to any gastronorm based storage unit! Built from high quality stainless steel these food safe containers are ideal for storing product for both short and long periods of time and thanks to their high shine, simple finish, are easy to clean too! Why not pick up GN lids and spacer bars too and have the perfect custom storage solution.

GN1/1	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-1120	Gastronorm Pan	H530 x W325 x D20	£8.31	GN-11150P	Perforated Gastronorm Pan	H530 x W325 x D150	£23.95
	GN-1140	Gastronorm Pan	H530 x W325 x D40	£9.73	GN-11200	Gastronorm Pan	H530 x W325 x D200	£25.78
	GN-1165	Gastronorm Pan	H530 x W325 x D65	£10.84	GN-11LID	Gastronorm Lid	H530 x W325	£10.48
	GN-11100	Gastronorm Pan	H530 x W325 x D100	£14.60	GN-11NLID	Gastronorm Lid With Notch	H530 x W325	£10.93
	GN-11150	Gastronorm Pan	H530 x W325 x D150	£22.23	GN-11SPACER	Spacer Bar	H15 x W530	£10.01
GN1/2	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-1220	Gastronorm Pan	H265 x W325 x D20	£4.39	GN-12150P	Perforated Gastronorm Pan	H265 x W325 x D150	£15.42
	GN-1240	Gastronorm Pan	H265 x W325 x D40	£5.66	GN-12200	Gastronorm Pan	H265 x W325 x D200	£16.91
	GN-1265	Gastronorm Pan	H265 x W325 x D65	£6.36	GN-12LID	Gastronorm Lid	H265 x W325	£5.64
	GN-12100	Gastronorm Pan	H265 x W325 x D100	£9.30	GN-12NLID	Gastronorm Lid With Notch	H265 x W325	£6.11
	GN-12150	Gastronorm Pan	H265 x W325 x D150	£14.08				
GN1/3	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-1320	Gastronorm Pan	H176 x W325 x D20	£3.89	GN-13150P	Perforated Gastronorm Pan	H176 x W325 x D150	£12.77
	GN-1340	Gastronorm Pan	H176 x W325 x D40	£4.94	GN-13200	Gastronorm Pan	H176 x W325 x D200	£13.02
	GN-1365	Gastronorm Pan	H176 x W325 x D65	£5.16	GN-13LID	Gastronorm Lid	H176 x W325	£3.76
	GN-13100	Gastronorm Pan	H176 x W325 x D100	£7.27	GN-13NLID	Gastronorm Lid With Notch	H176 x W325	£4.21
	GN-13150	Gastronorm Pan	H176 x W325 x D150	£11.43	GN-13SPACER	Spacer Bar	H25 x W330	£8.47
GN1/4	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-1420	Gastronorm Pan	H162 x W265 x D20	£3.12	GN-14200	Gastronorm Pan	H162 x W265 x D200	£11.43
	GN-1440	Gastronorm Pan	H162 x W265 x D40	£4.80	GN-14LID	Gastronorm Lid	H162 x W265	£3.46
	GN-1465	Gastronorm Pan	H162 x W265 x D65	£4.80	GN-14NLID	Gastronorm Lid With Notch	H162 x W265	£3.96
	GN-14100	Gastronorm Pan	H162 x W265 x D100	£6.77	GN-14SPACER	Spacer Bar	H25 x W260	£6.93
	GN-14150	Gastronorm Pan	H162 x W265 x D150	£10.19				
GN1/6	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-1665	Gastronorm Pan	H162 x W176 x D65	£3.80	GN-16200	Gastronorm Pan	H162 x W176 x D200	£10.16
	GN-16100	Gastronorm Pan	H162 x W176 x D100	£5.23	GN-16LID	Gastronorm Lid	H162 x W176	£2.49
	GN-16150	Gastronorm Pan	H162 x W176 x D150	£7.31	GN-16NLID	Gastronorm Lid With Notch	H162 x W176	£2.94
GN1/9	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-1965	Gastronorm Pan	H108 x W176 x D65	£3.10	GN-19150	Gastronorm Pan	H108 x W176 x D150	£6.25
	GN-19100	Gastronorm Pan	H108 x W176 x D100	£4.73	GN-19LID	Gastronorm Lid	H108 x W176	£1.92
GN2/1	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-21100	Gastronorm Pan	H530 x W650 x D100	£33.23	GN-21LID	Gastronorm Lid	H530 x W650	£26.76
	GN-21150	Gastronorm Pan	H530 x W650 x D150	£42.26				
GN2/1	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)
	GN-2340	Gastronorm Pan	H355 x W325 x D40	£7.65	GN-23150	Gastronorm Pan	H355 x W325 x D150	£19.11
	GN-2365	Gastronorm Pan	H355 x W325 x D65	£9.21	GN-23LID	Gastronorm Lid	H355 x W325	£7.90
	GN-23100	Gastronorm Pan	H355 x W325 x D100	£12.52				
NAP	MODEL	DESCRIPTION	DIMENSIONS (mm)	PRICE (RRP)				
	GN-NAPOLI	Napoli Pan 5L	H165 x W118 x D360	£13.70				



OUR WARRANTY PROMISE

At Pentland we hope that you never have an issue with any piece of refrigeration or catering equipment you purchase from us, however we know that it's not always that simple and a long standing warranty is a key part of a customers decision making process.

That's why in 2023 we are offering higher levels of warranty cover than ever before. We have expanded the **3 year warranty cover** previously applied to our Blizzard range of storage refrigeration to now fully encompass all Blizzard refrigerated units to give you peace of mind when making your next purchase from us.

In tandem with this decision we have also increased the KoldBox **standard warranty to 2 years** across the entire range to re-enforce the confidence we have in this budget beating brand.

As always you will be able to choose at purchase as to whether you want to full parts & labour warranty or parts only warranty, please note as standard our pricing structure offers full parts & labour warranty.



BAR EQUIPMENT

Mini Bars | Under Counter Bottle Coolers | Upright Bottle Coolers
Beer Dumps | Wine Coolers | Ice Machines

Whether a hotel room mini bar or full-scale pub fit-out, we have all the bar equipment you could possibly need. Chill your drinks in one of our back bar coolers before they're poured onto ice made in one of our ice makers. We only stock the very best bar equipment to ensure ultimate product satisfaction.



BMB30



MATTE BLACK SOLID DOOR MINI BAR

Description

If you're looking for the perfect low profile, high storage mini bar - look no further! With it's sleek matte black finish, easy clean white ABS interior and silent operation, this mini bar is the perfect fit for any hotel room or back bar set up.

Maximising usable storage with the addition of shelving to the reversible door as well as internal lighting from above you can ensure your product is easy to view when it's not locked away behind the included door lock, which is fitted as standard on all units.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Black laminated exterior
- White ABS interior
- Absorption cooling
- Silent Operation
- Reversible door
- Adjustable internal shelves
- Door shelves
- Lock fitted as standard
- Internal LED illumination

MODEL	GROSS CAPACITY	SHELVES SUPPLIED	DOOR SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BMB30	30L	1	2	NH ₃	+3°C / +12°C	H480 x W400 x D420	D	65W	270	13amp	14.6	£321
BMB40	40L	2	2	NH ₃	+3°C / +12°C	H550 x W400 x D440	D	65W	272	13amp	16.6	£372

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Door shelf (BMB30)	£9.66



GLOSS BLACK GLASS
DOOR MINI BAR

Description

There's only one way to make a high storage silent mini bar better and that's to give it a glass door! Showcasing your product in full view the double-glazed glass door BMB range allows the user to see directly into the fridge without compromising on storage space and maintaining the fantastic features in its solid door counterpart.

With an optional modification to allow the LED lighting to be on continuously you can make your mini bar stand out in any space no matter how small.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features


- Black laminated exterior
- White ABS interior
- Double glazed glass door
- Absorption cooling
- Silent operation
- Reversible door
- Adjustable internal shelves
- Internal LED illumination when door is open
- Lock fitted as standard

MODEL	GROSS CAPACITY	SHELVES SUPPLIED	DOOR SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BMB30G	30L	1	2	NH ₃	+3°C / +12°C	H480 x W400 x D420	G	65W	270	13amp	16.6	£334
BMB40G	40L	2	2	NH ₃	+3°C / +12°C	H550 x W400 x D440	G	65W	285	13amp	18.8	£380

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Lighting modification	£9.66



KBC2SL



STANDARD HINGED & SLIDING DOOR BOTTLE COOLER

Description

If you're looking for a straight to the point no thrills bottle cooler then the KBC range is the perfect option for a budget beating bargain! With a clean black exterior and stippled aluminium interior the unit fits seamlessly into any back bar, even while using its integrated LED lighting!

Coming as standard with 2 shelves per self closing double glazed door this unit is an all-round perfect choice for the budget minded buyer!

2
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Black laminated exterior
- Stippled aluminium interior
- Self closing door(s)
- Available in both hinged & sliding variant
- 2 Adjustable shelves supplied as standard
- Door lock fitted per door
- Internal LED illumination with on/off switch
- Adjustable feet
- Replaceable door gasket

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
KBC1	1	138L (135)	2	R600a	+4°C / +10°C	H900 x W600 x D520	F	150W	858	13amp	47	£554
KBC2	2	218L (202)	4	R600a	+4°C / +10°C	H900 x W900 x D520	F	210W	990	13amp	73	£670
KBC2SL	2	218L (202)	4	R600a	+4°C / +10°C	H900 x W900 x D520	F	210W	1011	13amp	73	£696
KBC3	3	338L (338)	6	R600a	+4°C / +10°C	H900 x W1350 x D520	F	270W	1225	13amp	89	£907
KBC3SL	3	338L (338)	6	R600a	+4°C / +10°C	H900 x W1350 x D520	F	270W	1260	13amp	89	£946

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips (KBC1, KBC2,2SL,3,3SL)	£43.95
Door gasket (KBC1,KBC2,KBC3)	£43.17



STANDARD HINGED & SLIDING DOOR BOTTLE COOLER

Description

The star child of Blizzard, the BAR collection of bottle coolers offer excellent cooling & storage at a reasonable price. Available in both hinged and sliding doors, lockable as standard and comes with 2 shelves per door straight out of the box.

With its matte black exterior and aluminium stippled interior, the bottle cooler will seamlessly fit into any back bar set up while utilising its built in LED lighting to highlight product stored inside.



Features

- Black laminated exterior
- Stippled Aluminium interior
- Self closing double glazed door(s)
- Available in both hinged & sliding variant
- 2 Adjustable shelves per door
- Lock fitted to each door
- Internal LED illumination
- Replaceable door gasket
- Optional chrome plated scalloped wine shelf

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
BAR1	1	128L (135)	2	R600a	+4°C / +12°C	H900 x W598 x D520	D	165W	527	13amp	44	£657
BAR2	2	200L (202)	4	R600a	+4°C / +12°C	H900 x W903 x D520	D	185W	564	13amp	59	£875
BAR2SL	2	200L (202)	4	R600a	+4°C / +12°C	H900 x W903 x D511	D	185W	580	13amp	59	£875
BAR3	3	310L (338)	6	R600a	+4°C / +12°C	H900 x W1353 x D520	F	320W	1075	13amp	91	£1262
BAR3SL	3	310L (338)	6	R600a	+4°C / +12°C	H900 x W1353 x D511	F	320W	1119	13amp	91	£1262

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips (BAR1)	£39.99
Shelf & 4 clips (BAR2,BAR2SL,BAR3,BAR3SL)	£34.15
Wine shelf & 4 clips (BAR1,BAR2,BAR2SL,BAR3,BAR3SL)	£39.97
Gasket (BAR1,BAR2,BAR2SL,BAR3,BAR3SL)	£64.75



STAINLESS STEEL HINGED DOOR BOTTLE COOLER

Description

Perfection level back bar storage combined with stunning looks thanks to its frontal stainless steel finish to make a strong statement in any bar. Available with hinged doors the BARSS range offers 2 adjustable shelves per door with self closing hinges as standard.

Add a little extra glitz to your bar with included internal LED's allowing the ultimate clean presentation of your product.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Stainless Steel fronted
- Silver laminated sides and top
- Stippled Aluminium interior
- Self closing double glazed door(s)
- 2 Adjustable shelves per door
- Lock fitted to each door
- Internal LED illumination
- Replaceable door gasket
- Optional chrome plated scalloped wine shelf

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BAR1SS	1	128L (135)	2	R600a	+4°C / +12°C	H900 x W598 x D520	D	165W	527	13amp	48	£736
BAR2SS	2	200L (202)	4	R600a	+4°C / +12°C	H900 x W903 x D520	D	185W	564	13amp	65	£1022
BAR3SS	3	310L (338)	6	R600a	+4°C / +12°C	H900 x W1353 x D520	F	320W	1075	13amp	95	£1403

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips (BAR1SS)	£39.99
Shelf & 4 clips (BAR2SS,BAR3SS)	£34.15
Wine shelf & 4 clips (BAR1SS,BAR2SS,BAR3SS)	£39.97
Gasket (BAR1SS,BAR2SS,BAR3SS)	£64.75



LOWBAR2SL

**Blizzard**

LOW HEIGHT HINGED & SLIDING DOOR BOTTLE COOLER

Description

The best-selling BAR range is available in a lower height unit without losing too much storage space internally. Including all major features of its full-sized siblings such as self-closing doors, LED lighting and 2 included shelves per door.

With its matte black exterior and aluminium stippled interior, the bottle cooler will seamlessly fit in to any back bar set up while utilising its built in LED lighting to highlight product stored inside.




Features

- Black laminated exterior
- Stippled Aluminium interior
- Low 840mm height for product versatility
- Self closing double glazed door(s)
- Available in both hinged & sliding variant
- 2 Adjustable shelves per door
- Lock fitted to each door
- Internal LED illumination
- Replaceable door gasket

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
LOWBAR1	1	117L (108)	2	R600a	+4°C / +12°C	H840 x W598 x D520	D	125W	536	13amp	44	£671
LOWBAR2	2	182L (168)	4	R600a	+4°C / +12°C	H840 x W903 x D520	D	140W	550	13amp	56	£910
LOWBAR2SL	2	182L (168)	4	R600a	+4°C / +12°C	H840 x W903 x D511	E	140W	670	13amp	57	£910
LOWBAR3	3	280L (276)	6	R600a	+4°C / +12°C	H840 x W1353 x D520	F	270W	1059	13amp	80	£1214
LOWBAR3SL	3	280L (276)	6	R600a	+4°C / +12°C	H840 x W1353 x D511	G	270W	1192	13amp	81	£1214

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips (LOWBAR1)	£39.97
Shelf & 4 clips (LOWBAR2,LOWBAR2SL,LOWBAR3,LOWBAR3SL)	£34.15
Wine shelf & 4 clips (LOWBAR1,LOWBAR2,LOWBAR2SL,LOWBAR3,LOWBAR3SL)	£39.97
Gasket (LOWBAR1,LOWBAR2,LOWBAR2SL,LOWBAR3,LOWBAR3SL)	£64.75

ZX2



HINGED & SLIDING DOOR BOTTLE COOLER

Description

The ZX range of bottle coolers from Infrico offer a high end and visually appealing option for your back bar set up. With both matte black and anodized aluminium doored variations, you can match almost any look to your bottle cooling equipment with relative ease.

Available in 1, 2 and 3 door variations the ZX range includes internal LED lighting, door lock and adjustable feet as standard, the units are perfect to be built into a customer bar.



Features

- Laminated exterior and interior
- Internal illumination
- Wider spaced condenser for minimum maintenance
- Door lock as standard
- Can be built in
- Double glazed glass door
- Adjustable feet
- Replaceable door gaskets

MODEL	Finish	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
ZX1	Black	1	(144)	2	R134a	+4°C / +12°C	H900 x W600 x D520	B	325W	13amp	70	£1171
ZX2	Black	2	(218)	2	R134a	+4°C / +12°C	H900 x W900 x D520	B	350W	13amp	100	£1487
ZX2-SL	Black	2	(218)	2	R134a	+4°C / +12°C	H900 x W900 x D520	B	350W	13amp	100	£1586
ZX3	Black	3	(324)	2	R134a	+4°C / +12°C	H900 x W1350 x D520	B	425W	13amp	132	£2127
ZXS1	Aluminium	1	(144)	2	R134a	+4°C / +12°C	H900 x W600 x D520	B	325W	13amp	70	£1193
ZXS2	Aluminium	2	(218)	2	R134a	+4°C / +12°C	H900 x W900 x D520	B	350W	13amp	100	£1583
ZXS3	Aluminium	3	(324)	2	R134a	+4°C / +12°C	H900 x W1350 x D520	B	425W	13amp	132	£2127



STANDARD UPRIGHT HINGED DOOR BOTTLE COOLER

Description

In need of more bar storage and display space than an under counter can provide? The BAR upright collection offers superb value for money and maintains all the key selling points of their under counter variants such as self-closing doors, internal LED lighting and adjustable shelving.

Coming in both 1 door and 2 door variants with the option of both flat and scalloped wine shelves these units are perfect for any bar wall display.



Features

- Black laminated exterior
- Stainless steel interior
- Self closing double glazed door(s)
- Available in both hinged & sliding variant
- 5 Adjustable shelves per door
- Adjustable feet
- Lock fitted to each door
- Internal LED illumination along top & sides
- Replaceable door gasket
- Optional chrome plated scalloped wine shelf

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BAR10	1	260L (324)	5	R290	+3°C / +10°C	H1815 x W600 x D515	E	268W	894	13amp	104	£1355
BAR20	2	417L (492)	10	R290	+3°C / +10°C	H1815 x W920 x D515	F	418W	1456	13amp	140	£1831

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips (BAR10)	£54.67
Shelf & 4 clips (BAR20)	£60.57
Wine shelf & 4 clips (BAR10)	£65.09
Wine shelf & 4 clips (BAR20)	£62.84
Gasket (BAR10,BAR20)	£64.75



STAINLESS STEEL UPRIGHT HINGED DOOR BOTTLE COOLER

Description

If there was ever a unit to make a statement in a back bar set up its the BAR10SS & BAR20SS bottle coolers. With ample storage, LED lighting and not to forget the clean looking stainless steel fronted doors these units are sure to stand out in style.

Available in both a 1 door & 2 door variant with the option of both flat and scalloped wine shelves these units are perfect for any bar wall display.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Stainless steel exterior & interior
- Self closing double glazed door(s)
- 5 Adjustable shelves per door
- Adjustable feet
- Lock fitted to each door
- Internal LED illumination along top & sides
- Replaceable door gasket
- Optional chrome plated scalloped wine shelf

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BAR10SS	1	260L (324)	5	R290	+3°C / +10°C	H1815 x W600 x D515	E	268W	894	13amp	110	£1555
BAR20SS	2	417L (492)	10	R290	+3°C / +10°C	H1815 x W920 x D515	F	418W	1456	13amp	150	£1980

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips (BAR10)	£54.67
Shelf & 4 clips (BAR20)	£60.57
Wine shelf & 4 clips (BAR10)	£65.09
Wine shelf & 4 clips (BAR20)	£62.84
Gasket (BAR10,BAR20)	£64.75



UPRIGHT HINGED DOOR BOTTLE COOLER

Description

The ZX range of bottle coolers from infrico offer a high end and visually appealing option for your back bar set up. With both matte black and anodized aluminium door variations, you can match almost any look to your bottle cooling equipment with relative ease.

Available in 1 or 2 door variations the ZX range includes LED lighting, locks and adjustable feet as standard. All units come with 5 shelves per door straight out of the box.



Features

- Laminated exterior and interior
- Internal illumination
- Wider spaced condenser for minimum maintenance
- 5 Shelves
- Lock as standard
- Can be built in
- Double glazed glass doors and adjustable feet
- Replaceable door gasket

MODEL	Finish	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
ZX10	Black	1	(324)	5	R134a	+4°C / +12°C	H1800 x W600 x D520	D	380W	13amp	110	£1809
ZX20	Black	2	(492)	5	R134a	+4°C / +12°C	H1800 x W900 x D520	F	600W	13amp	157	£2477
ZXS10	Aluminium	1	(324)	5	R134a	+4°C / +12°C	H1800 x W600 x D520	D	380W	13amp	110	£1832
ZXS20	Aluminium	2	(492)	5	R134a	+4°C / +12°C	H1800 x W900 x D520	F	600W	13amp	157	£2530

OPTIONAL EXTRAS (Applicable Units)

	PRICE (RRP)
Shelf & 4 clips (ZX10,ZXS10)	£70.77
Gasket (ZX10)	£97.97
Gasket (ZX20)	£81.01



EFP1000SS



DEEP BODIED SLIDING TOP BEER DUMPS

Description

The perfect solution for large scale refrigeration of bottled drinks in a clean and easy to access package. Available in both matte white and stainless steel finishes, the EFP range offers storage for up to 360 standard 20cl bottles.

Further features include a stainless or galvanized steel interior dependant on model and an integrated fixed drain tube to the rear of the unit. Please note the installer should make provision for a connection to a drain outlet.

Features

- Available in both stainless steel & white laminated
- Easy to use manual controls
- Integrated fixed drain
- Sliding top hatch access
- Stainless steel interior
- Bottle capacities based on 20cl bottles

2
YEAR
WARRANTY

SPECIAL
ORDER

CLIMATE
CLASS 4

MODEL	Finish	LID	GROSS CAPACITY (BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
EFP1000SS	Stainless Steel	2	200L (180)	R600a	+3°C / +6°C	H880 x W1004 x D550	90W	13amp	61	£1214
EFP1500SS	Stainless Steel	3	305L (270)	R290	+3°C / +6°C	H880 x W1479 x D550	180W	13amp	91	£1679
EFP2000SS	Stainless Steel	4	415L (360)	R290	+3°C / +6°C	H880 x W1954 x D550	180W	13amp	110	£2138
EFP1000WH	White	2	200L (180)	R600a	+3°C / +6°C	H880 x W1004 x D550	90W	13amp	61	£1040
EFP1500WH	White	3	305L (270)	R290	+3°C / +6°C	H880 x W1479 x D550	180W	13amp	91	£1384
EFP2000WH	White	4	415L (360)	R290	+3°C / +6°C	H880 x W1954 x D550	180W	13amp	106	£1824

OPTIONAL EXTRAS	PRICE (RRP)
Castor Kit (Supply only)	£50.55
Castor Kit (Supply & fit)	£106.18



UNDER COUNTER GLASS
DOOR GLASS FROSTER

Description

Finish off your drinks with an icy statement thanks to the Blizzard GF140. Part of the best selling UC-140 range this stainless steel bodied under counter unit is the perfect fit for finishing off those ice cold beers and frozen cocktails.

Fitted as standard with a glass door for ease of viewing, adjustable shelving and feet and capable of reaching temperatures as low as -15°C you'll be hard pressed to find a better value for money glass froster on the market.



Features

- High grade 304 stainless steel exterior
- White laminated interior
- Height adjustable feet from 819 – 850mm
- Lock fitted as standard
- 2 Adjustable shelves included as standard
- Chrome plated handle
- Replaceable door gasket

MODEL	SHELVES (SUPPLIED)	GROSS CAPACITY (GLASSES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
GF140	2	105L (112)	R600a	-5°C / -15°C	H819 x W598 x W613	135W	13amp	47	£1090

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Stacking kit	£182
Gasket	£60.26



WD400



UPRIGHT TINTED GLASS WINE COOLER WITH CASTORS

Description

Ensure your wine is ready to serve without fail every time with the Blizzard WD400 wine cooler. With an adjustable temperature range between +5 to +18c you will have no problems storing your selected wine at the optimum temperature.

With triple glazed tinted glass on all 4 sides, curved front panel and stainless steel base this sleek looking unit fits in to any environment with ease, even more so thanks to its integrated castors fitted as standard.

3
YEAR
WARRANTY

LED
LIGHTING


CASTORS
INCLUDED

CLIMATE
CLASS 4


Features

- Stainless steel body base
- Brilliant Internal LED lighting on sides
- 9 adjustable chrome scalloped wine shelves as standard
- Front curved glass door
- 4 sides triple glazed glass
- 4 castors, 2 with brakes
- On / Off Switch


MODEL	SHELVES (SUPPLIED)	GROSS CAPACITY (BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
WD400	9	400L (81)	R290	+5°C / +18°C	H1940 x W656 x D653	C	500W	2672	13amp	186	£2327
OPTIONAL EXTRAS (Applicable Units)											PRICE (RRP)
Flat shelf											£69.50




BLIZZARD BMB30
H 480mm W 400mm D 420mm




BLIZZARD BMB40
H 550mm W 400mm D 440mm




BLIZZARD BMB30G
H 480mm W 400mm D 420mm




BLIZZARD BMB40G
H 550mm W 400mm D 440mm




KOLDBOX KBC1
H 900mm W 600mm D 520mm




KOLDBOX KBC2
H 900mm W 900mm D 520mm




KOLDBOX KBC2SL
H 900mm W 900mm D 520mm




KOLDBOX KBC3
H 900mm W 1350mm D 520mm




KOLDBOX KBC3SL
H 900mm W 1350mm D 520mm




BLIZZARD BAR1(SS)
H 900mm W 598mm D 520mm




BLIZZARD BAR2(SS)
H 900mm W 903mm D 520mm




BLIZZARD BAR2SL
H 900mm W 903mm D 511mm




BLIZZARD BAR3(SS)
H 900mm W 1353mm D 520mm




BLIZZARD BAR3SL
H 900mm W 1353mm D 511mm




BLIZZARD LOWBAR1
H 840mm W 598mm D 520mm




BLIZZARD LOWBAR2
H 840mm W 903mm D 520mm




BLIZZARD LOWBAR2SL
H 840mm W 903mm D 511mm




BLIZZARD LOWBAR3
H 840mm W 1353mm D 520mm




BLIZZARD LOWBAR3SL
H 840mm W 1353mm D 511mm




INFRICO ZX1(SS)
H 900mm W 600mm D 520mm




INFRICO ZX2(SS)
H 900mm W 900mm D 520mm




INFRICO ZX2-SL
H 900mm W 900mm D 520mm




INFRICO ZX3(SS)
H 900mm W 1350mm D 520mm




BLIZZARD BAR10(SS)
H 1815mm W 600mm D 515mm




BLIZZARD BAR20(SS)
H 1815mm W 920mm D 515mm




INFRICO ZX10(SS)
H 1800mm W 600mm D 520mm




INFRICO ZX20(SS)
H 1800mm W 900mm D 520mm




INFRICO EFP1000SS(WH)
H 880mm W 1004mm D 550mm




INFRICO EFP1500SS(WH)
H 880mm W 1479mm D 550mm



INFRICO EFP2000SS(WH)
H 880mm W 1954mm D 550mm




BLIZZARD GF140
H 819mm W 598mm D 613mm



BLIZZARD WD400
H 1940mm W 656mm D 653mm

BIM40



INTEGRAL CUBED STAINLESS STEEL ICE MAKER

Description

With its sleek matte black and stainless steel construction the BIM ice maker range is sure to be the focal point of any bar or restaurant. Producing squared ice that conforms to low UK water regulations it couldn't be any easier to get up and running with the integrated digital control panel and removable condenser filter.

During its 10-20 minute ice cycles you can ensure you will never waste a drop of water with automatic cut off levels and easy viewing thanks to the internal LED lighting.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS T

Features

- Stainless steel & black ABS body
- Produces cubed ice
- Low water consumption
- Easy to use electronic controls
- 10-20 Minute cycles
- Fully automatic operation
- Cleaning function cycle
- Removable filters
- Integrated LED lighting

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BIM40	36	15	R290	H800 x W500 x D450	310W	13amp	40	£899
BIM90	95	36	R290	H920 x W660 x D685	625W	13amp	66	£1499

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Water filter kit	£193.20
Drain pump	£153.62
Universal Stand	£195.18



STAINLESS STEEL INTEGRAL
CRUSHED ICE MACHINE

Description

There's no better pairing than crushed ice and cocktails and that's why the Simag SMI80 is the perfect addition to any budding cocktail wizards tools of the trade. With a residual water content of just 8% you can ensure your crushed ice sticks around and outlasts most cubed and bullet ice.

Due to the fact the unit produces crushed ice from standard there's no need for noisy separate ice crushers to further add cost and complexity to your space.



Features

- Unique crushed ice producing machine
- 25kg of crushed ice on hand
- High grade 441 stainless steel exterior
- Food safe plastic interior with silver and antibacterial interior
- Crushed ice is very dry with only 8 percent water
- Perfect for cocktails and display
- Air cooled (Water cooled available - POA)

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
SMI80	85	25	R452a	H880 x W529 x D626	440W	13amp	59	£3520
OPTIONAL EXTRAS (Applicable Units)								PRICE (RRP)
Water filter kit								£193.20



SIMAG

STAINLESS STEEL SELF CONTAINED ICE MAKERS

Description

When choosing the perfect size ice machine is a priority there's no better option than the Simag SDE range. With sizing of up to 215kg per 24 hours you can be sure your ice production needs will be covered. Plus added extras such as low power and water consumption, built in cleaning system and high grade 441 stainless steel bodywork. **Please note the SDE range is currently in transition to a new hydrocarbon model (SDH). Contact sales for more info.**



Features

- High grade 441 stainless steel bodywork
- Air cooled
- Vertical pump
- Main switch on/off
- Built in cleaning system
- Easily accessible components
- Low power and water consumption
- Optimum ratio between ice product & bin capacity

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
SDE18	18	4	R134a	H554 x W334 x D457	280W	13amp	28	£1169
SDE24	24	6	R134a	H599 x W334 x D457	310W	13amp	28	£1263
SDE30	30	6	R134a	H599 x W334 x D457	380W	13amp	28	£1403
SDE34	32	10	R134a	H639 x W334 x D555	360W	13amp	40	£1534
SDE40	38	12	R134a	H726 x W377 x D555	350W	13amp	40	£1656
SDE50	47	17	R134a	H810 x W485 x D575	430W	13amp	45	£1836
SDE64	63	20	R134a	H905 x W485 x D575	580W	13amp	48	£2191
SDE84	82	30	R134a	H981 x W670 x D595	620W	13amp	63	£2626
SDE100	100	30	R452a	H981 x W670 x D595	620W	13amp	63	£2875
SDE170	171	50	R452a	H981 x W1042 x D575	1200W	13amp	94	£3823
SDE220	215	68	R452a	H1131 x W1042 x D575	2000W	20amp	131	£5343



STAINLESS STEEL INTEGRAL ICE FLAKER

Description

The SPR range of integral ice flakers from Simag are the addition that every bar and food establishment is crying out for. Built with high grade 441 stainless steel and food safe plastic interior you can ensure your unit looks the part and with flaked ice with only 25% residual water content it performs just as well too!

It's front vented air cooled design makes it the perfect fit for building in to a current bar set up while still allowing access to components for maintenance and cleaning. **Please note the SPR range is currently in transition to a new hydrocarbon model (SPH). Contact sales for more info.**




Features

- High grade 441 stainless steel exterior
- Food safe plastic interior
- Front vented - can be built in
- Electronic controls
- Produces flaked ice
- Air cooled
- Easily accessible components

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
SPR80	70	25	R134a	H880 x W529 x D626	340W	13amp	60	£3195
SPR120	120	55	R452a	H867 x W920 x D594	500W	13amp	78	£3971
SPR200	190	55	R452a	H867 x W920 x D594	820W	13amp	82	£4689

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Water filter kit	£193.20



NEW HIGH CAPACITY ICE MACHINE & STORAGE BIN

Description

Brand new for 2023 the Blizzard high capacity ice machines are a match made in heaven for any quick paced bar, restaurant or even retail space. Featuring the much loved features of its younger siblings such as removable filters, low water consumption, cubed ice production, cleaning function & more!.

To enable ease of use and simplicity the high capacity machines are sold as a pre-made bundle of both machine and suitable bin both featuring high grade stainless steel & black ABS construction.

3
YEAR
WARRANTY

NEW
ARRIVAL

CLIMATE
CLASS T

Features

- Stainless Steel & Black ABS body
- Produces Cubed Ice
- Low Water Consumption
- Easy To Use Electronic Controls
- 10-20 Minute Cycles
- Fully Automatic Operation
- Cleaning Function Cycle
- Integrated LED Lighting
- Ice Machine & Bin

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BIM160	159	125	R290	H1720 x W570 x D830	760W	13amp	94	£2655
BIM230	227	175	R290	H1720 x W770 x D830	1050W	13amp	120	£3166

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Water filter kit	£193.20
Drain pump	£153.62



MODULAR ICE CUBERS & STORAGE BINS

Description

When your ice making needs are more than a integral unit can handle the SVD modular units are perfect for back stocking as much ice as you could ever need thanks to the highly adaptable storage bins. Built with high grade stainless steel and featuring a high efficiency vertical evaporator, removable condenser filter and adjustable cube size. **Please note the SVD range is currently in transition to a new hydrocarbon model (SVD). Contact sales for more info.**



Features

- High efficiency vertical evaporator cuber
- Air cooled
- AISI 304 Stainless steel finishing
- Low power and water consumption
- Self diagnostic system with LED indicators
- Front evaporator access
- Easy removable condenser filter
- Double stacking available

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	COMPATIBLE STORAGE BINS	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
SVD152	160	-	R100,R130	R452a	H609 x W558 x D610	800W	13amp	67	£3234
SVD222	210	-	R100,R130,R150*	R452a	H609 x W558 x D610	1200W	20amp	80	£3597
SVD203	220	-	R150,R190	R452a	H575 x W760 x D620	1000W	20amp	85	£3679
SVD303	290	-	R150,R190	R452a	H575 x W760 x D620	1600W	20amp	88	£4146
SVD503	485	-	R150,R190,R300*	R452a	H800 x W760 x D620	2500W	3 Phase	116	£6260
R100	-	129	-		H1048 x W569 x D845	-	-	50	£1369
R130	-	168	-		H1271 x W569 x D869	-	-	61	£1574
R150	-	181	-		H1048 x W769 x D850	-	-	56	£1672
R190	-	243	-		H1271 x W771 x D880	-	-	70	£2020
R300	-	406	-		H1274 x W1336 x D873	-	-	97	£2653



SIMAG

MODULAR ICE FLAKERS & STORAGE BINS

Description


Taking flaked ice production to an industrial scale the SPN range offers a huge range of production amounts with just as many storage bin options. Built from a 441 stainless steel exterior & food safe plastic interior the units front vented design are perfect for building in to existing structures while remaining easily serviceable. **Please note the SPN range is currently in transition to a new hydrocarbon model (SPN). Contact sales for more info.**




Features

- High grade 441 stainless steel exterior
- Food safe plastic interior
- Front vented - can be built in
- Electronic controls
- Produces flaked ice
- air cooled
- Easily accessible components


MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	COMPATIBLE STORAGE BINS	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
SPN125	120	-	R100,R130	R452a	H609 x W558 x D610	800W	13amp	67	£3234
SPN255	200	-	R100,R130,R150*	R452a	H609 x W558 x D610	1200W	20amp	80	£3985
SPN405	320	-	R150,R190	R452a	H575 x W760 x D620	1000W	20amp	85	£6105
SPN605	600	-	R150,R190	R452a	H575 x W760 x D620	1600W	20amp	88	£7769
SPN1205	1150	-	R150,R190,R300*	R452a	H800 x W760 x D620	2500W	3 Phase	116	£14774
R100	-	129	-		H1048 x W569 x D845	-	-	50	£1369
R130	-	168	-		H1271 x W569 x D869	-	-	61	£1574
R150	-	181	-		H1048 x W769 x D850	-	-	56	£1672
R190	-	243	-		H1271 x W771 x D880	-	-	70	£2020
R250	-	252	-		H968 x W1083 x D824	-	-	63	£2360
R300	-	406	-		H1274 x W1336 x D873	-	-	97	£2653
R400	-	478	-		H1272 x W1331 x D881	-	-	104	£2904




BLIZZARD BIM40
H 800mm W 500mm D 450mm




BLIZZARD BIM90
H 920mm W 660mm D 685mm




SIMAG SMI80
H 880mm W 529mm D 626mm




SIMAG SDH18
H 554mm W 334mm D 457mm




SIMAG SDH24
H 599mm W 334mm D 457mm




SIMAG SDH30
H 599mm W 334mm D 457mm




SIMAG SDH34
H 639mm W 334mm D 555mm




SIMAG SDH40
H 726mm W 377mm D 555mm




SIMAG SDH50
H 810mm W 485mm D 575mm




SIMAG SDH64
H 905mm W 485mm D 575mm




SIMAG SDH84
H 981mm W 670mm D 595mm




SIMAG SDH100
H 981mm W 670mm D 595mm




SIMAG SDH170
H 981mm W 1042mm D 575mm




SIMAG SDH220
H 1131mm W 1042mm D 575mm




SIMAG SPH80
H 880mm W 529mm D 626mm




SIMAG SPH120
H 867mm W 920mm D 594mm




SIMAG SPH200
H 867mm W 920mm D 594mm




BLIZZARD BIM160
H 1150mm W 560mm D 830mm




BLIZZARD BIM230
H 1150mm W 760mm D 830mm




SIMAG SVD152
H 609mm W 558mm D 610mm




SIMAG SVD222
H 609mm W 558mm D 610mm




SIMAG SVD203
H 575mm W 760mm D 620mm




SIMAG SVD303
H 575mm W 760mm D 620mm




SIMAG SVD503
H 800mm W 760mm D 620mm




SIMAG SPN125
H 531mm W 564mm D 536mm




SIMAG SPN255
H 531mm W 564mm D 536mm




SIMAG SPN405
H 650mm W 538mm D 663mm




SIMAG SPN605
H 790mm W 538mm D 663mm




SIMAG SPN1205
H 850mm W 1065mm D 698mm




SIMAG R100
H 1048mm W 569mm D 845mm




SIMAG R130
H 1271mm W 569mm D 869mm




SIMAG R150
H 1048mm W 769mm D 850mm




SIMAG R190
H 1271mm W 771mm D 880mm



SIMAG R250
H 968mm W 1083mm D 824mm



SIMAG R300
H 1274mm W 1336mm D 873mm



SIMAG R400
H 1272mm W 1331mm D 881mm



STORAGE REFRIGERATION

Under Counters | Uprights | Counters | Prep Counters | Saladettes
Pizza Prep | Snack Counters | Blast Chillers | Chest Freezers

Storage refrigeration is all about maximising the space available and with our range of under counters, uprights, snack counters, chest freezers and more you're sure to make the most of every inch of your back of house/prep space.



NEW STAINLESS STEEL UNDER COUNTER REFRIGERATION

Description

A budget beating addition to the Koldbox range new for 2023 the KXR200 & KXF200 are the perfect under counter unit for every situation. Coming with a sleek stainless steel exterior and white ABS interior paired with 2 adjustable shelves and 2 fixed shelves respective as standard.

With features such as a reversible door, replaceable door gaskets and rollers fitted to allow for easier manoeuvrability the KXF/R under counter range is sure to make a splash this year!



Features

Stainless Steel exterior

White ABS interior

Lock fitted as standard

Replaceable door gasket

Reversible door

Rollers fitted to the rear, adjustable feet to the front

2 shelves as standard

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
KXR200	2	113L	R600a	+2°C / +10°C	H830 x W595 x D640	B	90	237	13amp	41	£598
KXF200	2	113L	R600a	-10°C / -20°C	H830 x W595 x D640	B	91	402	13amp	43	£628

OPTIONAL EXTRAS
(Applicable Units)

PRICE
(RRP)

Shelf (KXR200)

£19.33



UCF140WH



WHITE LAMINATED UNDER COUNTER REFRIGERATION

Description

The UCF comes as standard with 3 fixed shelves & baskets, while the adjustable shelves in the UCR make the interior adaptable to your individual needs featuring a clean white laminated exterior, ABS interior and locks fitted as standard.

Other quality of life features include reversible door, height adjustable feet, easily replaceable door gaskets and more! It's easy to see why the UCR/UCF range is one of Blizzards best selling ranges.



Features

- White laminated exterior
- ABS interior
- Height adjustable feet from 819 – 850mm
- Reversible door
- Lock fitted as standard
- 2 Shelves fitted as standard
- Replaceable door gasket
- Stainless steel handle

MODEL	SHELVES (BASKETS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
UCR140WH	3	145L	R600a	+2°C / +8°C	H819 x W598 x D648	A	135W	390	13amp	38	£676
UCF140WH	3	115L	R600a	-16°C / -24°C	H819 x W598 x D648	-	135W	-	13amp	41	£676

OPTIONAL EXTRAS	PRICE (RRP)
Stacking kit	£182
Gasket	£60.26



STAINLESS STEEL UNDER COUNTER REFRIGERATION

Description

Both the UCR140 and UCF140 come in a sleek and stylish high grade 304 stainless steel exterior finish featuring an integrated handle to bring a more ergonomic experience to your working environment.

The UCF140 comes as standard with 3 fixed shelves & baskets, while the adjustable shelves in the UCR140 make the interior adaptable to your individual needs. An easy clean ABS interior & replaceable gaskets ensure perfect hygiene with minimal effort.



Features

- High grade 304 stainless steel exterior
- ABS interior
- Height adjustable feet from 819mm - 850mm
- Lock fitted as standard
- 2 Shelves supplied as standard
- Integrated door handle
- Replaceable door gasket
- Reversible door

MODEL	SHELVES (BASKETS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
UCR140	3	145L	R600a	+2°C / +8°C	H819 x W598 x D598	A	135W	390	13amp	38	£833
UCF140	3	115L	R600a	-16°C / -24°C	H819 x W598 x D598	-	135W	-	13amp	41	£833

OPTIONAL EXTRAS	PRICE (RRP)
Stacking kit	£182
Gasket	£60.26



WHITE LAMINATED PHARMACY REFRIGERATOR

Description

Part of the hugely popular UC-140 range the MED140 was a direct result to Blizzards understanding of the need to help the Pharmaceutical industry deal with the demand during the COVID-19 pandemic.

Offering a easy to clean white laminated exterior and injected ABS interior for easy cleaning and maintenance. The external medical grade thermometer allows you to easily track internal temperatures throughout the day on the included temp sheets.

3

YEAR WARRANTY

CLIMATE CLASS 4

Features

- White laminated exterior
- ABS interior
- Secondary alarm thermometer accuracy of +/- 0.5C
- Audible and visual temperature alarm - HI/LO alarm
- MAX and MIN temperature monitoring
- Battery powered temperature monitoring in case of power failure
- 2 Adjustable shelves as standard
- Reversible door
- Lock fitted as standard

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
MED140	2	145L	R600a	+2°C / +8°C	H819 x W598 x D648	135W	13amp	38	£908

OPTIONAL EXTRAS	PRICE (RRP)
Stacking kit	£182
Gasket	£60.26



GLASS DOOR STAINLESS STEEL UNDER COUNTER REFRIGERATION

Description

The UCR140-CR and UCF140-CR under counters feature high grade 304 stainless steel exterior fronted by a double-glazed glass door to allow for easy viewing of the contents stored inside. Unlike their solid door siblings both units feature adjustable shelves allowing for ultimate flexibility.

As standard the UCR140-CR includes a white easy clean ABS interior opposed to the UCF140-CRs white laminated interior to maintain temperature ranges.




Features


- High grade 304 stainless steel exterior
- Double glazed glass door
- ABS Interior
- Height adjustable feet from 819mm to 850mm
- Lock fitted as standard
- Adjustable shelves
- Replaceable door gasket

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
UCR140-CR	3	145L	R600a	+2°C / +8°C	H819 x W598 x D613	B	135W	431	13amp	44	£899
UCF140-CR	2	105L	R600a	-16°C / -24°C	H819 x W598 x D613	-	135W	-	13amp	47	£1090


OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Stacking kit	£182
Gasket	£60.26




KOLDBOX KXR200
H 830mm W 595mm D 640mm




KOLDBOX KXF200
H 830mm W 595mm D 640mm




BLIZZARD UCR140WH
H 819mm W 598mm D 648mm




BLIZZARD UCF140WH
H 819mm W 598mm D 648mm




BLIZZARD UCR140
H 819mm W 598mm D 598mm




BLIZZARD UCF140
H 819mm W 598mm D 598mm



BLIZZARD MED140
H 819mm W 598mm D 648mm



BLIZZARD UCR140-CR
H 819mm W 598mm D 613mm



BLIZZARD UCF140-CR
H 819mm W 598mm D 613mm



SOLID DOOR STAINLESS STEEL & WHITE LAMINATED UPRIGHT REFRIGERATION

Description

The NEW & improved Blizzard upright range is here and with an ergonomic integrated handle on both colour ways, reversible door and easy clean white ABS interior it has never looked so good. Rollers to the rear and feet at the front of the unit means it can be easily manoeuvred in and out of place for cleaning and maintenance.



Features

Stainless steel or white laminated exterior

White ABS interior

Reversible door

Lock fitted as standard

4 adjustable shelves supplied (Refrigerator)

5 Fixed shelves (Freezer)

Rollers to rear, adjustable feet to the front

MODEL	COLOUR	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
HW40	White	4	305L	R600a	+2°C / +10°C	H1850 x W595 x D640	B	127W	323	13amp	78	£908
HS40	Stainless Steel	4	305L	R600a	+2°C / +10°C	H1850 x W595 x D640	B	127W	323	13amp	78	£1009
LW40	White	5	305L	R290	-10°C / -20°C	H1850 x W595 x D640	B	210W	795	13amp	79	£956
LS40	Stainless Steel	5	305L	R290	-10°C / -20°C	H1850 x W595 x D640	B	210W	795	13amp	79	£1034
HW60	White	4	533L	R290	+2°C / +10°C	H1850 x W775 x D750	C	160W	486	13amp	99	£1093
HS60	Stainless Steel	4	533L	R290	+2°C / +10°C	H1850 x W775 x D750	C	160W	486	13amp	99	£1269
LW60	White	5	550L	R290	-10°C / -20°C	H1850 x W775 x D750	B	220W	895	13amp	103	£1279
LS60	Stainless Steel	5	550L	R290	-10°C / -20°C	H1850 x W775 x D750	B	220W	895	13amp	103	£1310

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)	OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf (HW40,HS40)	£19.33	Gasket (HW60,HS60,LW60,LS60)	£27.26
Shelf (HW60,HS60)	£28.99	Castor kit, supply & fit (HW40,HS40,LW40,LS40)	£224.26
Gasket (HW40,HS40,LW40,LS40)	£19.33	Castor kit, supply & fit (HW60,HS60,LW60,LS60)	£239.37



SINGLE GLASS DOOR STAINLESS STEEL REFRIGERATOR

Description

Featuring a double glazed glass door and stainless steel exterior, the new Blizzard upright units are a great way of uplifting your cold storage display. Inside the HSG models you can find 4 adjustable shelves and a easy clean white ABS interior.

The single door is reversible making the storage display units versatile and adaptable to your available space. The units feature a lock fitted as standard, rear rollers, adjustable front feet and dixell controller.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Double glazed glass door
- Stainless Steel exterior
- White ABS Interior
- LED Lights
- Reversible door
- Lock fitted as standard
- 4 adjustable shelves supplied
- Replaceable door gasket
- Rollers to rear, adjustable feet to the front

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
HSG40	4	305L	R600a	+2°C / +10°C	H1850 x W595 x D640	D	127W	323	13amp	78	£1241
HSG60	4	533L	R290	+2°C / +10°C	H1850 x W775 x D750	D	160W	486	13amp	99	£1394

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf (HSG40)	£19.33
Shelf (HSG60)	£28.99



mondial

SOLID DOOR UPRIGHT SERVICE CABINETS

Description

The KICPR(PV) range from mondial features a white ABS interior with anti-bacterial treatment. Take your pick between the clean white laminate and the AISI 430 stainless steel finish both offering anti-touch fingerprint protection.

Featuring a "save control" system which optimises power consumption and maximises energy savings, reversible door and five adjustable shelves. The KICPV range is a fantastic solution for your meat safe refrigeration needs.



Features

White laminated or stainless steel finish

ABS interior with antibacterial treatment

5 adjustable shelves as standard

Replaceable gaskets

Reversible door

Lock as standard

2 Adjustable front feet

MODEL	COLOUR	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
KICPR40LT	White	5	380L	R600a	+2°C / +10°C	H1872 x W600 x D620	D	120W	726	13amp	78	£1493
KICPR60LT	White	5	640L	R600a	+2°C / +10°C	H1872 x W775 x D740	D	120W	817	13amp	100	£1710
KICPRX40LT	Stainless Steel	5	380L	R600a	+2°C / +10°C	H1872 x W600 x D620	D	120W	726	13amp	78	£1608
KICPRX60LT	Stainless Steel	5	640L	R600a	+2°C / +10°C	H1872 x W775 x D740	D	120W	817	13amp	100	£1849
KICPV40MLT	White	5	380L	R600a	-2°C / +10°C	H1872 x W600 x D620	D	160W	617	13amp	86	£1781
KICPV60MLT	White	5	640L	R600a	-2°C / +10°C	H1872 x W775 x D740	C	145W	595	13amp	103	£1976
KICPVX40MLT	Stainless Steel	5	380L	R600a	-2°C / +10°C	H1872 x W600 x D620	D	160W	617	13amp	86	£1896
KICPVX60MLT	Stainless Steel	5	640L	R600a	-2°C / +10°C	H1872 x W775 x D740	C	145W	595	13amp	103	£2098



SOLID DOOR UPRIGHT FREEZERS

Description

The Mondial upright freezers are available in either a clean white, or the AISI 430 stainless steel exterior with an anti-fingerprint treatment. To maximise energy saving, the units are fitted with an electronic controller that optimisers power consumption ultimately lowering the running cost.

Plus gain all the top features you have come to expect with 5 fixed shelves, reversible doors, lock fitted as standard, 2 adjustable front feet and more!

2
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- Available in White laminated or stainless steel
- ABS interior with antibacterial treatment
- 6 Fixed shelves
- Replaceable gaskets
- Reversible door
- Lock as standard
- 2 adjustable front feet

MODEL	COLOUR	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
KICN40LT	White	6	360L	R290	-15°C / -25°C	H1882 x W600 x D620	190W	13amp	77	£1669
KICN60LT	White	6	580L	R290	-15°C / -25°C	H1882 x W775 x D740	360W	13amp	100	£1929
KICNX40LT	Stainless Steel	6	360L	R290	-15°C / -25°C	H1882 x W600 x D620	190W	13amp	77	£1781
KICNX60LT	Stainless Steel	6	580L	R290	-15°C / -25°C	H1882 x W775 x D740	360W	13amp	100	£2061

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Castor kit, supply & fit	£131.25



GELOBOX NAPOLI ICE CREAM FREEZER

Description

Proving that it's what's on the inside that matters, Gelobox comes with five adjustable shelves, with the capacity to hold a whopping sixty-six Napoli containers! This ice cream freezer features an automatic fan switch off when opening the self-closing door and a high temperature alarm to ensure your product is kept safely stored away!

On the outside, an interior matching pre-painted white steel exterior, four rollers and two front adjustable feet finish off the unit to perfection.

1
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Pre-painted white steel exterior & interior
- Automatic fan switch off with door opening
- Self closing door with lock
- 5 Adjustable shelves
- Holds 66 Napoli containers*
- Decompression valve for easy door opening
- High temperature alarm
- 4 x rollers plus 2 front adjustable feet

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
GELOBOXWH	5	658L	R290	-15°C / -25°C	H2020 x W667 x D895	D	232W	1154	13amp	151	£2062

*See our full list & prices of gastronorm pans on page 5

OPTIONAL EXTRAS	PRICE (RRP)
Shelf	£50.99



VENTILATED UPRIGHT STAINLESS STEEL
GASTRONORM REFRIGERATION

Description

Available in a single or double door configuration, the KXR/KXF units feature a 201 stainless steel exterior and interior. Rounded corners allow the units to be easily cleaned and maintained only helped by the ability to easily move them around thanks to the heavy duty castors that are fitted as standard on all configurations.

Self-closing doors with dwell position, 3 adjustable shelves per door, 60mm thick insulation, led lighting and more all contribute to this amazing value products success.

2
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- 201 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- 3 adjustable GN2/1 shelves supplied per door, shelf size 535 x 650 mm
- LED lighting
- Lock fitted as standard
- Heavy duty castors as standard
- Suitable for fresh meat storage
- Self closing door(s) with dwell position

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
KXR600	1	3	600L	R290	-2°C / +8°C	H2000 x W680 x D840	D	195W	815	13amp	125	£1235
KXF600	1	3	600L	R290	-18°C / -22°C	H2000 x W680 x D840	E	450W	2826	13amp	132	£1393
KXR1200	2	6	1200L	R290	-2°C / +8°C	H2000 x W1340 x D840	D	380W	1382	13amp	213	£1574
KXF1200	2	6	1200L	R290	-18°C / -22°C	H2000 x W1340 x D840	E	700W	4317	13amp	221	£1686

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guide pair	£66.26
Gasket	£43.17



VENTILATED UPRIGHT STAINLESS STEEL
GASTRONORM REFRIGERATION

Description

The Blizzard BF/BR range is the perfect range for those looking for a larger storage solution. Built with high grade 304 stainless steel and heavy duty castors fitted as standard the units are built to last and thanks to the rounded internal corners, replaceable door gaskets and 4 adjustable shelves are easy to clean too!

Both models come with LED lighting, locks, self closing doors (with dwell position) and 60mm thick insulation as standard. The BR model is suitable for storing fresh meat.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- High grade 304 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- 4 adjustable GN2/1 shelves supplied per door, shelf size 535 x 650 mm
- 60 mm thick insulation
- Lock fitted as standard
- Suitable for fresh meat storage
- LED lighting
- Self closing reversible door with dwell position

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BR1SS	1	4	650L	R290	-2°C / +8°C	H2010 x W740 x D840	C	215W	554	13amp	136	£1769
BF1SS	1	4	650L	R290	-18°C / -22°C	H2010 x W740 x D840	D	480W	2278	13amp	141	£1943
BR2SS	2	8	1300L	R290	-2°C / +8°C	H2010 x W1480 x D840	D	440W	1376	13amp	213	£3103
BF2SS	2	8	1300L	R290	-18°C / -22°C	H2010 x W1480 x D840	D	780W	4030	13amp	226	£3291

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guide pair	£80.54
Gasket	£64.75



VENTILATED UPRIGHT STAINLESS STEEL GLASS DOOR GASTRONORM REFRIGERATION

Description

Featuring a high grade 304 stainless steel exterior and interior construction, double glazed self-closing door(s) and LED lighting, the BF/BR-CR range is equipped with everything you can find on its solid door counterpart plus so much more!

The low temperatures that the BR models offer, are suitable for fresh meat storage and you can be assured you won't be faced with condensation in either unit thanks to the heated element built into the glazing.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- High grade 304 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- 4 adjustable GN2/1 shelves supplied per door, shelf size 535 x 650 mm
- Double glazed door
- Self closing door(s) with dwell position
- Reversible door
- LED lighting
- Suitable for fresh meat storage

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BR1SSCR	1	4	650L	R290	-2°C / +8°C	H2010 x W740 x D858	B	215W	755	13amp	136	£1863
BF1SSCR	1	4	650L	R290	-15°C / -18°C	H2010 x W740 x D858	D	480W	3226	13amp	141	£2366
BR2SSCR	2	8	1300L	R290	-2°C / +8°C	H2010 x W1480 x D858	B	440W	1710	13amp	213	£3130
BF2SSCR	2	8	1300L	R290	-15°C / -18°C	H2010 x W1480 x D858	D	780W	5520	13amp	226	£3346

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guide pair	£80.54
Gasket	£64.75




PREMIUM SOLID DOOR UPRIGHT REFRIGERATION

Description

Featuring high grade AISI 304 stainless steel exterior and interior the Inomak premium range is perfect for fresh meat storage and looks the part too! Available in both full and slim line depths along with a choice of custom RAL colours. Please note custom RAL colours are made to order therefore come with longer lead times.

All models come with self closing doors, replaceable door gasket, lock, 4 shelves per door and heavy duty castors as standard. The epoxy coated evaporator and low maintenance condenser allow for minimal maintenance work.



Features

High grade AISI 304 stainless steel exterior & interior

4 x GN2/1 shelves per door

Self closing door

Replaceable door gasket

Reversible door

Lock as standard

Heavy duty castors as standard

Epoxy coated evaporator to resist corrosion

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CAP172	1	4	654L	R290	-2°C / +8°C	H2115 x W720 x D868	D	615W	796	13amp	143	£2511
CBP172	1	4	654L	R290	-10°C / -22°C	H2115 x W720 x D868	D	606W	2336	13amp	145	£3005
CEP2144	2	8	1432L	R290	-2°C / +8°C	H2115 x W1440 x D868	E	836W	1898	13amp	222	£3694
CFP2144	2	8	1432L	R290	-10°C / -22°C	H2115 x W1440 x D868	D	990W	4380	13amp	234	£4227
CAP172SL	1	4	560L	R290	-2°C / +8°C	H2115 x W720 x D768	D	526W	693	13amp	135	£2421
CBP172SL	1	4	560L	R290	-10°C / -22°C	H2115 x W720 x D768	D	598W	2044	13amp	144	£2915
CEP2144SL	2	8	1227L	R290	-2°C / +8°C	H2115 x W1440 x D768	E	896W	1569	13amp	207	£3554
CFP2144SL	2	8	1227L	R290	-10°C / -22°C	H2115 x W1440 x D768	D	797W	4124	13amp	212	£4087



PREMIUM SOLID DOOR UPRIGHT REFRIGERATION IN BLACK

Description

The already outstanding refrigeration range from Inomak, looks even better in black. Equipped with a user friendly digital controller with temperature display that you can trust. The refrigerators are suitable for safe fresh meat storage, thanks to their ability to reach lower temperatures.

Ventilated cooling, allows for good circulation of the airflow throughout the unit, ensuring all contents experience the same temperature.

3
YEAR
WARRANTY

SPECIAL
ORDER

CASTORS
INCLUDED

LED
LIGHTING

CLIMATE
CLASS 5

Features

- High grade AISI 304 stainless steel exterior & interior
- 4 x GN2/1 shelves per door
- Self closing door
- Replaceable door gasket
- Reversible door
- Lock as standard
- Heavy duty castors as standard
- Epoxy coated evaporator to resist corrosion

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CAP172BK	1	4	654L	R290	-2°C / +8°C	H2115 x W720 x D868	D	615W	796	13amp	143	POA
CBP172BK	1	4	654L	R290	-10°C / -22°C	H2115 x W720 x D868	D	606W	2336	13amp	145	POA
CEP2144BK	2	8	1432L	R290	-2°C / +8°C	H2115 x W1440 x D868	E	836W	1898	13amp	222	POA
CFP2144BK	2	8	1432L	R290	-10°C / -22°C	H2115 x W1440 x D868	D	990W	4380	13amp	234	POA
CAP172SLBK	1	4	560L	R290	-2°C / +8°C	H2115 x W720 x D768	D	526W	693	13amp	135	POA
CBP172SLBK	1	4	560L	R290	-10°C / -22°C	H2115 x W720 x D768	D	598W	2044	13amp	144	POA
CEP2144SLBK	2	8	1227L	R290	-2°C / +8°C	H2115 x W1440 x D768	E	896W	1569	13amp	207	POA
CFP2144SLBK	2	8	1227L	R290	-10°C / -22°C	H2115 x W1440 x D768	D	797W	4124	13amp	212	POA



PREMIUM UPRIGHT GLASS DOOR REFRIGERATION

Description

The glass door upright range from Inomak is the perfect addition to any professional kitchen. All models are equipped with triple glazed door(s) and the anti-fog film on the freezer units makes condensation a problem of the past.

Features such as self closing door(s), heavy duty castors, door locks, 4 shelves per door supplied as standard and so much more top off this unit to be by far one of the most premium high standard refrigeration units on the market.



Features

High grade AISI 304 stainless steel exterior & interior

4 x GN2/1 shelves per door

Shelf with denser wires

Internal LED lighting

Triple glazed door

Lock as standard

Heavy duty castors as standard

Replaceable door gasket

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CAP172CR	1	4	654L	R290	-2°C / +8°C	H2115 x W720 x D905	B	636W	968	13amp	160	£2801
CBP172CR	1	4	654L	R290	-10°C / -18°C	H2115 x W720 x D905	D	627W	3796	13amp	162	£3362
CEP2144CR	2	8	1432L	R290	-2°C / +8°C	H2115 x W1440 x D905	D	878W	4015	13amp	256	£4273
CFP2144CR	2	8	1432L	R290	-10°C / -18°C	H2115 x W1440 x D905	E	1032W	8286	13amp	280	£4941



PREMIUM UPRIGHT GLASS DOOR REFRIGERATION IN BLACK

Description

Your refrigerated storage could not look better than Inomak's glass door units in black, designed with convenience and performance in mind, the glass door is not only attractive but highly efficient. Featuring internal LED lighting that puts the contents on clear display.

Equipped with locking doors, heavy duty castors as standard and ventilated cooling that's easily monitored and controlled using a digital temperature display.

3
YEAR
WARRANTY

SPECIAL
ORDER

CASTORS
INCLUDED

LED
LIGHTING

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- 4 x GN2/1 shelves per door
- Shelf with denser wires
- Internal LED lighting
- Triple glazed door
- Lock as standard
- Heavy duty castors as standard
- Replaceable door gasket

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CAP172BK-CR	1	4	654L	R290	-2°C / +8°C	H2115 x W720 x D905	B	636W	968	13amp	160	POA
CBP172BK-CR	1	4	654L	R290	-10°C / -18°C	H2115 x W720 x D905	D	627W	3796	13amp	162	POA
CEP2144BK-CR	2	8	1432L	R290	-2°C / +8°C	H2115 x W1440 x D905	D	878W	4015	13amp	256	POA
CFP2144BK-CR	2	8	1432L	R290	-10°C / -18°C	H2115 x W1440 x D905	E	1032W	8286	13amp	280	POA



UPRIGHT SLIMLINE SOLID & GLASS DOOR REFRIGERATION

Description

Available either with solid or glass door(s), the Infrico range will fulfil all of your refrigeration needs. The replaceable door gasket and rounded internal corners, make clean up quick and painless. The refrigerators are lifted off the ground by adjustable legs for easy access underneath the units.

Ventilated cooling ensures that the refrigerators are perfect for fresh meat storage and thanks to the vast amount of choice will be perfect for all situations.



Features

High grade AISI 304 stainless steel exterior and interior

Internal LED illumination

Rounded internal corners for easy cleaning


3 shelves per door

Replaceable door gasket

Available with Double glazed doors

Adjustable legs

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
AGN301	1	3	325L	R290	-2°C / +8°C	H2100 x W482 x D695	C	187W	511	13amp	127	£2795
AGN602	2	6	745L	R290	-2°C / +8°C	H2100 x W974 x D695	C	372W	675	13amp	181	£3758
AGN301BT	1	3	325L	R290	-18°C / -22°C	H2100 x W482 x D695	D	452W	1763	13amp	129	£3514
AGN602BT	2	6	745L	R290	-18°C / -22°C	H2100 x W974 x D695	D	671W	3365	13amp	172	£4776
AGN602MIX	2	6	325L 325L	R290	-2°C / +6°C -18°C / -22°C	H2100 x W974 x D695	D	852W	3110	13amp	204	£5500
AGN300CR	1	3	325L	R290	+2°C / +6°C	H2100 x W482 x D695	C	187W	511	13amp	136	£3052
AGN600CR	2	6	745L	R290	+2°C / +6°C	H2100 x W974 x D695	C	372W	675	13amp	199	£4459



UPRIGHT SOLID & GLASS DOOR REFRIGERATION

Description

The reach-in refrigerators feature high grade AISI 304 stainless steel exterior and interior that offers a modern and practical design, which can be further enhanced with an addition of a glass door. The rounded internal corners make clean up easy, allowing for safe fresh meat storage on all solid door units.

LED lighting, adjustable legs and a digital controller with temperature display are only some of the features that make this range worth the investment.

2
YEAR
WARRANTY

SPECIAL
ORDER

LED
LIGHTING

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- LED internal lighting
- Supplied with 3 shelves per door
- Rounded internal corners for easy cleaning
- Adjustable legs
- Replaceable door
- Available with double glazed doors

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
AN501TF	1	3	500L	R290	-2°C / +8°C	H2060 x W687 x D700	C	190W	529	13amp	139	£2852
AN1002TF	2	6	1110L	R290	-2°C / +8°C	H2060 x W1385 x D700	B	370W	923	13amp	196	£4215
AEX500-TF	1	4	500L	R134a	+2°C / +8°C	H2060 x W687 x D700	-	727W	4015	13amp	161	£3434
AEX1000-TF	2	8	1110L	R134a	+2°C / +8°C	H2060 x W1385 x D700	-	1030W	8286	13amp	253	£5228
AN501BT	1	3	500L	R290	-18°C / -22°C	H2060 x W687 x D700	D	600W	529	13amp	142	£3878
AN1002BT	2	6	1110L	R290	-18°C / -22°C	H2060 x W1385 x D700	D	670W	529	13amp	213	£5228
AN501BT-CR	1	4	500L	R290	-18°C / -22°C	H2060 x W687 x D700	-	974W	346	13amp	156	£4823
AN1002BT-CR	2	8	1110L	R290	-18°C / -22°C	H2060 x W1385 x D700	-	1744W	637	13amp	244	£7105



AGB701MDA



NEW UPRIGHT GLASS DOOR MEAT AGER

Description

New to our product offering for 2023 the AGB series from Infrico is the perfect addition to any food establishment who are looking to not only age their meats in a easy, safe and controlled way but in a stylish one too.


Available in both stainless steel and black finishes this unit utilises a full length glass door opening and LED lighting to highlight the meat aging as a spectacle to be viewed. Add to this key quality of life additions such as door locks, digital controller & magnetic gasket and we find a perfect addition to the Pentland product offering.




Features

- High grade 304 stainless steel
- High density polyurethane insulation with 75mm thickness
- Height adjustable stainless steel legs
- LED interior lighting
- Self closing door
- Lock fitted as standard
- Magnetic gasket
- Digital controller with temperature & humidity control


MODEL	FINISH	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER	WEIGHT (kg)	PRICE (RRP)
AGB701MDA	Stainless Steel	560	R290	+2°C / +16°C	H2130 x W687 x D868	13amp	159	£5613
AGB701MDB	Black	560	R290	+2°C / +16°C	H2130 x W687 x D868	13amp	159	£5943




BLIZZARD HW40(SS)
H 1850mm W 595mm D 640mm




BLIZZARD HW60(SS)
H 1850mm W 775mm D 750mm




BLIZZARD LW40(SS)
H 1850mm W 595mm D 640mm




BLIZZARD LW60(SS)
H 1850mm W 775mm D 750mm




BLIZZARD HSG40
H 1850mm W 595mm D 640mm




BLIZZARD HSG60
H 1850mm W 775mm D 750mm




MONDIAL KICPR40LT(SS)
H 1872mm W 600mm D 620mm




MONDIAL KICPR60LT(SS)
H 1872mm W 775mm D 740mm




MONDIAL KICPV40MLT(SS)
H 1872mm W 600mm D 620mm




MONDIAL KICPV60MLT(SS)
H 1872mm W 775mm D 740mm




KOLDBOX KXR600
H 2000mm W 680mm D 840mm




KOLDBOX KXF600
H 2000mm W 680mm D 840mm




KOLDBOX KXR1200
H 2000mm W 1340mm D 840mm




KOLDBOX KXF1200
H 2000mm W 1340mm D 840mm




BLIZZARD BR1SS
H 2010mm W 740mm D 840mm




BLIZZARD BF1SS
H 2010mm W 740mm D 840mm




BLIZZARD BR2SS
H 2010mm W 1480mm D 840mm




BLIZZARD BF2SS
H 2010mm W 1480mm D 840mm




BLIZZARD BR1SS-CR
H 2010mm W 740mm D 858mm




BLIZZARD BF1SS-CR
H 2010mm W 740mm D 858mm




BLIZZARD BR2SS-CR
H 2010mm W 1480mm D 858mm




BLIZZARD BF2SS-CR
H 2010mm W 1480mm D 858mm




INOMAK CAP172(BK)
H 2115mm W 720mm D 868mm




INOMAK CBP172(BK)
H 2115mm W 720mm D 868mm




INOMAK CEP2144(BK)
H 2115mm W 1440mm D 868mm




INOMAK CFP2144(BK)
H 2115mm W 1440mm D 868mm




INOMAK CAP172SL(BK)
H 2115mm W 720mm D 768mm




INOMAK CBP172SL(BK)
H 2115mm W 720mm D 768mm




INOMAK CEP2144SL(BK)
H 2115mm W 1440mm D 768mm




INOMAK CFP2144SL(BK)
H 2115mm W 1440mm D 768mm




INOMAK CAP172CR(BK)
H 2115mm W 720mm D 905mm




INOMAK CBP172CR(BK)
H 2115mm W 720mm D 905mm




INOMAK CEP2144CR(BK)
H 2115mm W 1440mm D 905mm




INOMAK CFP2144CR(BK)
H 2115mm W 1440mm D 905mm




INFIRICO AGN301
H 2100mm W 482mm D 695mm




INFIRICO AGN602
H 2100mm W 974mm D 695mm




INFIRICO AGN301BT
H 2100mm W 482mm D 695mm




INFIRICO AGN602BT
H 2100mm W 974mm D 695mm




INFIRICO AGN602MIX
H 2100mm W 974mm D 695mm




INFIRICO AGN300CR
H 2100mm W 482mm D 695mm




INFIRICO AGN600CR
H 2100mm W 974mm D 695mm




INFIRICO AN501TF
H 2060mm W 687mm D 700mm




INFRICO AN1002TF
H 2060mm W 1385mm D 700mm




INFRICO AN501BT
H 2060mm W 687mm D 700mm



INFRICO AN1002BT
H 2060mm W 1385mm D 700mm



INFRICO AN501BT-CR
H 2060mm W 687mm D 700mm



INFRICO AN1002BT-CR
H 2060mm W 1385mm D 700mm



UCFR280



COMPACT CONFIGURABLE REFRIGERATED WORKSTATION

Description

If you're looking for an affordable and easily accessible workstation - look no further! Featuring high grade 304 stainless steel exterior and white, easy-clean ABS interior, this unit has it all. You can choose from a wide variety of models, which are largely configurable. The fitted castor wheels allow for easy movement of the unit.

In an effort to help you keep the walls clean, the stainless steel worktop comes accompanied with an up stand to finish off the unit perfectly.

3
YEAR
WARRANTY

CASTORS
INCLUDED

SPECIAL
ORDER

CLIMATE
CLASS 4

Features

- High grade 304 stainless steel exterior
- White ABS Interior
- Stainless steel worktop with 50mm up stand
- Lock fitted as standard to both units
- UCR140 - Adjustable shelves
- UCF140 - Fixed shelves
- Replaceable door gaskets
- Castors fitted as standard

MODEL	SHELVES/ BASKETS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
UCFR280	3 / 3	115L + 145L	R600a	+2°C / +8°C -16°C / -24°C	H926 x W1200 x D607	135W + 135W	2 x 13amp	99	£2055
UCRR280	6 / 0	145L + 145L	R600a	+2°C / +8°C	H926 x W1200 x D607	135W + 135W	2 x 13amp	96	£2055
UCFF280	0 / 6	115L + 115L	R600a	-16°C / -24°C	H926 x W1200 x D607	135W + 135W	2 x 13amp	102	£2055

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Gasket	£60.26

KXCC2



COMPACT SOLID DOOR STAINLESS STEEL GASTRONORM COUNTER

Description

Featuring 201 stainless steel exterior and interior, the KoldBox compact storage counters are a great low budget option for any kitchen. This range was designed with convenience and efficiency in mind and thanks to its rounded corners and removable condenser filter and door gaskets it achieves just that!

The units include one adjustable shelf per door, 35mm insulation, dixell digital controller and the option to be mounted to castors.

2
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- 201 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- 1 x adjustable GN1/1 shelf per door
- Replaceable door gasket
- 35mm insulation
- 4 feet
- Removable condenser filter for cleaning

MODEL	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
KXCC2	240L	R600a	+2°C / +8°C	H876 x W903 x D700	D	170W	1205	13amp	86	£790
KXCC3	368L	R290	+2°C / +8°C	H876 x W1368 x D700	E	240W	1825	13amp	126	£1147

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£48.70
Castor kit, supply & fit (KXCC2)	£94.50
Castor kit, supply & fit (KXCC3)	£102.90
Gasket	£43.17



COMPACT GASTRONORM COUNTERS
WITH DOORS OR DRAWERS

Description

The exterior and interior are made out of high grade AISI 304 stainless steel, which is ideal for any food related applications due to its high durability against oxidising acids, making the surfaces easy to sanitise. To aid cleaning, the internal corners are rounded and the door gasket and condenser filter are removable.

The Blizzard compact storage counters can either include doors or drawers depending on your preference. All units come with adjustable feet plus the option for castors.

3
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- Available in both solid door and multi-drawer configuration
- Internal corners rounded to aid cleaning
- 1 x adjustable GN1/1 shelf per door
- Adjustable feet
- Replaceable door gasket
- 35mm insulation
- Easily removable condenser filter for cleaning

MODEL	DOORS (DRAWERS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
BCC2	2	240L	R600a	+2°C / +8°C	H876 x W903 x D700	C	170W	991	13amp	100	£1145
BCC3	3	368L	R290	+2°C / +8°C	H876 x W1368 x D700	D	240W	1432	13amp	132	£1494
BCC2-4D	(4)	240L	R600a	+2°C / +8°C	H876 x W903 x D700	C	170W	991	13amp	114	£1800
BCC3-6D	(6)	368L	R290	+2°C / +8°C	H876 x W1368 x D700	D	240W	1432	13amp	140	£2452

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)	OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair (BCC2)	£81.06	Drawer Gasket (BCC2-4D,BCC3-6D)	£46.77
Shelf & guides pair (BCC3)	£75.97	Castor kit, supply & fit (BCC2,BCC2-4D)	£94.50
Gasket (BCC2,BCC3)	£64.75	Castor kit, supply & fit (BCC3,BCC3-6D)	£102.90



COMPACT STAINLESS STEEL GASTRONORM COUNTERS

Description

Not only the front, but the back of this counter is camera-ready thanks to the high grade AISI 304 stainless steel exterior and interior.

Everything about this unit was designed with accessibility and comfort in mind. Featuring internal corners rounded for easy cleaning, self-closing doors and epoxy coated evaporator to resist corrosion.

3
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- 1 x GN1/1 shelf supplied per door
- Internal corners rounded for easy cleaning
- Replaceable door gasket
- Self closing doors
- Epoxy coated evaporator to resist corrosion
- Fully vented evaporator to allow for efficient cooling

MODEL	DESCRIPTION	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BPV7300-HC	Flat top	232L	R290	+1°C / +10°C	H860 x W1080 x D700	C	351W	876	13amp	110	£2880
BPZP7300	Prep top	245L	R290	+1°C / +10°C	H970 x W1080 x D700	C	351W	876	13amp	113	£2561



COMPACT SOLID DOOR STAINLESS STEEL GASTRONORM GRANITE WORKTOP COUNTER

Description

In need of something a little more heavy duty and long lasting? Then the granite topped BCC range is perfect for you! Resistant to staining, etching and high temperatures the unit is perfect for any kitchen looking to prepare dough and pastry thanks to the natural anti sticking properties of the solid granite surface.

The unit maintains all great BCC features such as high grade AISI 304 stainless steel exterior and interior, rounded corners and removable door gaskets to aid cleaning.

3
YEAR
WARRANTY

CASTORS
OPTIONAL


CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- Attractive granite worktop
- Internal corners rounded to aid cleaning
- Self closing doors
- 1 x adjustable GN1/1 shelf per door
- Adjustable feet
- Replaceable door gasket
- 35mm insulation

MODEL	DOORS (DRAWERS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BCC2-GR-TOP	2	240L	R600a	+2°C / +8°C	H866 x W903 x D700	C	170W	991	13amp	136	£1094
BCC3-GR-TOP	3	368L	R290	+2°C / +8°C	H866 x W1368 x D700	D	240W	1432	13amp	155	£1371

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Castor kit, supply & fit (BCC2-GR-TOP)	£94.50
Castor kit, supply & fit (BCC3-GR-TOP)	£102.90
Gasket	£64.75



COMPACT SOLID DOOR STAINLESS STEEL PREP COUNTER

Description

The perfect budget beating prep counter solution with fantastic features such as a 201 grade stainless steel construction and rounded internal corners for ease of cleaning. Fan assisted cooling can be operated using the integrated digital dixel controller.

Designed keeping convenience in mind, the raised collar can easily get GN1/6 containers with maximum depth of 150mm and the unit comes as standard with 1 shelf per door for internal storage.

2
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- 201 stainless Steel exterior & interior
- Internal corners rounded to aid cleaning
- 1 x adjustable GN1/1 shelf per door
- Raised collar accepts GN1/6 containers - Max depth 150mm (not supplied)
- Replaceable door gasket
- 35mm insulation
- 4 feet
- Removable condenser filter for cleaning

MODEL	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
KXCC2-SAL	5 x GN1/6	240L	R600a	+2°C / +8°C	H961 x W903 x D700	170W	13amp	87	£996
KXCC3-SAL	8 x GN1/6	392L	R290	+2°C / +8°C	H961 x W1368 x D700	240W	13amp	141	£1295

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£48.70
Castor kit, supply & fit (KXCC2-SAL)	£94.50
Castor kit, supply & fit (KXCC3-SAL)	£102.90
Gasket	£43.17



COMPACT SOLID DOOR STAINLESS STEEL PREP COUNTER

Description

The BCC-EN is the perfect line of prep counters for any kitchen environment. Built with high grade AISI 304 stainless steel the units feature a raised collar that accepts GN1/6 containers up to 150mm depth. Coming as standard with 1 shelf per door the unit features an integrated handle to avoid accidental bumps and bangs.

Although coming as standard with adjustable feet the units can be added to castors for further manoeuvrability to cleaning and maintenance purposes.



Features

- High grade AISI 304 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- 1 x adjustable GN1/1 shelf per door
- Raised collar accepts GN1/6 containers - maximum depth 150mm
- Adjustable feet
- Replaceable door gasket
- 35mm insulation
- Easily removable condenser filter for cleaning

MODEL	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCC2EN	5 x GN1/6	254L	R600a	+2°C / +8°C	H1002 x W903 x D700	170W	13amp	103	£1330
BCC3EN	8 x GN1/6	392L	R290	+2°C / +8°C	H1002 x W1368 x D700	240W	13amp	143	£1819

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair (BCC2)	£81.06
Shelf & guides pair (BCC3)	£75.97
Castor kit, supply & fit (BCC2EN)	£94.50
Castor kit, supply & fit (BCC3EN)	£102.90
Gasket	£64.75



KXCC2-PREP



COMPACT SOLID DOOR STAINLESS STEEL SALADETTE

Description

The perfect budget beating compact saladette from Koldbox promises great things for an incredibly low price! With a full GN well cover hinged for easy access plus a polypropylene cutting board installed as standard.

Make the most of your refrigerated storage space thanks to the included shelf per door plus benefit from key features such as internal rounded corners, adjustable feet, replaceable door gaskets, 35mm insulation and removable condenser filter.

2
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- 201 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- 1 x adjustable GN1/1 shelf per door
- GN sized well accepts containers - Max depth 150 mm
- Hinged lid over GN well
- 135mm deep polypropylene cutting board
- 35mm insulation
- Removable condenser filter for cleaning

MODEL	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
KXCC2-PREP	2 x GN1/1 + 3 x GN1/6	240L	R600a	+2°C / +8°C	H877 x W903 x D700	170W	13amp	80	£790
KXCC3-PREP	4 x GN1/1	368L	R290	+2°C / +8°C	H877 x W1368 x D700	240W	13amp	130	£1147

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£48.70
Castor kit, supply & fit (KXCC2-PREP)	£94.50
Castor kit, supply & fit (KXCC3-PREP)	£102.90
Gasket	£43.17



COMPACT SOLID DOOR STAINLESS STEEL PREP COUNTER

Description

The compact Blizzard BSP saladettes come with a polypropylene cutting board already installed. The units’ interior and exterior are made out of durable and easy-clean, high grade AISI 304 stainless steel. Rounded corners, easily removable condenser filter and adjustable feet, help to make cleaning a quick and easy task.

A large open top GN well with hinged cover allows for easy access to storage for multiple sizes of GN container up to 150mm deep.

3
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- Self closing doors
- 1 x adjustable GN1/1 shelf per door
- GN sized well accepts containers - Max depth 150 mm
- Hinged lid over GN well
- 135mm deep polypropylene cutting board
- Adjustable feet

MODEL	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BSP2	2 x GN1/1 + 3 x GN1/6	240L	R600a	+2°C / +8°C	H877 x W903 x D700	170W	13amp	94	£1230
BSP3	4 x GN1/1	368L	R290	+2°C / +8°C	H877 x W1368 x D700	240W	13amp	103	£1476

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair (BSP2,BSP3)	£78.59
Castor kit, supply & fit (BSP2)	£94.50
Castor kit, supply & fit (BSP3)	£102.90
Gasket	£64.75



PREMIUM STAINLESS STEEL GASTRONORM SALADETTES

Description

The ZNV range is perfect for any kitchen looking to take their food preparation space to the next level. Adjustable legs and internal rounded corners make cleaning quick and easy and maintenance couldn't get any simpler thanks to the epoxy coated evaporator & replaceable door gaskets.

The high grade AISI 304 stainless steel construction, including back of the unit, is highly durable and when combined with the self closing doors and unrivalled style Inomak showcases a truly perfection level product.

3
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- 1 x GN1/1 shelf supplied per door
- Accepts gastronorm containers
- Internal corners rounded for easy cleaning
- Adjustable legs
- Replaceable door gasket
- Self closing doors
- Epoxy coated evaporator to resist corrosion

MODEL	DOORS	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
ZNV99-HC	2	10 x GN1/4	274L	R290	+3°C / +10°C	H870 x W1360 x D700	440W	13amp	114	£2510
ZNV999-HC	3	14xGN1/4	429L	R290	+3°C / +10°C	H870 x W1810 x D700	440W	13amp	135	£2866

*Find our full range of gastronorm pans on [page 5](#).



PREMIUM COMPACT GASTONORM SALADETTE WITH/WITHOUT GLASS CANOPY

Description

The BSV range is a fantastic option for a front of house serving saladette unit, with a choice of full width glass structure or hinged stainless steel cover. Featuring durable and easy-clean high grade AISI 304 stainless steel exterior and interior, including back. One GN1/1 shelf is supplied per door, offering a lot of usable space inside the unit.

The BSV range also comes with self-closing doors, epoxy coated evaporator to resist corrosion and rounded internal corners for easy cleaning.



Features

- High grade AISI 304 stainless steel exterior & interior, including back
- 1 x GN1/1 shelf supplied per door
- Accepts gastronorm containers
- Internal corners rounded for easy cleaning
- Replaceable door gaskets
- Self closing doors
- Epoxy coated evaporator to resist corrosion
- Available with/without glass display case
- Fully vented evaporator to allow for efficient cooling

MODEL	STYLE	DOORS	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BSV777-HC	No canopy	2	3 x GN1/1	245L	R290	+3°C / +10°C	H905 x W1080 x D700	344W	13amp	106	£2318
BSV7300-HC	With canopy	2	3 x GN1/1	232L	R290	+3°C / +10°C	H1300 x W1080 x D700	377W	13amp	135	£2880

*Find our full range of gastronorm pans on [page 5](#).



COMPACT SOLID DOOR STAINLESS STEEL SALADETTE WITH GLASS CANOPY

Description

Complete with full width glass canopy structure the BPD range offers a saladette perfect for front of house storage and prep. Featuring high grade AISI 304 stainless steel exterior and interior, one adjustable shelf per door, a glass shelf for non refrigerated produce and a 135mm deep polypropylene cutting board.

Fan assisted cooling is supported by a 35mm insulation all around the main body of the unit, finished off with adjustable feet, self-closing doors and rounded internal corners

3
YEAR
WARRANTY

CASTORS
OPTIONAL

REQUIRES
ASSEMBLY

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- Internal corners rounded to aid cleaning
- Self closing doors
- 1 x adjustable GN1/1 shelf per door
- GN sized well accepts containers - Max depth 150 mm
- Glass structure over containers with intermediate shelf
- 135mm deep polypropylene cutting board
- Adjustable feet

MODEL	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BPD2	2 x GN1/1 + 3 x GN1/6	240L	R600a	+2°C / +8°C	H1289 x W903 x D700	170W	13amp	123	£1252
BPD3	4 x GN1/1	368L	R290	+2°C / +8°C	H1289 x W1368 x D700	240W	13amp	164	£1572

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair (BPD2,BPD3)	£78.59
Castor kit, supply & fit (BPD2)	£94.50
Castor kit, supply & fit (BPD3)	£109.90



PREMIUM GASTONORM SALADETTE WITH GLASS CANOPY

Description

Featuring a new full width glass display case the ZQFP range will fit perfectly within any food assemble and serve station. High grade AISI 304 stainless steel exterior and interior ensures easy cleaning and good durability of the unit. Legs are fully adjustable, allowing easy access underneath the unit for cleaning and maintenance.

Other features include self-closing doors, internal illumination inside the display case and a user-friendly digital temperature display and controller.



Features

High grade AISI 304 stainless steel exterior & interior, including back

1 x GN1/1 shelf supplied per door

Accepts gastronorm containers

Internal corners rounded for easy cleaning

Replaceable door gaskets

Self closing doors

Epoxy coated evaporator to resist corrosion

Display case has internal illumination

MODEL	DOORS	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
ZQFP99	2	14 x GN1/4	270L	R290	+3°C / +10°C	H1315 x W1360 x D700	476W	13amp	154	£3228
ZQFP999	3	20 x GN1/4	421L	R290	+3°C / +10°C	H1315 x W1810 x D700	485W	13amp	186	£3696

*Find our full range of gastronorm pans on [page 5](#).



BCC2PREPGRANITE



COMPACT SOLID DOOR STAINLESS STEEL PIZZA PREP COUNTER

Description

Featuring a 49mm thick granite worktop and high grade AISI 304 stainless steel construction the BCC-PREPGRANITE is the perfect addition to any kitchen looking to provide authentic and perfection level pizza every time.

Complete with adjustable feet, replaceable door gaskets and a removable condenser filter this fantastic prep unit combines all the amazing benefits of the BCC units and a high expense granite work surface.

3
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4


Features

- Granite worktop
- High grade AISI 304 stainless steel exterior & interior
- Internal corners rounded for easy cleaning
- 1 x adjustable GN1/1 shelf per door
- Accepts GN1/6 containers - Max depth 150mm (not supplied)
- Adjustable feet
- Replaceable door gasket
- 35mm insulation

MODEL	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCC2PREPGRANITE	5 x GN1/6	240L	R600a	+2°C / +8°C	H1086 x W903 x D700	170W	13amp	132	£1245
BCC3PREPGRANITE	8 x GN1/1	368L	R290	+2°C / +8°C	H1086 x W1368 x D700	240W	13amp	182	£1602

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£78.59
Gasket	£64.75



SLIMLINE STAINLESS STEEL REFRIGERATED COUNTER

Description

Blizzard slimline counters are a fantastic solution for when you're working with a small space and need to maximise its usage as much as possible.

The slim-line stainless steel counters offers even air distribution via a ducted system, ensuring the temperature is accurately managed throughout the unit. The Blizzard counters come with rounded internal corners, one adjustable shelf per door and heavy duty castors as standard, all for your convenience.



Features

AISI 304 Stainless steel exterior & interior

Available in both refrigerated & freezer variations

Even air distribution by ducted system

1 x adjustable shelf per door (size: 330 x 430mm)

Heavy duty castors as standard

Internal corners rounded for easy cleaning

Self closing doors with dwell position

Replaceable door gasket

35mm insulation

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
HBC2SL	2	228L	R290	+2°C / +8°C	H850 x W1360 x D600	C	220W	802	13amp	109	£1469
HBC3SL	3	339L	R290	+2°C / +8°C	H850 x W1795 x D600	C	230W	1214	13amp	130	£1774
HBC4SL	4	449L	R290	+2°C / +8°C	H850 x W2230 x D600	D	345W	1818	13amp	160	£2138
LBC2SL	2	228L	R290	-18°C / -22°C	H850 x W1360 x D600	E	520W	2762	13amp	109	£1754
LBC3SL	3	339L	R290	-18°C / -22°C	H850 x W1795 x D600	E	560W	3108	13amp	129	£2157
LBC4SL	4	449L	R290	-18°C / -22°C	H850 x W2230 x D600	E	650W	3673	13amp	245	£2528

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97
Gasket	£64.75



PREMIUM SLIMLINE REFRIGERATED COUNTERS

Description

When space is at a premium you need a premium counter unit to resolve your refrigerated storage problems! The range from Inomak comes with a depth of just 600mm perfect for even the smallest kitchen or prep space.

The digital display allows for easy and accurate control of the temperature along with additions such as one shelf per door leaving a lot of space to work with, the corners are rounded for easy cleaning and castors fitted as standard.

3
YEAR
WARRANTY


CASTORS
INCLUDED

CLIMATE
CLASS 5

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- 1 x shelf supplied per door
- Internal corners rounded for easy cleaning
- Castors fitted as standard
- Replaceable door gaskets
- Self closing doors
- Epoxy coated evaporator to resist corrosion

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SL99-HC	2	225L	R290	+1°C / +10°C	H890 x W1345 x D600	B	351W	620	13amp	115	£2306
SL999-HC	3	353L	R290	+1°C / +10°C	H890 x W1790 x D600	B	351W	693	13amp	142	£2711
SL9999-HC	4	479L	R290	+1°C / +10°C	H890 x W2240 x D600	B	440W	803	13amp	172	£3087



STAINLESS STEEL REFRIGERATED COUNTER WITH UPSTAND

Description

If you're looking for a highly versatile refrigerated counter the HBC/LBC range of units are the perfect choice. Coming as standard with 1 adjustable shelf per door plus options to add an additional 2/3 drawer packs you really can customise this counter to cater for your exact needs.

All configurations come with a coved 100mm up stand, forming a seamless splash back; meaning you will not have to worry about food falling behind the counters.



Features

- AISI 304 Stainless steel exterior & interior
- Available in both refrigerated & freezer variations
- Even air distribution by ducted system
- Heavy duty castors as standard
- Coved 100mm up stand as standard
- Internal corners rounded for easy cleaning
- 1 x adjustable GN1/1 shelf per door
- Self closing doors with dwell position
- Replaceable door gasket

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
HBC2	2	282L	R290	+2°C / +8°C	H950 x W1360 x D700	C	220W	822	13amp	128	£1587
HBC3	3	417L	R290	+2°C / +8°C	H950 x W1795 x D700	C	230W	1162	13amp	154	£1955
HBC4	4	553L	R290	+2°C / +8°C	H950 x W2230 x D700	D	345W	1741	13amp	185	£2385
LBC2	2	282L	R290	-18°C / -22°C	H950 x W1360 x D700	E	520W	2851	13amp	133	£1851
LBC3	3	417L	R290	-18°C / -22°C	H950 x W1795 x D700	E	560W	3357	13amp	179	£2133
LBC4	4	553L	R290	-18°C / -22°C	H950 x W2230 x D700	E	650W	3951	13amp	196	£2584

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)	OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97	2 Bay drawer pack, supply & fit (HBC2,HBC3,HBC4)	£462
Gasket	£64.75	3 Bay drawer pack, supply & fit (HBC2,HBC3,HBC4)	£596.40



STAINLESS STEEL REFRIGERATED COUNTER WITHOUT UPSTAND

Description

With the same versatility of its upstand equipped sibling the HBC/LBC-NU range features heavy duty castors, replaceable door gaskets, self closing doors and more!

Featuring even air distribution via a ducted system, which allows ventilated cooling. Temperature can be monitored and controlled using a conveniently positioned dixell controller and ensure whatever you need to store away in these units will stay at its very best for as long as possible.

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- AISI 304 Stainless steel exterior & interior
- Available in both refrigerated & freezer variations
- Even air distribution by ducted system
- Heavy duty castors as standard
- Internal corners rounded for easy cleaning
- 1 x adjustable GN1/1 shelf per door
- Self closing doors with dwell position
- Replaceable door gasket

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
HBC2NU	2	282L	R290	+2°C / +8°C	H850 x W1360 x D700	C	220W	822	13amp	128	£1587
HBC3NU	3	417L	R290	+2°C / +8°C	H850 x W1795 x D700	C	230W	1162	13amp	154	£1955
HBC4NU	4	553L	R290	+2°C / +8°C	H850 x W2230 x D700	D	345W	1741	13amp	185	£2385
LBC2NU	2	282L	R290	-18°C / -22°C	H850 x W1360 x D700	E	520W	2851	13amp	133	£1851
LBC3NU	3	417L	R290	-18°C / -22°C	H850 x W1795 x D700	E	560W	3357	13amp	179	£2133
LBC4NU	4	553L	R290	-18°C / -22°C	H850 x W2230 x D700	E	650W	3951	13amp	196	£2584

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)	OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97	2 Bay drawer pack, supply & fit (HBC2NU,HBC3NU,HBC4NU)	£462
Gasket	£64.75	3 Bay drawer pack, supply & fit (HBC2NU,HBC3NU,HBC4NU)	£596.40



PREMIUM FLAT WORK SURFACE REFRIGERATED COUNTERS

Description

Attractive and excellent quality refrigerated counters from Inomak, the PN range offers optimal storage space in a sleek and premium package. Thanks to the ventilated cooling with an accurate digital temperature display and controller, you can be sure all produce will stay within the temperature you set.

Featuring high grade AISI 304 stainless steel exterior and interior, including back of the unit and internal corners rounded for easy cleaning.

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- 1 x shelf supplied per door
- Internal corners rounded for easy cleaning
- Castors fitted as standard
- Replaceable door gaskets
- Self closing doors
- Epoxy coated evaporator to resist corrosion

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 5

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
PN99-HC	2	274L	R290	+1°C / +10°C	H890 x W1345 x D700	B	351W	657	13amp	121	£2356
PN999-HC	3	429L	R290	+1°C / +10°C	H890 x W1790 x D700	B	351W	803	13amp	150	£2683
PN9999-HC	4	583L	R290	+1°C / +10°C	H890 x W2240 x D700	B	440W	949	13amp	180	£3138



PREMIUM FLAT WORK SURFACE REFRIGERATED COUNTERS IN BLACK

Description

What’s better than a stainless steel PN99? A PN99 in black of course! Including all the most sought after features such as self-closing doors, castors and an epoxy coated evaporator to resist corrosion; this is a well-thought out range that has everything that you will ever need from a refrigerated counter.

Need to adapt the space to better accommodate your produce? Optional drawer packs are available for an additional cost.

3
YEAR
WARRANTY

SPECIAL
ORDER

CASTORS
INCLUDED

CLIMATE
CLASS 5

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- 1 x shelf supplied per door
- Internal corners rounded for easy cleaning
- Castors fitted as standard
- Replaceable door gaskets
- Self closing doors
- Epoxy coated evaporator to resist corrosion

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
PN99BK-HC	2	274L	R290	+1°C / +10°C	H890 x W1345 x D700	B	351W	657	13amp	121	POA
PN999BK-HC	3	429L	R290	+1°C / +10°C	H890 x W1790 x D700	B	351W	803	13amp	150	POA
PN9999BK-HC	4	583L	R290	+1°C / +10°C	H890 x W2240 x D700	B	440W	949	13amp	180	POA



PREMIUM PRECONFIGURED DRAWER & DOOR REFRIGERATED COUNTERS

Description

If you're looking for more refrigerated drawers rather than shelves, then look no further. With a maximum load of 26kg per drawer, you will find no problem organising your produce. The units are made out of high grade AISI 304 stainless steel, all around, inside and out, making the surfaces easy to sanitise and food safe.

Featuring self-closing doors, internal rounded corners for easy cleaning and an easily accessible temperature digital controller.

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 5

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- Drawers accept GN1/1 trays
- 1 x GN1/1 shelf supplied per door section
- Internal corners rounded for easy cleaning
- Castors as standard
- Replaceable door gaskets
- Self closing doors
- Epoxy coated evaporator to resist corrosion

MODEL	DRAWERS	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
PN29-HC	2	1	274L	R290	+1°C / +10°C	H890 x W1345 x D700	B	351W	657	13amp	131	£2653
PN22-HC	4	-	274L	R290	+1°C / +10°C	H890 x W1345 x D700	B	351W	657	13amp	132	£2950
PN229-HC	4	1	429L	R290	+1°C / +10°C	H890 x W1790 x D700	B	351W	803	13amp	153	£3278
PN222-HC	6	-	429L	R290	+1°C / +10°C	H890 x W1790 x D700	B	351W	803	13amp	155	£3576
PN2229-HC	6	1	583L	R290	+1°C / +10°C	H890 x W2240 x D700	B	440W	949	13amp	949	£4029
PN2222-HC	8	-	583L	R290	+1°C / +10°C	H890 x W2240 x D700	B	440W	949	13amp	949	£4327



STAINLESS STEEL GLASS DOOR REFRIGERATED COUNTER WITH UPSTAND

Description

Easy access counter storage is essential when it comes to quick and easy food prep so being able to easily glance into the unit without even opening the door is a feature too good to pass up on!

With anodised aluminium surrounds the double glazed glass doors are a perfect fit for the HBC line up. Units feature one adjustable shelf per door, heavy duty castors as standard and a coved 100mm up stand forming a seamless splash back.

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- Stainless steel exterior & interior
- Even air distribution by ducted system
- Anodised aluminium framed glass doors
- Heavy duty castors as standard
- Coved 100mm up stand as standard
- Internal corners rounded for easy cleaning
- 1 x adjustable GN1/1 shelf per door
- Replaceable door gasket

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
HBC2CR	2	282L	R290	+2°C / +8°C	H950 x W1360 x D700	B	215W	820	13amp	128	£1728
HBC3CR	3	417L	R290	+2°C / +8°C	H950 x W1795 x D700	B	230W	1191	13amp	154	£2134
HBC4CR	4	553L	R290	+2°C / +8°C	H950 x W2230 x D700	C	345W	1886	13amp	185	£2493

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97
Gasket	£64.75



PREMIUM GLASS DOOR REFRIGERATED COUNTERS

Description

Take your refrigerated counter storage further with the glass door PN range from Inomak. With internal LEDs lighting up your produce for better viewing and shelves made with denser wires for easier storage Inomak really have thought of everything.

Built from high grade AISI 304 stainless steel all around and coming as standard with castors for ease of movement. An epoxy coated evaporator to resist corrosion and self-closing doors are all benefits of the PN line up of products.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- 1 x shelf supplied per door
- Internal corners rounded for easy cleaning
- Castors fitted as standard
- Replaceable door gaskets
- Self closing doors
- Epoxy coated evaporator to resist corrosion
- Internal LED lighting

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
PN99CR-HC	2	274L	R290	+1°C / +10°C	H890 x W1345 x D700	C	366W	1095	13amp	131	£2558
PN999CR-HC	3	429L	R290	+1°C / +10°C	H890 x W1790 x D700	C	373W	1460	13amp	164	£2986
PN9999CR-HC	4	583L	R290	+1°C / +10°C	H890 x W2240 x D700	C	469W	1862	13amp	200	£3542



STAINLESS STEEL REFRIGERATED PREP COUNTER

Description

Another addition to the HBC range from Blizzard in the form of a refrigerated prep counter. The stainless steel exterior and interior, allow for the surfaces to be disinfected easily, making them food safe.

Even air distribution via a ducted system, supports ventilated cooling and automatic defrost. The temperature can be changed using the easily accessible dixell controller.

3
YEAR
WARRANTY

CASTORS
INCLUDED


CLIMATE
CLASS 4

Features

- AISI 304 Stainless steel exterior & interior
- Even air distribution by ducted system
- Available with 2 or 3 drawer option
- Raised collar accepts GN1/3 containers – Max 150mm deep (not supplied)
- Working area depth 300mm
- 1 adjustable GN 1/1 shelf per door
- Heavy duty castors as standard
- Self closing doors

MODEL	DOORS	CONTAINERS CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
HBC2EN	2	7 x GN1/3	282L	R290	+2°C / +8°C	H1075 x W1360 x D700	350W	13amp	120	£2032
HBC3EN	3	8 x GN1/3	417L	R290	+2°C / +8°C	H1075 x W1795 x D700	350W	13amp	146	£2620

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)	OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97	2 Bay drawer pack, supply & fit (HBC2EN,HBC3EN,HBC4EN)	£462
Gasket	£64.75	3 Bay drawer pack, supply & fit (HBC2EN,HBC3EN,HBC4EN)	£596.40



PREMIUM REFRIGERATED PREP COUNTERS

Description

Featuring high grade AISI 304 stainless steel exterior and interior the ZPZ range of refrigerated prep counters are the perfect addition to any premium kitchen set up. With a counter capacity of up to 12 GN1/4 dependant on model the ZPZ offers fantastic storage space regardless of your needs.

Units are equipped with self closing doors and one adjustable shelf per door as well as rounded internal corners and castors as standard.

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- 1 x shelf supplied per door
- Internal corners rounded for easy cleaning
- Castors fitted as standard
- Replaceable door gaskets
- Self closing doors
- Epoxy coated evaporator to resist corrosion

MODEL	DOORS	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
ZPZ99	2	7 x GN1/4	270L	R290	+0°C / +10°C	H985 x W1342 x D700	449W	13amp	126	£2729
ZPZ999	3	10 x GN1/4	421L	R290	+0°C / +10°C	H985 x W1792 x D700	449W	13amp	154	£3135
ZPZ9999	4	12 x GN1/4	571L	R290	+0°C / +10°C	H985 x W2242 x D700	465W	13amp	191	£3828

*Find our full range of gastronorm pans on [page 5](#).



LOW HEIGHT STAINLESS STEEL SNACK COUNTERS WITH DOORS & DRAWERS

Description

These low height snack units are a perfect solution for any catering appliance you can think of. Make the units fit your needs with either one adjustable shelf per door or drawers suitable for GN1/1 trays. Equipped with self-closing doors with 'stay open' facility, a replaceable door gasket and a dixell temperature controller.

Stainless steel exterior and interior with rounded internal corners for easy cleaning add the finishing touches to this perfect low height unit.

Features

- Stainless steel exterior & interior
- Internal corners rounded for easy cleaning
- 1 x adjustable GN1/1 shelf per door
- Self closing doors with stay open facility
- Replaceable door gasket
- Available in both door & drawer configurations
- Adjustable legs

3
YEAR
WARRANTY

CASTORS
OPTIONAL

CLIMATE
CLASS 4

MODEL	DOORS/ DRAWERS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SNC2	2/0	214L	R290	+2°C / +8°C	H650 x W1360 x D700	C	215W	959	13amp	104	£1581
SNC3	3/0	317L	R290	+2°C / +8°C	H650 x W1795 x D700	C	230W	1090	13amp	126	£1926
SNC4	4/0	420L	R290	+2°C / +8°C	H650 x W2230 x D700	D	345W	1489	13amp	155	£2351
SNC2-DRW	0/4	214L	R290	+2°C / +8°C	H650 x W1360 x D700	C	215W	959	13amp	124	£1945
SNC3-DRW	0/6	317L	R290	+2°C / +8°C	H650 x W1795 x D700	C	230W	1090	13amp	156	£2472
SNC4-DRW	0/8	420L	R290	+2°C / +8°C	H650 x W2230 x D700	D	345W	1489	13amp	195	£3079

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£44.53
Gasket	£46.77



PREMIUM LOW HEIGHT SNACK COUNTERS WITH DRAWERS

Description

The PWN range of counters from Inomak comes at a low height of 620mm, specifically designed to serve as the base for cooking equipment. Castors provided as standard, replaceable door gaskets and an epoxy coated evaporator to resist corrosion, are all small additions to the unit but do make a huge difference to how the unit performs.

Easily maintain and control internal temperatures of the drawers within the unit thanks to its easy to use digital controller and display.

Features

- High grade AISI 304 stainless steel exterior & interior, including back
- Drawers accept GN1/1 trays
- Castors as standard
- Replaceable gaskets
- Epoxy coated evaporator to resist corrosion

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 4

MODEL	DRAWERS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
PWN333-HC	6	246L	R290	+1°C / +10°C	H620 x W1790 x D700	B	351W	620	13amp	151	£3228
PWN3333-HC	8	334L	R290	+1°C / +10°C	H620 x W2240 x D700	C	440W	876	13amp	193.5	£3935



BCC3PIZZA



STAINLESS STEEL SOLID DOOR GRANITE TOP COMPACT GASTRONORM PIZZA PREP COUNTER WITH PREP TOP

Description

The BCC3PIZZA is a pizza prep counter that dreams are made of, built from high grade AISI 304 stainless steel and topped with a granite work surface perfect for dough and pastry prep. Benefit from all the usual features of a BCC unit such as castors, 1 shelf per door, replaceable gaskets and more!

The glass refrigerated preparation TOP sits perfectly on the top of the granite up stand including a small notch for cable management.

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior
- Granite work top with granite up stand to support refrigerated preparation top
- Internal corners rounded for easy cleaning
- 1 x adjustable GN1/1 shelf per door
- Refrigerated preparation top accepts 6 x GN1/4 containers - Max depth 150mm (not supplied)
- 4 castors, front with brake
- Replaceable door gasket

MODEL	DOORS	CONTAINER CAPACITY*	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BCC3PIZZA	3	6 x GN1/4	368L	R290	+2°C / +8°C	H1541 x W1400 x D700	D	240W + 110W	1432	13amp x2	236	£2364

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97
Gasket	£64.75



STAINLESS STEEL SOLID DOOR GRANITE TOP PIZZA PREP COUNTER

Description

Making pizza has never looked this good! Easy to fully sanitise and clean within the inside of the unit, thanks to the durable surfaces and rounded internal corners.

Built with high grade AISI 304 stainless steel (including back) and an attractive white granite worktop with a 15cm up stand attached you have the perfect space to prepare dough easily while maintaining maximum storage space below. If you're looking for the perfect prep top unit check out compatible versions on page 91.

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- High grade AISI 304 stainless steel exterior & interior - including exterior back
- White granite worktop
- Internal corners rounded for easy cleaning
- 15cm granite up stand
- 1 x adjustable shelf (408 x 630 mm) per door
- Self closing doors with stay open facility
- Heavy duty castors as standard
- Replaceable door gasket

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BPB1500	2	390L	R290	+2°C / +8°C	H990 x W1510 x D800	B	215W	785	13amp	280	£2264
BPB2000	3	580L	R290	+2°C / +8°C	H990 x W2020 x D800	C	320W	1352	13amp	360	£2738

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97
Gasket	£64.75



BPB1500-7N



STAINLESS STEEL SOLID DOOR GRANITE TOP PIZZA PREP COUNTER WITH NEUTRAL DRAWERS

Description

Make your equipment truly suitable for purpose using the BPB range of pizza prep counters. The 7N variation comes with another perfectly suited feature - seven neutral drawers for easy storage of dough. Equipped with one adjustable shelf per door and ventilated cooling, you will learn to love all aspects of this pizza prep unit.

Featuring self-closing door(s) with a 'stay open' facility, heavy duty castors as standard and dixell controller, allowing for easy adjustment of temperature.

3
YEAR
WARRANTY

CASTORS
INCLUDED


CLIMATE
CLASS 4

Features


- High grade AISI 304 stainless steel exterior & interior - including exterior back
- White granite worktop
- Internal corners rounded for easy cleaning
- 15cm granite up stand
- 7 x neutral drawers for storage of pizza dough
- 1 x adjustable shelf (408 x 630 mm) per door
- Self closing door(s) with stay open facility
- Heavy duty castors as standard

MODEL	DOORS (DRAWERS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BPB1500-7N	1 (7)	390L	R290	+2°C / +8°C	H990 x W1515 x D800	A	215W	473	13amp	318	£2735
BPB2000-7N	2 (7)	580L	R290	+2°C / +8°C	H990 x W2025 x D800	B	215W	785	13amp	396	£3104


OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & guides pair	£75.97
Gasket	£64.75




BLIZZARD UCFR280
H 926mm W 1200mm D 607mm




BLIZZARD UCRR280
H 926mm W 1200mm D 607mm




BLIZZARD UCFR280
H 926mm W 1200mm D 607mm




KOLDBOX KXCC2
H 876mm W 903mm D 700mm




KOLDBOX KXCC3
H 876mm W 1368mm D 700mm




BLIZZARD BCC2
H 876mm W 903mm D 700mm




BLIZZARD BCC3
H 876mm W 1368mm D 700mm




BLIZZARD BCC2-4D
H 876mm W 903mm D 700mm




BLIZZARD BCC3-6D
H 876mm W 1368mm D 700mm




INOMAK BPV7300-HC
H 860mm W 1080mm D 700mm




INOMAK BPZP7300
H 970mm W 1080mm D 700mm




BLIZZARD BCC2-GR-TOP
H 866mm W 903mm D 700mm




BLIZZARD BCC3-GR-TOP
H 866mm W 1368mm D 700mm




KOLDBOX KXCC2-SAL
H 961mm W 903mm D 700mm




KOLDBOX KXCC3-SAL
H 961mm W 1368mm D 700mm




BLIZZARD BCC2EN
H 1002mm W 903mm D 700mm




BLIZZARD BCC3EN
H 1002mm W 1368mm D 700mm




KOLDBOX KXCC3-PREP
H 877mm W 903mm D 700mm




KOLDBOX KXCC3-PREP
H 877mm W 1368mm D 700mm




BLIZZARD BSP2
H 877mm W 903mm D 700mm




BLIZZARD BSP3
H 877mm W 1368mm D 700mm




INOMAK ZNV99-HC
H 870mm W 1360mm D 700mm




INOMAK ZNV999-HC
H 870mm W 1810mm D 700mm




INOMAK BSV77-HC
H 905mm W 1080mm D 700mm




INOMAK BSV7300-HC
H 1300mm W 1080mm D 700mm




BLIZZARD BPD2
H 1289mm W 903mm D 700mm




BLIZZARD BPD3
H 1289mm W 1368mm D 700mm




INOMAK ZQFP99
H 1315mm W 1360mm D 700mm




INOMAK ZQFP999
H 1315mm W 1810mm D 700mm



BLIZZARD BCC2PREPGRANITE
H 1086mm W 903mm D 700mm




BLIZZARD BCC3PREPGRANITE
H 1086mm W 1368mm D 700mm




BLIZZARD HBC2SL
H 850mm W 1360mm D 600mm




BLIZZARD HBC3SL
H 850mm W 1795mm D 600mm




BLIZZARD HBC4SL
H 850mm W 2230mm D 600mm




BLIZZARD LBC2SL
H 850mm W 1360mm D 600mm




BLIZZARD LBC3SL
H 850mm W 1795mm D 600mm




BLIZZARD LBC4SL
H 850mm W 2230mm D 600mm




INOMAK SL99-HC
H 890mm W 1345mm D 600mm




INOMAK SL999-HC
H 890mm W 1790mm D 600mm




INOMAK SL9999-HC
H 890mm W 2240mm D 600mm




BLIZZARD HBC2
H 950mm W 1360mm D 700mm




BLIZZARD HBC3
H 950mm W 1795mm D 700mm




BLIZZARD HBC4
H 950mm W 2230mm D 700mm




BLIZZARD LBC2
H 950mm W 1360mm D 700mm




BLIZZARD LBC3
H 950mm W 1795mm D 700mm




BLIZZARD LBC4
H 950mm W 2230mm D 700mm




BLIZZARD HBC2NU
H 850mm W 1360mm D 700mm




BLIZZARD HBC3NU
H 850mm W 1795mm D 700mm




BLIZZARD HBC4NU
H 850mm W 2230mm D 700mm




BLIZZARD LBC2NU
H 850mm W 1360mm D 700mm




BLIZZARD LBC3NU
H 850mm W 1795mm D 700mm




BLIZZARD LBC4NU
H 850mm W 2230mm D 700mm




INOMAK PN99(BK)-HC
H 890mm W 1345mm D 700mm




INOMAK PN999(BK)-HC
H 890mm W 1790mm D 700mm




INOMAK PN9999(BK)-HC
H 890mm W 2240mm D 700mm




INOMAK PN29-HC
H 890mm W 1345mm D 700mm




INOMAK PN229-HC
H 890mm W 1790mm D 700mm




INOMAK PN2229-HC
H 890mm W 2240mm D 700mm




INOMAK PN22-HC
H 890mm W 1345mm D 700mm




INOMAK PN222-HC
H 890mm W 1790mm D 700mm




INOMAK PN2222-HC
H 890mm W 2240mm D 700mm




BLIZZARD HBC2CR
H 950mm W 1360mm D 700mm




BLIZZARD HBC3CR
H 950mm W 1795mm D 700mm




BLIZZARD HBC4CR
H 950mm W 2230mm D 700mm




INOMAK PN99CR-HC
H 890mm W 1345mm D 700mm




INOMAK PN999CR-HC
H 890mm W 1790mm D 700mm




INOMAK PN9999CR-HC
H 890mm W 2240mm D 700mm




BLIZZARD HBC2EN
H 1075mm W 1360mm D 700mm




BLIZZARD HBC3EN
H 1075mm W 1795mm D 700mm




INOMAK ZPZ99
H 985mm W 1342mm D 700mm




INOMAK ZPZ999
H 985mm W 1792mm D 700mm




INOMAK ZPZ9999
H 985mm W 2242mm D 700mm




BLIZZARD SNC2
H 650mm W 1360mm D 700mm




BLIZZARD SNC3
H 650mm W 1795mm D 700mm




BLIZZARD SNC4
H 650mm W 2230mm D 700mm




BLIZZARD SNC2-DRW
H 650mm W 1360mm D 700mm




BLIZZARD SNC3-DRW
H 650mm W 1795mm D 700mm




BLIZZARD SNC4-DRW
H 650mm W 2230mm D 700mm




INOMAK PWN333-HC
H 620mm W 1790mm D 700mm




BLIZZARD BCC3PIZZA
H 1541mm W 1400mm D 700mm




BLIZZARD BPB1500
H 990mm W 1510mm D 800mm



BLIZZARD BPB2000
H 990mm W 2020mm D 800mm



BLIZZARD BPB1500-7N
H 990mm W 1515mm D 800mm



BLIZZARD BPB2000-7N
H 990mm W 2050mm D 800mm



SOLID & GLASS CANOPY COUNTER TOP PREP STATIONS

Description

Built from high grade stainless steel, the TOP range is the perfect addition to any prep station. Both the solid and glass variants accept gastronorm containers up to 150mm deep and prove that the simple solution is often the best solution.



Features


Stainless steel exterior & interior

Glass structure & stainless steel configurations


Accepts GN1/4 or GN1/3 containers up to 150mm deep dependent on configuration (Not included)

MODEL	CONTAINER CAPACITY*	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	INTERNAL DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
TOP1200EN	3 x GN1/3 + GN1/2	R600a	+2°C / +8°C	H281 x W1200 x D395	H165 x W850 x D311	110W	13amp	60	£740
TOP1500EN	5 x GN1/3 + GN1/2	R600a	+2°C / +8°C	H281 x W1500 x D395	H165 x W1150 x D311	110W	13amp	72	£830
TOP2000EN	9 x GN1/3	R600a	+2°C / +8°C	H281 x W2000 x D395	H165 x W1650 x D311	110W	13amp	92	£1015
TOP1200-14EN	5 x GN1/4	R600a	+2°C / +8°C	H281 x W1200 x D335	H165 x W850 x D251	110W	13amp	55	£657
TOP1500-14EN	7 x GN1/4	R600a	+2°C / +8°C	H281 x W1500 x D335	H165 x W1150 x D251	110W	13amp	66	£752
TOP2000-14EN	10 x GN1/4	R600a	+2°C / +8°C	H281 x W2000 x D335	H165 x W1650 x D251	110W	13amp	85	£957
TOP1200CR	3 x GN1/3 + GN1/2	R600a	+2°C / +8°C	H439 x W1200 x D395	H165 x W850 x D311	110W	13amp	60	£740
TOP1500CR	5 x GN1/3 + GN1/2	R600a	+2°C / +8°C	H439 x W1500 x D395	H165 x W1150 x D311	110W	13amp	72	£830
TOP2000CR	9 x GN1/3	R600a	+2°C / +8°C	H439 x W2000 x D395	H165 x W1650 x D311	110W	13amp	92	£1015
TOP1200-14CR	5 x GN1/4	R600a	+2°C / +8°C	H439 x W1200 x D335	H165 x W850 x D251	110W	13amp	55	£657
TOP1500-14CR	7 x GN1/4	R600a	+2°C / +8°C	H439 x W1500 x D335	H165 x W1150 x D251	110W	13amp	66	£752
TOP2000-14CR	10 x GN1/4	R600a	+2°C / +8°C	H439 x W2000 x D335	H165 x W1650 x D251	110W	13amp	85	£957


*Find our full range of gastronorm pans on [page 5](#).




BLIZZARD TOP1200EN
H 281mm W 1200mm D 395mm




BLIZZARD TOP1500EN
H 281mm W 1500mm D 395mm




BLIZZARD TOP2000EN
H 281mm W 2000mm D 395mm




BLIZZARD TOP1200-14EN
H 281mm W 1200mm D 395mm




BLIZZARD TOP1500-14EN
H 281mm W 1500mm D 395mm




BLIZZARD TOP2000-14EN
H 281mm W 2000mm D 395mm




BLIZZARD TOP1200CR
H 439mm W 1200mm D 395mm




BLIZZARD TOP1500CR
H 439mm W 1500mm D 395mm




BLIZZARD TOP2000CR
H 439mm W 2000mm D 395mm



BLIZZARD TOP1200-14CR
H 439mm W 1200mm D 395mm



BLIZZARD TOP1500-14CR
H 439mm W 1500mm D 395mm



BLIZZARD TOP2000-14CR
H 439mm W 2000mm D 395mm



BCF40



HIGH GRADE STAINLESS STEEL
BLAST CHILLER/FREEZER

Description

An essential piece of kit in any commercial kitchen, the BCF will cool the core temperature down of your product quickly preventing bacteria. Adjustable and programmable settings will allow you to pre-set your cooling requirements ahead of time.

Featuring self-closing, right-hand hinged door, heavy duty castors as standard and a temperature probe as well as being available in 3 sizes that all accommodate GN1/1 gastronorm containers.

3
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- High grade 304 stainless steel exterior & interior
- Automatic vaporisation of condensate
- Temperature probe
- Accepts GN1/1 trays or 600 x 400mm shelves
- For optimal result, it's recommended to use 25mm deep gastronorm containers
- Heavy duty castors as standard
- Self closing door
- Right hand hinged door


MODEL	CHILL CYCLE 90 MIN	FREEZE CYCLE 240 MIN	CONTAINER CAPACITY*	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCF20-HC	20KG	15KG	5 x GN1/1	R290	+70°C / -18°C	H1000 x W800 x D800	750W	13amp	116	£2424
BCF40-HC	40KG	28KG	10 x GN1/1	R290	+70°C / -18°C	H1520 x W800 x D800	980W	13amp	139	£3635
BCF60-HC	60KG	38KG	13 x GN1/1	R290	+70°C / -18°C	H1780 x W800 x D800	1200W	13amp	182	£5073

*Find our full range of gastronorm pans on [page 5](#).

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Gasket	£64.75



CF450WH



WHITE LAMINATED COMMERCIAL CHEST FREEZER

Description

The CF range is a perfect choice if you're looking for a no thrills chest freezer with a large storage capacity. Coming as standard with storage baskets that allow for easy produce organisation and a large internal cavity to fill further you wont be left short of space to store bulk frozen produce.

Featuring stippled aluminium interior and white laminated exterior, roll bond maintenance-free condenser, a replaceable gasket and so much more!

3

YEAR WARRANTY


CLIMATE CLASS 4

Features

- White laminated exterior including lid
- Stippled aluminium interior
- Lock fitted as standard
- Rollers fitted as standard
- Replaceable door gasket
- Roll bond maintenance free condenser

MODEL	GROSS CAPACITY	BASKETS SUPPLIED	MAX NO. OF BASKETS	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CF350WH	350L	1	3	R600a	-18°C / -22°C	H840 x W1030 x D755	F	64W	268	13amp	57.5	£638
CF450WH	450L	1	4	R600a	-18°C / -22°C	H840 x W1270 x D755	F	138W	302	13amp	65.5	£746
CF550WH	550L	2	5	R600a	-18°C / -22°C	H840 x W1530 x D755	F	161W	323	13amp	75	£820
CF650WH	650L	2	6	R600a	-18°C / -22°C	H840 x W1810 x D755	F	161W	382	13amp	83.5	£1012

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Gasket	£51.99



WHITE LAMINATED COMMERCIAL CHEST FREEZER WITH STAINLESS STEEL LID

Description

Featuring an easy-wipe white laminated exterior and a high grade 304 stainless steel lid with plastic capped ends that is perfect to be used as a work surface. The stippled aluminium interior ensures safe food storage plus the user-friendly thermostat allows you to manually change the internal temperature of the unit.








Benefit from other great features of the CF range such as rear roller and front feet, a roll bond maintenance free condenser and a replaceable gasket all as standard.



Features

- White laminated exterior
- Stippled aluminium interior
- High grade 304 stainless steel lid with plastic capped ends,can be used as a work surface
- Roll bond maintenance free condenser
- Lock fitted as standard
- Rollers fitted as standard
- Replaceable door gasket

MODEL	GROSS CAPACITY	BASKETS SUPPLIED	MAX NO. OF BASKETS	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CF450SS	450L	1	4	R600a	-18°C / -22°C	H840 x W1270 x D755	F	138W	302	13amp	65.5	£771
CF550SS	550L	2	5	R600a	-18°C / -22°C	H840 x W1530 x D755	F	161W	323	13amp	75	£847
CF650SS	650L	2	6	R600a	-18°C / -22°C	H840 x W1810 x D755	F	161W	382	13amp	83.5	£1046
OPTIONAL EXTRAS (Applicable Units)											PRICE (RRP)	
Gasket											£51.99	





DISPLAY REFRIGERATION

Display Refrigerators | Display Freezers | Ice Cream Display | Grab & Go
Multi decks | Counter Top Display | Patisserie Display | Serve Overs

From multi decks to ice cream displays and serve overs to chest freezers it has never been so important to show off your products effectively to your customers and with our wide range of options from the worlds leading brands in refrigeration you're sure to find the perfect solution to your refrigeration needs.



UPRIGHT HINGED GLASS DOOR MERCHANDISER

Description

If display of your refrigerated product is the aim then the BC350 is the perfect no frills way of getting there. With a white laminated exterior fronted with a black plastic and double glazed glass hinged door, 5 adjustable shelves included as standard and a pre-painted white aluminium interior it is the ultimate in budget display refrigeration.

Unit maintenance has never been so easy thanks to the integrated digital controller which ensures efficient running and the easily replaceable door gaskets.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- White laminated exterior with black plastic door frame
- White pre-painted aluminium interior
- 5 adjustable shelves, shelf size 485 x 420 mm
- Internal LED illumination
- Double glazed door
- Lock fitted as standard
- Adjustable feet as standard
- Replaceable door gasket

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BC350	1	5	350L	R600a	+2°C / +8°C	H1905 x W592 x D605	B	210W	1161	13amp	84	£979
OPTIONAL EXTRAS (Applicable Units)												PRICE (RRP)
Shelf & 4 clips												£44.65



UPRIGHT HINGED & SLIDING GLASS DOOR MERCHANDISER

Description

Clean, simple and perfect for all your display storage needs, the GD range of glass door merchandisers are perfect for any retail outlet looking to store and advertise anything from cold drinks to refrigerated goods.

Available in both sliding and hinged variations, the white laminated unit is fronted with gloss black doors embedded with double glazed glass in order to optimise content viewing, along with integrated LEDs internally and a customisable graphics panel above.



Features

- Available in both hinged & sliding door variants
- White laminated exterior with black plastic door frame
- White pre-painted aluminium interior
- Illuminated top panel; graphics can be customised
- 4 adjustable shelves per door (20kg Max weight capacity)
- Internal LED illumination
- Self-closing double glazed door
- Lock fitted as standard on hinged variations
- Castors as standard

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
GD350	1	4	350L	R600a	+2°C / +8°C	H2180 x W592 x D615	B	210W	1161	13amp	84	£1034
GD630	2	8	630L	R290	+2°C / +8°C	H2010 x W925 x D695	C	300W	1874	13amp	124	£1617
GD630SL	2	8	630L	R290	+2°C / +8°C	H2010 x W925 x D695	C	300W	1874	13amp	124	£1640
GD900	2	8	908L	R290	+2°C / +8°C	H2010 x W1295 x D695	C	350W	2435	13amp	151	£2004
GD900SL	2	8	908L	R290	+2°C / +8°C	H2010 x W1295 x D695	C	350W	2435	13amp	151	£2034

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)	OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips (GD350)	£44.65	Shelf & 4 clips (GD630, GD630SL)	£36.54
Gasket	£64.75	Shelf & 4 clips (GD900, GD900SL)	£44.65



BEVPR40



UPRIGHT HINGED GLASS DOOR
DISPLAY REFRIGERATION

Description

Don't wait around because the BEVPR range is selling fast and is only available while stocks last! With a clean white finish and full length glass fronted door and 5 adjustable shelves you can be sure your stored products will stand out perfectly!

The units come as standard with adjustable front feet, replaceable door gasket, temperature display, reversible door and internal illumination for the perfect finishing additions to your display refrigerator.

2
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- White laminated exterior
- ABS interior with antibacterial treatment
- 5 adjustable shelves
- Internal illumination
- Temperature display
- Reversible door
- Replaceable door gaskets
- Adjustable front feet

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BEVPR40	5	380L	R600a	+3°C / +10°C	H1865 x W600 x D620	G	280W	1350	13amp	92	£1634

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf	£36.67
Gasket	£68.36



GDF1200



NEW UPRIGHT HINGED GLASS DOOR FREEZER MERCHANDISER

Description

The most anticipated arrival for 2023 the GDF range from Blizzard is sure to make a splash for any customer looking for a clean freezer merchandiser. Available in single, double and triple door variations you're sure to find the perfect unit for all your display freezer needs.


Coming as standard with a matte black exterior, 4 adjustable shelves per self closing triple glazed heated door and lock and castors fitted.



Features

- Matte black exterior
- White pre-painted aluminium interior
- Illuminated top panel, graphics can be customised
- 4 adjustable shelves
- Internal LED illumination
- Self-closing triple glazed heated door(s)
- Lock fitted as standard
- Castors as standard

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
GDF600	1	4	514L	R290	-21°C / -12°C	H2050 x W685 x D740	E	1100W	4098	13amp	98	£1551
GDF1200	2	8	1134L	R290	-21°C / -12°C	H2050 x W1370 x D740	E	1181W	7784	13amp	185	£2629
GDF1800	3	12	1750L	R290	-21°C / -12°C	H2050 x W2050 x D740	E	1914W	10139	13amp	308	£3885



mondial

UPRIGHT HINGED GLASS DOOR DISPLAY FREEZER

Description

The perfect solution for a freezer display, the ICEN40 includes 6 fixed shelves as standard and coupled with its full frontal glass door allows the customer to see all contents from top to bottom, only made easier by the included internal LED lighting.

With a white finish, hints of blue detail and an interior made from anti-bacterial ABS, keeping the unit clean and presentable is as easy as a quick wipe over.

2
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- White laminated exterior
- ABS interior with antibacterial treatment
- 5 adjustable shelves
- Internal illumination
- Temperature display
- Reversible door
- Replaceable door gaskets
- Adjustable front feet

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
ICEN40	6	360L	R290	-18°C / -23°C	H1865 x W600 x D620	D	575W	2810	13amp	103	£1981



UPRIGHT HINGED GLASS DOOR DISPLAY FREEZER

Description

What better way to display frozen merchandise than in a multi shelf unit with an additional illuminated display panel perfect for customised branding. With a pre-painted white steel exterior and interior plus aluminium door frame, the GDS unit gives off a clean and sophisticated look, while ensuring easy maintenance going forward.

Add to that a triple glazed door with integrated heater to avoid condensation, internal LED lighting and replaceable door gaskets, and you have yourself a perfect display unit.

1
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Pre-painted white steel exterior & interior
- Aluminium door frame
- Triple glazed door with heater
- Fan cooled condenser
- 4 x roller feet as standard
- Two internal LED lights
- Illuminated display panel
- 6 static shelves

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
GDS400	6	416L	R290	-18°C / -25°C	H2018 x W667 x D620	D	467W	3365	13amp	116	£1747



UPRIGHT HINGED GLASS DOOR
DISPLAY FREEZER IN BLACK

Description

Unlike most other display freezers the CRFV is unique in the fact it allows the users to fully adjust the 5 included shelves for ultimate flexibility. Move your product around in the white pre-painted interior to ensure that your customers see exactly what you want them to through the heated triple glazed door.

Plus why miss out on amazing features such as a fan cooled condenser, roller feet, internal LEDs, replaceable door gaskets and more!

1
YEAR
WARRANTY













LED
LIGHTING

CLIMATE
CLASS 4

Features


- Pre-painted white steel interior & black exterior
- Replaceable door gasket
- Triple glazed door with heater
- Fan cooled condenser
- 4 x roller feet as standard
- Two internal LED lights
- 5 adjustable shelves

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CRFV500	5	416L	R290	-18°C / -25°C	H2018 x W667 x D662	D	594W	3683	13amp	138	£2298





BDF32



CURVED WHITE LAMINATED GLASS LID DISPLAY FREEZER

Description

Simplicity is perfection when it comes to the BDF range by Blizzard. Boasting a lockable curved sliding glass lid for easy viewing, LED lighting and a white body finish with black trim for the cleanest of looks you'll be hard done by to find a better value option.

Supplied as standard with full capacity baskets dependent on the size of the unit, 4 castors for easy manoeuvrability and integrated drain hole to allow for easy defrosting of the freezer when required.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- White laminated exterior
- White painted aluminium interior
- Aluminium door frame
- Lockable curved sliding glass lid
- Internal LED illumination
- Defrost water drain hole
- Four castor wheels

MODEL	BASKETS (MAX)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BDF22	2 (2)	220L	R290	-18°C / -22°C	H850 x W740 x D680	C	186W	978	13amp	58	£712
BDF32	3 (3)	320L	R290	-18°C / -22°C	H850 x W1030 x D680	C	198W	1014	13amp	60.5	£868
BDF42	4 (4)	420L	R290	-18°C / -22°C	H850 x W1270 x D680	C	210W	1025	13amp	69	£1030
BDF52	5 (5)	520L	R290	-18°C / -22°C	H850 x W1530 x D680	C	248W	1289	13amp	72.5	£1150
BDF62	6 (6)	620L	R290	-18°C / -22°C	H850 x W1810 x D680	D	252W	2017	13amp	81	£1419

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Basket	£16.23



SLIDING FLAT GLASS ISLAND DISPLAY FREEZER

Description

The iconic island display freezer range from Crystal is the only logical solution when it comes to bulk freezer display/storage. With a pre-painted white steel exterior & interior topped with single glazed glass sliding lids and bumper bars fitted as standard you'll be hard done by to find a more suitable and fitting unit for your retail space.

Lockable castors are fitted to all units as standard for ease of movement, with options to add baskets & dividers dependent on your requirements.


Features

- Single glazed sliding glass lids
- 75mm castors fitted as standard (2 lockable)
- Bumper bars fitted as standard
- Optional baskets and dividers
- Pre-painted white steel exterior & interior




MODEL	BASKETS (MAX)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CRYSTALLITE15	0 (5)	600L	R290	-18°C / -26°C	H840 x W1554 x D914	F	376W	1639	13amp	132	£1643
CRYSTALLITE20	0 (6)	797L	R290	-18°C / -26°C	H840 x W2004 x D914	C	407W	1599	13amp	149	£2062
CRYSTALLITE25	0 (8)	1038L	R290	-18°C / -26°C	H840 x W2504 x D914	C	517W	2613	13amp	181	£2710


OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Basket	£50.99
Divider	£55.02




BLIZZARD BDF22
H 850mm W 740mm D 680mm




BLIZZARD BDF32
H 850mm W 1030mm D 680mm




BLIZZARD BDF42
H 850mm W 1270mm D 680mm




BLIZZARD BDF52
H 850mm W 1530mm D 680mm




BLIZZARD BDF62
H 850mm W 1810mm D 680mm



CRYSTAL CRYSTALLITE15
H 840mm W 1554mm D 914mm




CRYSTAL CRYSTALLITE20
H 840mm W 2004mm D 914mm



CRYSTAL CRYSTALLITE25
H 840mm W 2504mm D 914mm

ESKIMO6



mondial

WHITE LAMINATED CURVED GLASS ICE CREAM DISPLAY

Description

Sit back and relax in the knowledge that your ice cream display worries have been resolved thanks to the Mondial Eskimo. With a pre-painted white steel exterior and interior and pre-assembled glass canopy it can hold an impressive 6 x 5L Napoli pans on display plus a further 8 in the under unit storage.

Ensure the unit can be easily accessible at all times with included low profile castors fitted as standard on all units.

Features

- White pre-painted steel exterior & interior
- Static packed evaporation system
- Insulating upper curved glazed glass
- Accepts 5 litre Napoli pans (not included)
- Separate storage accessible via rear door

1
YEAR
WARRANTY

CASTORS
INCLUDED

CLIMATE
CLASS 3

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
ESKIMO6	6 (8)	330L	R290	-15°C / -20°C	H1238 x W1200 x D673	C	420W	3223	13amp	115	£2082

*Find our full range of gastronorm pans on page 5.

ELEGANTE36



CURVED CAPACITY ICE CREAM DISPLAY WITH GRAPHIC PANEL

Description

The popular Crystal Elegante range is back with a new look, boasting A level energy ratings with the technology to back it up too! With a crisp white finish, anthracite frame, sliding glass lid, arc'd glass canopy, internal LED lighting and back lit graphics panel this unit is in prime position to stand out in style in any establishment.

High capacity under storage accessible to the rear, ensures you can re-stock the display quickly & efficiently.

1
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

REQUIRES
ASSEMBLY

CLIMATE
CLASS 4

Features

- Sliding glass lid over display area enables you to keep the ice cream overnight
- Accepts 5L Napoli containers (not supplied)
- Castors as standard
- LED lighting internal and in graphics panel
- Curved glass
- Anodised aluminium top profile
- High capacity under storage
- Skin evaporator to reduce energy consumption

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
ELEGANTE36	9 (10)	354L	R290	-15°C / -22°C	H1257 x W1192 x D824	A	227W	923	13amp	112	£2198
ELEGANTE46	10 (14)	454L	R290	-15°C / -22°C	H1257 x W1457 x D824	A	270W	1205	13amp	133	£2437
ELEGANTE56	13 (18)	557L	R290	-15°C / -22°C	H1257 x W1662 x D824	A	276W	1442	13amp	150	£2710

*Find our full range of gastronom pans on [page 5](#).



WHITE LAMINATED FLAT GLASS ICE CREAM DISPLAY

Description

A clean, modern and sleek ice cream display, that expertly shows off up to 13 Napoli pans worth of ice cream with storage for even more! Finished off in a white laminate body and anthracite frame the Athena sure knows how to make a statement.

Complete the look with optional branding on special orders with integrated LED lighting to make it pop just that little extra, plus the handy serving bench and scoop wash to help finish off this excellent ice cream display.



Features

- White finish with anthracite frame
- Anodised aluminium top profile
- Front flat showcase hinged glass
- Accepts 5L Napoli containers (not supplied)
- Serving bench with a scoop washer system
- LED lighting: internal and in graphics panel
- High capacity under storage
- 4 Castor wheels as standard

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
ATHENA9	9 (14)	358L	R290	-14°C / -24°C	H1288 x W1194 x D842	B	219W	1646	13amp	123	£2645
ATHENA13	13 (20)	540L	R290	-14°C / -24°C	H1288 x W1664 x D842	B	236W	2044	13amp	153	£3033

*Find our full range of gastronorm pans on [page 5](#).



OPTIMUS16



FLAT GLASS HIGH CAPACITY ICE CREAM DISPLAY

Description

The ultimate choice in ice cream displays, the Crystal Optimus lives up to its name and holds an impressive 40 5L Napoli pans across both display and storage areas.

With a cream and black finish, sliding glass lid and sloped canopy the unit allows easy viewing of content along with even easier labelling thanks to its integrated flavour card holders which are conveniently LED lit along with the top of the unit. This paired with the generous under storage culminates in the perfect ice cream display unit.

1
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED


CLIMATE
CLASS 4

Features


- Sliding glass lid over display area enables you to keep the ice cream overnight
- Accepts 5L Napoli containers (not supplied)
- Castors as standard
- Internal LED lighting
- Anodised aluminium top profile
- Generous under storage
- Skin evaporator to reduce energy consumption
- Maintenance free condenser

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)	PRICE (RRP)
OPTIMUS16	16 (24)	630L	R290	-15°C / -22°C	H1335 x W1590 x D1195	A	415W	1913	13amp	195	£5858


*Find our full range of gastronorm pans on [page 5](#).




MONDIAL ESKIMO
H 1238mm W 1200mm D 673mm




CRYSTAL ELEGANTE36
H 1257mm W 1192mm D 824mm




CRYSTAL ELEGANTE46
H 1257mm W 1457mm D 824mm




CRYSTAL ELEGANTE56
H 1257mm W 1662mm D 824mm




CRYSTAL ATHENA9
H 1288mm W 1194mm D 842mm



CRYSTAL ATHENA13
H 1288mm W 1664mm D 842mm



CRYSTAL OPTIMUS16
H 1335mm W 1590mm D 1195mm



MIRROR FINISH GRAB & GO OPEN FRONT MERCHANDISERS

Description

The classic refrigerated grab and go merchandiser from Blizzard is the perfect small form free-standing unit, which allows for easy access to your product. Complete with mirror finish stainless steel construction, glass side panels, three adjustable shelves and castors fitted as standard.

When you're ready to close for the day ensure your unit is saving as much energy as possible thanks to the integrated night blind, safely hooking at the bottom of the unit.

3
YEAR
WARRANTY

LED
LIGHTING


CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- Mirror finish stainless steel construction and castors as standard
- Three adjustable stainless steel perforated shelves
- Night blind fitted as standard
- LED lighting on top and base
- Double glazed glass panels
- Easy access to condenser filter
- Ticket strips
- On/Off light switch at rear

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
GRAB60	3	230L	R290	+2°C / +12°C	H1523 x W600 x D890	F	1340W	6061	13amp	102	£2638
GRAB100	3	380L	R290	+2°C / +12°C	H1523 x W1000 x D890	G	1400W	6260	13amp	129	£3483



STAINLESS STEEL AND GLASS HEATED TIERED DISPLAY

Description

The Blizzard heated grab & go tiered display fills a gap in the market allowing users to display and store heated product for prolonged periods. Fitted with 3 LED lit perforated stainless steel shelves to aid in airflow this clean looking unit built from stainless steel and glass is the perfect fit for any retail or food outlet.

Capable of reaching up to 80°C thanks to the adjustable digital controller & display and fitted with castors as standard to allow for easy access for cleaning and maintenance.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- Digital Controller & Display
- 3 Adjustable Shelves fitted with warm LED lights
- Perforated stainless steel shelving to aid airflow
- Stainless steel & glass construction
- Castors fitted as standard
- Fitted with a 13amp standard UK plug for ultimate plug and play functionality
- Integrated POS strips

MODEL	SHELVES	GROSS CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BHD50	3	220L	+30°C / +80°C	H1742 x W494 x D600	2000W	13amp	77.5	£1764



SELF-SERVICE LOW HEIGHT OPEN FRONT MERCHANDISER

Description

This low height self-service merchandiser is the perfect addition to any retail or food establishment that wants to allow quick and easy access to refrigerated food and drink. With a mirrored stainless steel finish and curved glass sides the unit will fit seamlessly into any interior design and layout.

The unit also includes rear access for replenishment, 3 adjustable glass shelves, internal illumination, adjustable feet and pull out condenser unit for easy cleaning.

1
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 3

Features

- Mirror finish 304 grade stainless steel exterior & interior
- Open front for self service
- Self closing rear doors
- Internal illumination
- Condensing unit pull out for easy maintenance
- 3 adjustable glass shelves
- Adjustable feet
- Digital controller to the rear

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SOP75-100HC	3	R290	+2°C / +5°C	H1350 x W1000 x D750	E	2076W	5657	13amp	200	£5716

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
600mm Snack basket	£230.51
1200mm Snack basket	£256.52
1500mm Snack basket	£277.73



SELF SERVICE LOW HEIGHT TIERED DISPLAY

Description

Regardless of your display storage needs the SLD range of low height units is the perfect addition to your retail setting. Built with mirror finish 304 grade stainless steel, tempered glass sides and shelves and internal illumination as standard.

Ensure you save energy when required with the included night blind fitted as standard on all units perfect for closing off at the end of the day. Don't worry about maintaining your unit with the pull out condenser unit it couldn't be easier.



Features

Mirror finish 304 grade stainless steel exterior & interior

3 Adjustable glass shelves

Adjustable feet

Night blind fitted as standard

Internal illumination

Tempered glass side panels

Clear acrylic shelf edge risers

Condensing unit pull out for easy maintenance

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SLD60-60HC	3	R290	+2°C / +8°C	H1310 x W600 x D600	F	1783W	4307	13amp	135	£2854
SLD60-100HC	3	R290	+2°C / +8°C	H1310 x W1000 x D600	F	1842W	5110	13amp	178	£3468
SLD60-120HC	3	R290	+2°C / +8°C	H1310 x W1200 x D600	F	2076W	5657	13amp	202	£4148

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
600mm Snack basket	£230.51
1200mm Snack basket	£256.52
1500mm Snack basket	£277.73



UPRIGHT OPEN FRONT SLIM TIERED
WHITE LAMINATED MULTI-DECK

Description

When simple, easy and clean display storage is your requirement there’s no better option than the BTD-WH range by Blizzard. With a white laminated external finish, tempered glass side panels and 4 heavy duty adjustable shelves with pricing strips this simple yet effective unit is perfect for every retail environment.

The digital controller, condenser alarm, internal lighting, night blind and adjustable feet fitted as standard make the BTD-WH one of the best value multi-decks available.

3
YEAR
WARRANTY


LED
LIGHTING

CLIMATE
CLASS 4

Features

- White laminated exterior & interior
- 4 heavy duty adjustable shelves (300mm deep) with pricing strips
- Easily accessible condenser over temperature audible alarm
- Adjustable feet
- Night blind fitted as standard
- Internal illumination - LED lighting to each shelf
- Tempered glass side panels
- Clear acrylic shelf edge risers

MODEL	FINISH	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BTD70WH	White	4	240L	R290	+2°C / +10°C	H2000 x W685 x D660	F	1104W	7050	2 x 13amp	187	£2211
BTD100WH	White	4	360L	R290	+2°C / +10°C	H2000 x W1000 x D660	F	1296W	10738	2 x 13amp	225	£2732
BTD130WH	White	4	470L	R290	+2°C / +10°C	H2000 x W1310 x D660	F	2195W	9312	2 x 13amp	272	£3232
BTD150WH	White	4	540L	R290	+2°C / +10°C	H2000 x W1500 x D660	F	2340W	10214	2 x 13amp	310	£3599
BTD200WH	White	4	720L	R290	+2°C / +10°C	H2000 x W1935 x D660	G	2518W	13554	2 x 13amp	370	£4460



UPRIGHT OPEN FRONT SLIM TIERED STAINLESS STEEL/BLACK MULTI-DECK

Description

Plentiful refrigerated display space and clean professional finishes, what could be better? The much loved BTD range available in both stainless steel (see page 122 for stainless steel finish example) and black offers a touch of class to your retail setting. Add to that a night blind, internal lighting, four included shelves and so much more you have yourself the perfect multi-deck.



Features

Available in Black & Stainless Steel finishes

4 heavy duty adjustable shelves (300mm deep) with pricing strips

Condenser over temperature audible alarm

Adjustable feet

Night blind fitted as standard

Internal illumination - LED lighting to each shelf

Tempered glass side panels

Clear acrylic shelf edge risers

MODEL	FINISH	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BTD70BK	Black	4	240L	R290	+2°C / +10°C	H2000 x W685 x D660	F	1104W	7050	2 x 13amp	187	£2211
BTD100BK	Black	4	360L	R290	+2°C / +10°C	H2000 x W1000 x D660	F	1296W	10738	2 x 13amp	225	£2732
BTD130BK	Black	4	470L	R290	+2°C / +10°C	H2000 x W1310 x D660	F	2195W	9312	2 x 13amp	272	£3232
BTD150BK	Black	4	540L	R290	+2°C / +10°C	H2000 x W1500 x D660	F	2340W	10214	2 x 13amp	310	£3599
BTD200BK	Black	4	720L	R290	+2°C / +10°C	H2000 x W1935 x D660	G	2518W	13554	2 x 13amp	370	£4460
BTD70SS	Stainless Steel	4	240L	R290	+2°C / +10°C	H2000 x W685 x D660	F	1104W	7050	2 x 13amp	187	£2248
BTD100SS	Stainless Steel	4	360L	R290	+2°C / +10°C	H2000 x W1000 x D660	F	1296W	10738	2 x 13amp	225	£2816
BTD130SS	Stainless Steel	4	470L	R290	+2°C / +10°C	H2000 x W1310 x D660	F	2195W	9312	2 x 13amp	272	£3344
BTD150SS	Stainless Steel	4	540L	R290	+2°C / +10°C	H2000 x W1500 x D660	F	2340W	10214	2 x 13amp	310	£3697
BTD200SS	Stainless Steel	4	720L	R290	+2°C / +10°C	H2000 x W1935 x D660	G	2518W	13554	2 x 13amp	370	£4568



SD60-60HC



UPRIGHT SLIMLINE MIRRORED STAINLESS STEEL MULTIDECK

Description

The perfect slim line multi-deck finished off in an attractive mirrored stainless steel finish the SD60 range is the ideal solution for a space saving multi-deck that maximises display space while keeping the overall footprint of the unit to a minimum.

Ensure you save energy when required with the included night blind fitted as standard on all units perfect for closing off at the end of the day. Don't worry about maintaining your unit with the pull out condenser it couldn't be easier.

1
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 3

Features

- Mirror finish 304 grade stainless steel exterior and interior
- 4 Heavy duty adjustable shelves
- Adjustable feet
- Night blind fitted as standard
- Internal illumination
- Tempered glass side panels
- Clear acrylic shelf edge risers
- Condensing unit pull out for easy maintenance

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SD60-60HC	4	R290	+2°C / +5°C	H1950 x W600 x D700	F	1842W	6935	13amp	163	£3518
SD60-100HC	4	R290	+2°C / +5°C	H1950 x W1000 x D600	F	2076W	8760	13amp	218	£4154
SD60-120HC	4	R290	+2°C / +5°C	H1950 x W1200 x D600	G	2115W	11680	13amp x 2	247	£4595
SD60-150HC	4	R290	+2°C / +5°C	H1950 x W1500 x D600	G	2563W	13150	13amp x 2	291	£5860
SD60-180HC	4	R290	+2°C / +5°C	H1950 x W1800 x D600	G	3363W	14600	13amp x 2	330	£6321

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
600mm Snack basket	£230.51
1200mm Snack basket	£256.52
1500mm Snack basket	£277.73

SD75-100HC



UPRIGHT MIRRORED STAINLESS STEEL MULTIDECK

Description

Maximum storage with maximum style. The SD75 doesn't hold back when it comes to storage offering a deep and tall display area with 4 included shelves as standard. With a mirrored stainless steel finish and tempered glass side panels it looks the part too!

Ensure your product is clear to see with included internal lighting to the top of the unit plus clear shelf risers to secure your product without obstructing the customers view. Save energy and close down for the night with the included night blind.



Features

- Mirror finish 304 grade stainless steel exterior and interior
- 4 heavy duty adjustable shelves 280mm deep
- Adjustable feet
- Night blind fitted as standard
- Internal illumination
- Tempered glass side panels
- Clear acrylic shelf edge risers
- Condensing unit pull out for easy maintenance

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SD75-100HC	4	R290	+2°C / +5°C	H1950 x W1000 x D750	F	2115W	9672	13amp	251	£4678
SD75-120HC	4	R290	+2°C / +5°C	H1950 x W1200 x D750	G	2154W	12540	13amp	283	£5264
SD75-150HC	4	R290	+2°C / +5°C	H1950 x W1500 x D750	G	2622W	13870	13amp x 2	328	£6008
SD75-180HC	4	R290	+2°C / +5°C	H1950 x W1800 x D750	G	3402W	15330	13amp x 2	385	£7160

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
600mm Snack basket	£230.51
1200mm Snack basket	£256.52
1500mm Snack basket	£277.73



UPRIGHT GLASS DOOR SLIM TIERED STAINLESS STEEL/BLACK MULTI-DECK

Description

A new addition to the Blizzard line up in 2022 the BTD-GD range encompasses the much loved BTD multi-deck units while adding sliding doors to finish off the unit. Available in black or stainless steel the BTD-GD is sure to bring a touch of class to your establishment while saving energy thanks to its closed off design. Gain all the benefits of a BTD with 4 adjustable shelves, pricing strips, digital temperature control with alarm and so much more!



Features

- Stainless Steel exterior
- 4 heavy duty adjustable shelves (300mm deep) with pricing strips
- Condenser over temperature audible alarm
- Adjustable feet
- Glass Sliding Doors
- Internal illumination - LED lighting to each shelf
- Tempered glass side panels
- Clear acrylic shelf edge risers

MODEL	FINISH	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BTD130SS-GD	Stainless Steel	4	470L	R290	+1°C / +5°C	H2000 x W1310 x D750	C	1421W	5155	2 x 13amp	272	£3951
BTD150SS-GD	Stainless Steel	4	540L	R290	+1°C / +5°C	H2000 x W1500 x D750	D	1932W	7053	2 x 13amp	310	£4603
BTD200SS-GD	Stainless Steel	4	720L	R290	+1°C / +5°C	H2000 x W1935 x D750	D	2317W	8458	2 x 13amp	370	£5228
BTD130BK-GD	Black	4	470L	R290	+1°C / +5°C	H2000 x W1310 x D750	C	1421W	5155	2 x 13amp	272	£3842
BTD150BK-GD	Black	4	540L	R290	+1°C / +5°C	H2000 x W1500 x D750	D	1932W	7053	2 x 13amp	310	£4471
BTD200BK-GD	Black	4	720L	R290	+1°C / +5°C	H2000 x W1935 x D750	D	2317W	8458	2 x 13amp	370	£5092

SD75-190SHU



UPRIGHT MIRRORED STAINLESS STEEL MULTIDECK WITH LOCKABLE SHUTTER

Description

Maximum storage with maximum style. The SD75-Shuttered range doesn't hold back when it comes to storage offering a deep and tall display area with 4 included shelves as standard. A high mirrored stainless steel finish and lockable shutters finish off this fantastic unit.

Ensure your product is clear to see with included internal lighting to the top of the unit plus clear shelf risers to secure your product without obstructing the customers view. Save energy and close down for the night with the included night blind.

1
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 3

Features

- Mirror finish 304 grade stainless steel exterior and interior
- 4 Heavy duty adjustable shelves
- Adjustable feet
- Integral lockable roller shutter
- Internal illumination
- Clear acrylic shelf edge risers
- Condensing unit pull out for easy maintenance

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SD75-100SHU-HC	4	R290	+2°C / +5°C	H1950 x W1000 x D750	G	2115W	8285	13amp	251	£4899
SD75-130SHU-HC	4	R290	+2°C / +5°C	H1950 x W1300 x D750	G	2154W	9818	13amp	291	£5877
SD75-190SHU-HC	4	R290	+2°C / +5°C	H1950 x W1900 x D750	G	3402W	12775	13amp x 2	410	£7215

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
600mm Snack basket	£230.51
1200mm Snack basket	£256.52
1500mm Snack basket	£277.73



CRONUS1250OP-SS-MA



UPRIGHT TIERED DISPLAY
WITH LOCKABLE SHUTTER

Description

When compromising on quality is not an option the Mafirol CRONUS range is the perfect solution for you. Built with high grade 304 stainless steel both internally and externally this premium unit comes with 4 adjustable shelves as standard not to mention the double lockable manual shutter to ensure your product is kept safe when not in direct use.

The CRONUS range is intended for use for both general purpose refrigeration and fresh products such as dairy and meat and can be supplied in a custom RAL colour on special order request.

2
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED


CLIMATE
CLASS 3

Features


- Lockable shutter
- 304 Grade stainless steel construction
- Solid side panels
- Fitted with castors as standard
- Fan assisted cooling
- Fully automatic operation
- Electronic controller
- Automatic defrost

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CRONUS806OP-SS-MA	4	R290	+0°C / +2°C	H1994 x W866 x D740	1370W	5000	13amp	225	£5391
CRONUS1250OP-SS-MA	4	R290	+0°C / +2°C	H1994 x W1310 x D740	1930W	7044	13amp	280	£6415
CRONUS1450OP-SS-MA	4	R290	+0°C / +2°C	H1994 x W1510 x D740	1930W	7044	20amp	305	£6913
CRONUS1875OP-SS-MA	4	R290	+0°C / +2°C	H1994 x W1935 x D740	2085W	7610	20amp	380	£8076


OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
600mm Snack basket	£230.51
1200mm Snack basket	£256.52
1500mm Snack basket	£277.73




BLIZZARD GRAB60
H 1523mm W 600mm D 890mm




BLIZZARD GRAB100
H 1523mm W 1000mm D 890mm




BLIZZARD BHD50
H 1742mm W 494mm D 600mm




FROST TECH P75-100-OPEN
H 1350mm W 1000mm D 750mm




FROST TECH SLD60-60HC
H 1310mm W 600mm D 600mm




FROST TECH SLD60-100HC
H 1310mm W 1000mm D 600mm




FROST TECH SLD60-120HC
H 1310mm W 1200mm D 600mm




BLIZZARD BTD70WH (SS,BK)
H 2000mm W 685mm D 660mm



BLIZZARD BTD100WH (SS,BK)
H 2000mm W 1000mm D 660mm




BLIZZARD BTD130WH (SS,BK)
H 2000mm W 1310mm D 660mm




BLIZZARD BTD150WH (SS,BK)
H 2000mm W 1500mm D 660mm




BLIZZARD BTD200WH (SS,BK)
H 2000mm W 1935mm D 660mm




BLIZZARD BTD130SS-GD (BK)
H 2000mm W 1310mm D 750mm




BLIZZARD BTD150SS-GD (BK)
H 2000mm W 1500mm D 750mm




BLIZZARD BTD200SS-GD (BK)
H 2000mm W 1935mm D 750mm




FROST TECH SD60-60HC
H 1950mm W 600mm D 600mm




FROST TECH SD60-100HC
H 1950mm W 1000mm D 600mm




FROST TECH SD60-120HC
H 1950mm W 1200mm D 600mm




FROST TECH SD60-150HC
H 1950mm W 1500mm D 600mm




FROST TECH SD60-180HC
1950mm W 1800mm D 600mm




FROST TECH SD75-100HC
1950mm W 1000mm D 750mm




FROST TECH SD75-120HC
H 1950mm W 1200mm D 750mm




FROST TECH SD75-150HC
H 1950mm W 1500mm D 750mm




FROST TECH SD75-180HC
H 1950mm W 1800mm D 750mm




MAFIROL CRONUS806OP-SS-MA
H 1994mm W 866mm D 740mm




MAFIROL CRONUS1250OP-SS-MA
H 1994mm W 1310mm D 740mm




MAFIROL CRONUS1450OP-SS-MA
H 1994mm W 1510mm D 740mm




MAFIROL CRONUS1875OP-SS-MA
H 1994mm W 1935mm D 740mm



FROST TECH SD75-100SHU-HC
H 1950mm W 1000mm D 750mm



FROST TECH SD75-130SHU-HC
H 1950mm W 1300mm D 750mm



FROST TECH SD75-190SHU-HC
H 1950mm W 1900mm D 750mm



HIGH CAPACITY WHITE LAMINATED COUNTER
TOP REFRIGERATOR & FREEZER

Description

The perfect option for counter top display of refrigerated products the CTR/CTF offers a clean looking white unit with a large double glazed lockable door. With digital temperature controller, self closing door and more this small but mighty unit is packed full of features you're sure to love.

Coming as standard with 3 adjustable shelves to easily re-configure dependant on your needs while maintaining easy viewing thanks to the integrated LED lighting.

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Available in both refrigerator & freezer configurations
- White laminated exterior
- White ABS interior
- Brilliant internal LED illumination on top
- Double glazed door
- Self closing door
- 3 adjustable PVC coated shelves
- Maintenance free condenser
- Lockable Door

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CTR99	3	99L	R600a	+0°C / +10°C	H717 x W620 x D575	B	140W	586	13amp	44	£1006
CTF99	3	99L	R290	-13°C / -22°C	H717 x W620 x D575	D	160W	1991	13amp	44	£1099



COUNTER TOP GLASS DOOR FREEZER

Description

The Crystal CTF70 is a fantastic counter top freezer and thanks to its pre-painted black steel exterior and white interior fits the part too! With a triple glazed heated glass door with stylish black bezel your customers eyes are automatically drawn to the contents whether that be tubs of ice cream or even frozen produce.

Featuring adjustable feet, 2 removable shelves, replaceable door gasket, internal LED lighting and more the CTF70 is the perfect mid capacity counter top unit.

1
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

Features

- Pre-painted black steel exterior & white interior
- Triple glazed door with heater
- Fan cooled condenser
- 2 adjustable feet
- 2 removable shelves
- Internal LED light
- Replaceable door gasket

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CTF70	2	73L	R290	-18°C / -22°C	H628 x W566 x D600	C	215W	1128	13amp	42	£893



REFRIGERATED & HEATED COUNTER TOP MERCHANDISERS

Description

Easy viewing is key when it comes to counter top merchandisers and that's one thing that the COLDT & HOTT do perfectly thanks to their majority glass construction. Accented with LED lighting, stainless steel base and top along with 2 or 3 chrome plated removable shelves respectively.

Rear sliding doors allow easy access to the unit and if needed can be removed to allow for easier cleaning and maintenance.

Features

- Available in refrigerated & freezer variations
- Rear sliding doors easily removable for cleaning
- 2 adjustable chrome plated shelves
- LED illumination with on/off switch
- Stainless steel construction



MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
COLDT1	2	130L	R600a	+2°C / +12°C	H677 x W697 x D578	C	180W	1490	13amp	57	£1123
COLDT2	2	160L	R600a	+2°C / +12°C	H677 x W875 x D578	C	180W	1473	13amp	65	£1431
HOTT1	3	130L	R600a	+30°C / +90°C	H698 x W678 x D580	-	1100W	4015	13amp	49	£991
HOTT2	3	160L	R600a	+30°C / +90°C	H698 x W856 x D580	-	1500W	5475	13amp	54	£1329



MULTI ACCESS **HEATED** COUNTER TOP MERCHANDISER

Description

With the flexibility of being able to be utilised as a merchandiser or grab and go station the HSS is unique in that it can be accessed from both sides of the unit via sliding doors. Built from stainless steel and glass the unit has a clean and modern look including integrated POS space at the top of the unit.

Add to that the 3 adjustable chrome shelves, internal humidity pan, LED lighting and removable doors for easy cleaning and this is the perfect all round counter top unit.

Features

- Internal LED illumination on top
- 3 adjustable chrome plated shelves
- Front and rear access
- Internal Humidity Pan

3
YEAR
WARRANTY

LED
LIGHTING

CLIMATE
CLASS 4

MODEL	SHELVES	GROSS CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
HSS96	3	96L	+30°C / +90°C	H663 x W664 x D493	1000W	3650	13amp	36	£995
HSS136	3	136L	+30°C / +90°C	H663 x W900 x D493	1100W	4015	13amp	43.5	£1333
HSS186	3	186L	+30°C / +90°C	H663 x W1204 x D493	1800W	6570	13amp	56	£1644



CTH97



COUNTER TOP TIERED HEATED MERCHANDISER

Description

This tiered counter top merchandiser from Blizzard is the perfect heated show piece for any deli, takeaway or small shop. With 3 adjustable chrome plated shelves perfect for displaying anything from pizza to sausage rolls you have ample storage space for your goods while being easily accessible from the rear hinged glass door.

With LED illumination to both the internal display area and the front customisable decal box you can be sure your display stands out in any room.




Features

- Hinged glass doors to rear
- Three adjustable chrome plated shelves
- Front decal box is illuminated
- Internal illumination
- Mains cable on side
- Internal Humidity Pan
- Perfect for displaying sausage rolls pizza slices or samosas

MODEL	SHELVES	GROSS CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CTH97	3	97L	+30°C / +90°C	H785 x W460 x D449	800W	292	13amp	24	£786
CTH137	3	137L	+30°C / +90°C	H785 x W645 x D487	1000W	365	13amp	29	£1011



HDC1



LOW PROFILE COUNTER TOP
HEATED MERCHANDISER

Description

The HDC1 low profile counter top heated merchandiser from Blizzard is great for easily storing heated products in a visually appealing and clean way. Comprising of a heated deck which holds up to 4 GN1/3 pans (included), adjustable temperature control and a solid stainless construction.

Ensure full view and easy access to your product thanks to the curved glass canopy and rear double sliding access doors.

Features

- Stainless steel construction
- Front curved glass
- Adjustable temperature controller
- 4x GN1/3 pans included (depth 40mm)
- Sliding rear doors



MODEL	CONTAINERS*	GROSS CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
HDC1	4	46L	+30°C / +90°C	H336 x W773 x D420	500W	182	13amp	18	£461

*Find our full range of gastronorm pans on [page 5](#).



PASS-THROUGH COUNTER TOP HEATED MERCHANDISER

Description

The BPW1 is the perfect choice for a service counter top heated display. With 3 hinged doors to both sides of the unit users have easy access to the 3 fixed shelves inside and should have no issues seeing the product they're choosing thanks to the integrated LED lighting to the side of the unit.















Constructed from stainless steel and glass throughout this clean looking unit is temperature adjustable thanks to its integrated temperature controller.


Features

- Stainless steel construction
- Brilliant Internal LED illumination on sides
- Non-adjustable chrome plated shelves
- Adjustable temperature controller
- Front and rear access with hinge doors



MODEL	SHELVES	GROSS CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
BPW1	3	115L	+30°C / +90°C	H500 x W700 x D400	1250W	456	13amp	23	£563





FREESTANDING CYLINDRICAL
GLASS CAKE DISPLAY

Description

For the ultimate 360° uncompromising view of your product the CD-R range is perfect addition to any food or retail outlet. With a full height glass hinged door the full unit opens up to allow easy access to the adjustable glass shelves inside.

Constructed with a stainless steel body base and double glazed tempered glass throughout. The unit boasts fixed feet on the CD100R and small castors on the CD400R for easy manoeuvrability around your premises.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- Stainless Steel body base
- Brilliant Internal LED lighting at 2 sides
- Adjustable glass shelves
- Shelf rotatable manually
- Double glazed tempered glass
- Self closing door

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CD100R	3	100L	R600a	+2°C / +8°C	H1030 x W480 x D480	C	230W	1376	13amp	55	£1116
CD400R	4	360L	R600a	+2°C / +8°C	H1750 x W680 x D680	C	480W	2484	13amp	140	£2507

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Gasket	£16.40
Glass Shelf (CD400R)	£77.12



CD270L



FREESTANDING SQUARED GLASS CAKE DISPLAY

Description

A 360° view, a clean modern looking unit, easily accessible and plenty of refrigerated display space. The CD-L range really does have it all! Constructed from 4 sides of triple glazed glass, one of which being a full height access door the unit really does look the part in any retail or food establishment.

Both sized units come with adjustable chrome plated shelves, internal LED lighting, castors with integrated brakes plus so much more!

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- Stainless steel body base
- Brilliant Internal LED lighting on sides
- Adjustable chrome plated shelves
- Front flat glass door
- 4 sides triple glazed glass
- 4 castors, 2 with brakes
- On/Off switch

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
CD270L	2	270L	R290	+0°C / +10°C	H1500 x W650 x D650	C	475W	1598	13amp	165	£2364
CD400L	3	400L	R290	+0°C / +10°C	H1908 x W650 x D650	C	495W	2002	13amp	205	£2543

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Shelf & 4 clips	£71.40



CURVED GLASS MOBILE
DISPLAY MERCHANDISER

Description

A unit perfect for cafés and retail outlets that are looking to showcase and sell fresh food the DC range offers easy manoeuvrability while maintaining the clean and modern looking features of a more static display unit.

With a stainless steel and curved double glazed glass construction, 2 adjustable glass shelves, rear sliding doors, LED lighting throughout, castors included as standard and the option to clad if required this is the perfect all round display unit.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- Stainless steel construction
- 4 castors with 2 braked
- Rear sliding doors for easy management
- LED lighting from top and underneath of each shelf
- Double glazed glass
- Ideal for cafés and retail outlets looking to showcase and sell fresh food

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
DC270	2	295L	R290	+2°C / +8°C	H1220 x W916 x D693	C	480W	2702	13amp	154	£2598
DC370	2	400L	R290	+2°C / +8°C	H1220 x W1216 x D693	C	490W	3157	13amp	188	£3255
DC470	2	500L	R290	+2°C / +8°C	H1220 x W1516 x D693	C	500W	2511	13amp	230	£3967

DF270



FLAT GLASS MOBILE
DISPLAY MERCHANDISER

Description

The flat glass sibling of the DC range the DF flat glass mobile display offers all the benefits of its curved faced sibling but with a clean cut straight edge design. By utilising the flat glass top, extra display space is made available to the user.

The DF range is the perfect fit for any clad/build in solution offering a premium and visually appealing finish for a lower end budget compared to some higher end customer solutions while still maintaining manoeuvrability.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 4

Features

- Stainless steel construction
- Double glazed glass
- 2 x adjustable glass shelves
- Rear sliding doors for easy management
- LED lighting from top & underneath of each shelf
- 4 castors with 2 braked
- Ideal for cafés and retail outlets looking to showcase and sell fresh food

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH / ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
DF270	2	295L	R290	+2°C / +8°C	H1210 x W915 x D693	C	480W	2702	13amp	154	£2598
DF370	2	400L	R290	+2°C / +8°C	H1210 x W1215 x D693	C	490W	3157	13amp	188	£3255
DF470	2	500L	R290	+2°C / +8°C	H1210 x W1515 x D693	C	490W	2700	13amp	230	£3967



P75-60



CHILLED CURVED FRONT PATISSERIE DISPLAY

Description

Regardless of your display storage needs the P75 range is the perfect addition to any cafe or food service setting. Built with mirror finish 304 grade stainless steel and tempered glass sides, shelves and curved front panel.

Equipped with self closing rear doors for easy access to the 3 included glass shelves and LED lighting throughout the unit. Don't worry about maintaining your unit with the pull out condenser it couldn't be easier.



Features

Mirror finish 304 grade stainless steel exterior and interior

Full curved front glass

Self closing rear doors

Internal illumination

Condensing unit pull out for easy maintenance

3 adjustable glass shelves

Adjustable feet

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)	PRICE (RRP)
SP75-60	3	R290	+2°C / +5°C	H1350 x W600 x D750	C	1745W	3004	13amp	159	£4173
SP75-100	3	R290	+2°C / +5°C	H1350 x W1000 x D750	D	1783W	4015	13amp	205	£4583
SP75-120	3	R290	+2°C / +5°C	H1350 x W1200 x D750	D	1822W	4562	13amp	236	£5073
SP75-150	3	R290	+2°C / +5°C	H1350 x W1500 x D750	D	2017W	5159	13amp	284	£5683

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
600mm Snack basket	£230.51
1200mm Snack basket	£256.52
1500mm Snack basket	£277.73



CHOPIN CUSTOM COUNTER SOLUTION

Description

Providing you with a top quality, modern and highly customisable modular counter solution, that combine versatile storage with a stylish display the Chopin range truly is a statement piece for your shop, cafe or takeaway.

2

YEAR WARRANTY

SPECIAL ORDER


LED LIGHTING

CLIMATE CLASS 3


Features

- Available in various refrigerated, heated & storage configurations
- Choice of RAL colour to specification
- High quality stainless steel construction
- Double glazed glass structure to allow for maximum product visibility
- Rear sliding doors
- Further variations can be found on application


MODEL	DOORS	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
FLAT GLASS REFRIGERATED DISPLAY								
CHOPIN 700 FV-VVR	1	R290	+2°C / +5°C	H1300 x W750 x D800	410W	13amp	160	£5570
CHOPIN 1000 FV-VVR	2	R290	+2°C / +5°C	H1300 x W1050 x D800	610W	13amp	225	£6285
CHOPIN 1250 FV-VVR	2	R290	+2°C / +5°C	H1300 x W1300 x D800	730W	13amp	270	£6888
CHOPIN 1500 FV-VVR	2	R290	+2°C / +5°C	H1300 x W1550 x D800	860W	13amp	320	£7626
FLAT GLASS HEATED DISPLAY								
CHOPIN 1000 Q-VVR	2	-	+66°C / +90°C	H1300 x W1050 x D800	1600W	13amp	95	£5860
CHOPIN 1250 Q-VVR	2	-	+66°C / +90°C	H1300 x W1300 x D800	2210W	13amp	145	£6393
FLAT GLASS SELF SERVICE								
CHOPIN 1000 OPEN FV	-	R290	+2°C / +5°C	H1300 x W1050 x D800	1200W	13amp	200	£5680
CHOPIN 1250 OPEN FV	-	R290	+2°C / +5°C	H1300 x W1300 x D800	1500W	13amp	245	£6788
TABLE								
CHOPINTABLE1000	-	-	-	H900 x W1050 x D800	-	-	110	£4145
CHOPINTABLE-45INT	-	-	-	H900 x W832 x D905	-	-	84	£3060




BLIZZARD CD100R
H 1030mm W 480mm D 480mm




BLIZZARD CD400R
H 1750mm W 680mm D 680mm




BLIZZARD CD270L
H 1500mm W 650mm D 650mm




BLIZZARD CD400L
H 1908mm W 650mm D 650mm




BLIZZARD DC270
H 1220mm W 916mm D 693mm




BLIZZARD DC370
H 1220mm W 1216mm D 693mm




BLIZZARD DC470
H 1220mm W 1516mm D 693mm




BLIZZARD DF270
H 1210mm W 915mm D 693mm




BLIZZARD DF370
H 1210mm W 1215mm D 693mm




BLIZZARD DF470
H 1210mm W 1515mm D 693mm




FROST TECH P75-60
H 1350mm W 600mm D 750mm



FROST TECH P75-100
H 1350mm W 1000mm D 750mm




FROST TECH P75-120
H 1350mm W 1200mm D 750mm



FROST TECH P75-150
H 1350mm W 1500mm D 750mm




MAFIROL CHOPIN 700FV-VVR
H 1300mm W 750mm D 800mm




MAFIROL CHOPIN 1000FV-VVR
H 1300mm W 1050mm D 800mm



MAFIROL CHOPIN 1250FV-VVR
H 1300mm W 1300mm D 800mm




MAFIROL CHOPIN 1500FV-VVR
H 1300mm W 1550mm D 800mm






MAFIROL CHOPIN 1000Q-VVR
H 1300mm W 1050mm D 800mm




MAFIROL CHOPIN 1250Q-VVR
H 1300mm W 1300mm D 800mm



MAFIROL CHOPIN 1000 OPEN FV
H 1300mm W 1050mm D 800mm



BFG130WH



FLAT GLASS REFRIGERATED SERVE OVER COUNTER

Description

Clean straight lines and flat colour combined with glass is what makes the BFG such a visually appealing unit. It's laminated steel exterior, ABS side panels flat glass canopy and sliding rear perspex door finish off the unit with complete style.

That's just the beginning thanks to its large under unit storage, castor feet, automatic vaporisation of condensate and integrated LED lighting the BFG is quickly shaping up to be one of Blizzards best selling units.

3
YEAR
WARRANTY

LED
LIGHTING


CASTORS
INCLUDED

CLIMATE
CLASS 3

Features

- Laminated steel exterior
- Painted interior
- Grey ABS injected side panels
- Stainless steel back shelf & display deck
- Anodised aluminium profiles
- Sliding perspex door
- Intermediate glass shelf
- LED illumination under top canopy
- Refrigerated under storage
- Adjustable feet/castors

MODEL	FINISH	REAR DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	DECK SIZE	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BFG130BK	Black	1	580L	R290	+2°C / +8°C	H1235 x W1340 x D902	W1250 x D570	550W	13amp	195	£2257
BFG150BK	Black	1	700L	R290	+2°C / +8°C	H1235 x W1590 x D902	W1500 x D570	620W	13amp	230	£2362
BFG200BK	Black	2	880L	R290	+2°C / +8°C	H1235 x W1965 x D902	W1875 x D570	650W	13amp	290	£2752
BFG130WH	White	1	580L	R290	+2°C / +8°C	H1235 x W1340 x D902	W1250 x D570	550W	13amp	195	£2257
BFG150WH	White	1	700L	R290	+2°C / +8°C	H1235 x W1590 x D902	W1500 x D570	620W	13amp	230	£2362
BFG200WH	White	2	880L	R290	+2°C / +8°C	H1235 x W1965 x D902	W1875 x D570	650W	13amp	290	£2752



CURVED GLASS REFRIGERATED
SERVE OVER COUNTER

Description

If you're looking for a softer approach to your serve over counter then the BCG range is the perfect option and matches up with the BFG pound for pound when it comes to head lining features that are just too good to miss.

A laminated steel exterior, stainless steel back shelf and display deck, hydraulic front glass mechanism, castor feet, refrigerated under storage, internal glass shelf and more all make this Blizzard counter unit the perfect solution no matter your needs.

3
YEAR
WARRANTY

LED
LIGHTING

CASTORS
INCLUDED

CLIMATE
CLASS 3

Features

- Laminated steel exterior; Painted interior; Grey ABS injected side panels
- Stainless steel back shelf & display deck
- Anodised aluminium profiles
- Sliding perspex door
- Intermediate glass shelf
- LED illumination under top canopy
- Refrigerated under storage
- Hydraulic front glass

MODEL	REAR DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	DECK SIZE	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCG130WH	1	540L	R290	-2°C / +8°C	H1235 x W1340 x D921	W1250 x D570	550W	13amp	195	£2233
BCG150WH	1	650L	R290	-2°C / +8°C	H1235 x W1590 x D921	W1500 x D570	620W	13amp	230	£2373
BCG200WH	2	820L	R290	-2°C / +8°C	H1235 x W1965 x D921	W1875 x D570	650W	13amp	290	£2793



FLAT GLASS SLIM LINE SERVE OVER COUNTER

Description

A classic serve over look tried and tested in cafés, takeaways and deli's all over the country, the ZETA range offers maximum display storage space while optimising the viewing potential of the products stored inside.

With a laminated steel exterior and ABS injected side panels, stainless steel back shelf, internal glass shelf, integrated LED lighting, refrigerated under storage and adjustable feet you're getting all the bang for a small amount of buck with the ZETA range.



Features

Stainless steel back shelf

Anodised aluminium profiles

Illumination under top canopy

Doors 270mm x 400mm

Adjustable feet

Refrigerated under storage

Intermediate glass shelf

Replaceable door gaskets

MODEL	REAR DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	DECK SIZE	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
ZETA100	1	335L	R290	+2°C / +5°C	H1233 x W1055 x D800	W975 x D483	865W	13amp	110	£2327
ZETA130	2	421L	R290	+2°C / +5°C	H1233 x W1305 x D800	W1225 x D483	891W	13amp	137	£2511
ZETA150	2	497L	R290	+2°C / +5°C	H1233 x W1525 x D800	W1445 x D483	1031W	13amp	151	£2799
ZETA200	3	669L	R290	+2°C / +5°C	H1233 x W2025 x D800	W1945 x D483	1234W	13amp	191	£3362
ZETA250	4	840L	R290	+2°C / +5°C	H1233 x W2525 x D800	W2445 x D483	1331W	13amp	242	£4031



CURVED GLASS FRESH MEAT
SERVE OVER DISPLAY

Description

If you're after a serve over with a little more space the SIGMA range from Blizzard is the perfect option for all your refrigeration needs. Available in 5 different sizes ranging from 1m to 2.5m this curved glass canopied serve over is extremely versatile for every need, the main benefit being its suitability of displaying fresh meat.

In addition to its curved glass front you will find a laminated steel exterior, ABS injected side panels, a glass full length interior shelf and anodised aluminium profiles.

3
YEAR
WARRANTY

LED
LIGHTING

REQUIRES
ASSEMBLY

CLIMATE
CLASS 3

Features

- Curved glass hinged forward for cleaning
- Stainless steel back shelf
- Anodised aluminium profiles
- Illumination under top canopy
- Refrigerated under storage
- Intermediate glass shelf as standard
- Rear sliding perspex doors
- Adjustable feet

MODEL	REAR DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	DECK SIZE	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
SIGMA10C	1	459L	R290	-2°C / +5°C	H1232 x W1055 x D1100	W975 x D803	856W	13amp	170	£2988
SIGMA13C	2	577L	R290	-2°C / +5°C	H1232 x W1305 x D1100	W1225 x D803	919W	13amp	185	£3355
SIGMA15C	2	681L	R290	-2°C / +5°C	H1232 x W1525 x D1100	W1445 x D803	1093W	13amp	205	£3763
SIGMA20C	3	917L	R290	-2°C / +5°C	H1232 x W2025 x D1100	W1945 x D803	1310W	13amp	233	£4425
SIGMA25C	4	1152L	R290	-2°C / +5°C	H1232 x W2525 x D1100	W2445 x D803	1373W	13amp	283	£5363

HERA 1040 CB-VCR



MULTI-CONFIGURATION GENERAL PURPOSE DISPLAY

Description

This general purpose display from Mafirol that is available in 3 configurations and custom colour ways is the perfect choice for anyone wanting total control. With a full canopy or low glass panel, base or no base, this highly customisable unit can cater for every space no matter how small!

With a laminated steel exterior, toughened glass, castors fitted as standard (on units with base) these units are perfect for all kinds of general refrigeration.

Features

- Toughened glass showcase
- Laminated steel exterior
- Durable marble back shelf
- Castors fitted as standard on free-standing units
- Low glass level
- Full RAL colour customisation



MODEL	FINISH	UNIT STYLE	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
HERA 1040 CB-VCR	Custom	Canopy & Base	R452a	+3°C / +6°C	H1240 x W1050 x D855	350W	13amp	142	£3042
HERA 1290 CB-VCR	Custom	Canopy & Base	R452a	+3°C / +6°C	H1240 x W1300 x D855	425W	13amp	164	£3531
HERA 1500 CB-VCR	Custom	Canopy & Base	R452a	+3°C / +6°C	H1240 x W1510 x D855	425W	13amp	178	£3794
HERA 1040 CB-VBS	Custom	Low Glass & Base	R452a	+3°C / +6°C	H900 x W1050 x D855	350W	13amp	142	£2891
HERA 1290 CB-VBS	Custom	Low Glass & Base	R452a	+3°C / +6°C	H900 x W1300 x D855	425W	13amp	164	£3326
HERA 1500 CB-VBS	Custom	Low Glass & Base	R452a	+3°C / +6°C	H900 x W1510 x D855	425W	13amp	178	£3543
HERA 1040 SB-VCR	Custom	Canopy	R452a	+3°C / +6°C	H740 x W1050 x D1035	350W	13amp	127	£3003
HERA 1290 SB-VCR	Custom	Canopy	R452a	+3°C / +6°C	H740 x W1300 x D1035	425W	13amp	149	£3481
HERA 1500 SB-VCR	Custom	Canopy	R452a	+3°C / +6°C	H740 x W1510 x D1035	425W	13amp	171	£3818

HERA FISH SS CB-VCR



MULTI-CONFIGURATION GENERAL PURPOSE DISPLAY

Description

The fish display counterpart to the general purpose display features all the fantastic benefits plus the added feature of a lower working temperature which makes it suitable for display of fresh fish/meat.

2

YEAR WARRANTY

SPECIAL ORDER





















CASTORS INCLUDED


CLIMATE CLASS 3

Features


- Toughened glass showcase
- Laminated steel exterior
- Durable marble back shelf
- Castors fitted as standard on free-standing units
- Low glass level
- Full RAL colour customisation

MODEL	FINISH	UNIT STYLE	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
HERA FISH SS 1040 CB-VCR	Stainless Steel	Canopy & Base	R452a	+0°C / +3°C	H1240 x W1050 x D855	310W	13amp	130	£3340
HERA FISH SS 1290 CB-VCR	Stainless Steel	Canopy & Base	R452a	+0°C / +3°C	H1240 x W1300 x D855	320W	13amp	150	£3782
HERA FISH SS 1500 CB-VCR	Stainless Steel	Canopy & Base	R452a	+0°C / +3°C	H1240 x W1510 x D855	330W	13amp	165	£4068
HERA FISH SS 1040 CB-VBS	Stainless Steel	Low Glass & Base	R452a	+0°C / +3°C	H900 x W1050 x D855	310W	13amp	130	£3096
HERA FISH SS 1290 CB-VBS	Stainless Steel	Low Glass & Base	R452a	+0°C / +3°C	H900 x W1300 x D855	320W	13amp	150	£3464
HERA FISH SS 1500 CB-VBS	Stainless Steel	Low Glass & Base	R452a	+0°C / +3°C	H900 x W1510 x D855	330W	13amp	165	£3700
HERA FISH 1040 SB-VCR	Custom	Canopy	R452a	+0°C / +3°C	H740 x W1050 x D1035	310W	13amp	115	£3044
HERA FISH 1290 SB-VCR	Custom	Canopy	R452a	+0°C / +3°C	H740 x W1300 x D1035	320W	13amp	135	£3470
HERA FISH 1500 SB-VCR	Custom	Canopy	R452a	+0°C / +3°C	H740 x W1510 x D1035	330W	13amp	155	£3825
HERA FISH 1040 SB-VBS	Custom	Low Glass	R452a	+0°C / +3°C	H400 x W1050 x D1035	310W	13amp	115	£2797
HERA FISH 1290 SB-VBS	Custom	Low Glass	R452a	+0°C / +3°C	H400 x W1300 x D1035	320W	13amp	135	£3143
HERA FISH 1500 SB-VBS	Custom	Low Glass	R452a	+0°C / +3°C	H400 x W1510 x D1035	330W	13amp	155	£3441


 FRONT SIDE	 FRONT SIDE	 FRONT SIDE
BLIZZARD ZETA100 H 1233mm W 1055mm D 800mm	BLIZZARD ZETA130 H 1233mm W 1305mm D 800mm	BLIZZARD ZETA150 H 1233mm W 1525mm D 800mm
 FRONT SIDE	 FRONT SIDE	 FRONT SIDE
BLIZZARD ZETA200 H 1233mm W 2025mm D 800mm	BLIZZARD ZETA250 H 1233mm W 2525mm D 800mm	BLIZZARD SIGMA10C H 1232mm W 1055mm D 1100mm
 FRONT SIDE	 FRONT SIDE	 FRONT SIDE
BLIZZARD SIGMA13C H 1232mm W 1305mm D 1100mm	BLIZZARD SIGMA15C H 1232mm W 1525mm D 1100mm	BLIZZARD SIGMA20C H 1232mm W 2025mm D 1100mm
 FRONT SIDE	 FRONT SIDE	 FRONT SIDE
BLIZZARD SIGMA25C H 1232mm W 2525mm D 1100mm	BLIZZARD BFG130BK (WH) H 1235mm W 1340mm D 902mm	BLIZZARD BFG150BK (WH) H 1235mm W 1590mm D 902mm
 FRONT SIDE	 FRONT SIDE	 FRONT SIDE
BLIZZARD BFG200BK (WH) H 1235mm W 1965mm D 902mm	BLIZZARD BCG130WH H 1235mm W 1340mm D 921mm	BLIZZARD BCG150WH H 1235mm W 1590mm D 921mm
 FRONT SIDE	 FRONT SIDE	 FRONT SIDE
BLIZZARD BCG200WH H 1235mm W 1965mm D 921mm	MAFIROL HERA 1040 CB-VCR H 1240mm W 1050mm D 855mm	MAFIROL HERA 1290 CB-VCR H 1240mm W 1300mm D 855mm
 FRONT SIDE	 FRONT SIDE	 FRONT SIDE
MAFIROL HERA 1500 CB-VCR H 1240mm W 1510mm D 855mm	MAFIROL HERA 1040 CB-VBS 900mm W 1050mm D 855mm	MAFIROL HERA 1290 CB-VBS 900mm W 1300mm D 855mm




MAFIROL HERA 1500 CB-VBS
H 900mm W 1510mm D 855mm




MAFIROL HERA 1040 SB-VCR
H 740mm W 1050mm D 1035mm




MAFIROL HERA 1290 SB-VCR
H 740mm W 1300mm D 1035mm




MAFIROL HERA 1500 SB-VCR
H 740mm W 1510mm D 1035mm




MAFIROL HERA FISH SS 1040 CB-VCR
H 1240mm W 1050mm D 855mm




MAFIROL HERA FISH SS 1290 CB-VCR
H 1240mm W 1300mm D 855mm




MAFIROL HERA FISH SS 1500 CB-VCR
H 1240mm W 1510mm D 855mm




MAFIROL HERA FISH SS 1040 CB-VBS
H 900mm W 1050mm D 855mm




MAFIROL HERA FISH SS 1290 CB-VBS
H 900mm W 1300mm D 855mm




MAFIROL HERA FISH SS 1500 CB-VBS
H 900mm W 1510mm D 855mm




MAFIROL HERA FISH 1040 SB-VCR
H 740mm W 1050mm D 1035mm




MAFIROL HERA FISH 1290 SB-VCR
H 740mm W 1300mm D 1035mm




MAFIROL HERA FISH 1500 SB-VCR
H 740mm W 1510mm D 1035mm




MAFIROL HERA FISH 1040 SB-VBS
H 400mm W 1050mm D 1035mm



MAFIROL HERA FISH 1290 SB-VBS
H 400mm W 1300mm D 1035mm



MAFIROL HERA FISH 1500 SB-VBS
H 400mm W 1510mm D 1035mm



COOKING & PREPARATION

Microwaves | Convection Ovens | Pizza Ovens | Induction Hobs | Salamander Grills
Toasters | Grills | Griddles | Fryers | Planetary Mixers | Combination Ovens

From cooking to reheating and mixing to toasting we have every catering appliance you could ever wish for. With new arrivals in the shape of our BPO pizza ovens and old faithfuls in our outstanding value BCM microwaves you're sure to be able to kit out your catering kitchen for less.



LIGHT DUTY STAINLESS STEEL COMMERCIAL MICROWAVE

Description

Easy to operate and fantastic in getting the job done. The light duty commercial microwave is a budget friendly option, suitable for smaller kitchens. Built to heat, reheat and defrost, it operates on three cooking stages. Featuring interior light, ceramic base and a sturdy aluminium handle.


The appliance can be operated via user-friendly and convenient touch controls located at the front of the appliance.



Features

- Sturdy aluminium handle
- Ceramic base
- Interior light
- 5 power levels including defrost
- 3 cooking stages
- 10 present cooking times
- 10 programme keys

MODEL	FINISH	GROSS CAPACITY	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCM1000	Stainless Steel	25L	H311 x W511 x D398	1000W	13amp	16.5	£444
OPTIONAL EXTRAS (Applicable Units)							PRICE (RRP)
Gasket							£11.15



HEAVY DUTY STAINLESS STEEL COMMERCIAL MICROWAVE

Description

Stackable heavy duty commercial microwaves from Blizzard are easily programmable helping you deal with rush hour efficiency without fail. The ceramic base distributes microwaves evenly allowing you to cook/reheat the food evenly from all sides.

Featuring high-grade stainless-steel construction, glass door to the front to enable viewing, digital control panel and more these units are perfect for any commercial kitchen, cafe, takeaway and more!



Features

- Sturdy aluminium handle
- Ceramic base
- Interior light
- 5 power levels including defrost
- 3 cooking stages
- 10 present cooking times
- 10 programme keys
- Stackable (kit supplied)

MODEL	FINISH	GROSS CAPACITY	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCM1800	Stainless Steel	34L	H368 x W575 x D527	1800W	13amp	34.5	£982
BCM2100	Stainless Steel	34L	H368 x W575 x D527	2100W	16amp	34.5	£1011

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Gasket	£16.13



STAINLESS STEEL
CONVECTION OVEN

Description

Ideal for baking, cooking and reheating, the Blizzard convection oven will make a fantastic addition to any kitchen. Equipped with an internal light, manual thermostat and a timer that automatically turns off the appliance when the cooking cycle is finished.

Featuring a removable double-glazed door, racks and door gasket to make cleaning easier and more efficient. The twin fan motors ensure a consistent temperature that allows the food to cook evenly each and every use.



Features

- Removable double glazed door
- Removable racks for easy cleaning
- Internal illumination
- Timer 0 to 120mins
- 4 aluminium trays supplied; tray size: 315 x 440 mm
- Twin fan motors for consistent temperature
- Ideal for baking cooking reheating and warming
- Replaceable door gasket

MODEL	FINISH	GROSS CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	CAVITY DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCO1	Stainless Steel	60L	+50°C / +300°C	H585 x W595 x D594	H350 x W460 x D375	2670W	13amp	41	£660
OPTIONAL EXTRAS (Applicable Units)									PRICE (RRP)
Baking Tray									£22.81
Shelf									£23.21



SINGLE AND DOUBLE DECK
STAINLESS STEEL PIZZA OVENS

Description

A recent arrival to the Blizzard line up the BPO pizza ovens feature a beautiful stainless steel finish, windowed door and internal lighting. Complete with a pizza stone per deck for even pizza base cooking, the BPO is the best way to achieve perfectly cooked authentic pizza in a small and accessible way.

Featuring manual controls for each element you can easily control the cooking temperature for each usable deck making for pizza perfection in minutes.



Features

- Stainless Steel Finish
- Manual Controls
- Timer up to 30 minutes
- Stone base
- Windowed door
- Internal lighting

MODEL	DESCRIPTION	COOKING CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BPO1	Single Deck	1 x 16"	+50°C / +400°C	H280 x W630 x D510	2400W	13amp	24.6	£558
BPO2	Double Deck	2 x 16"	+50°C / +400°C	H510 x W630 x D510	4800W	30amp	44.6	£949

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Pizza Stone	£69.37



STAINLESS STEEL COUNTER TOP INDUCTION HOB

Description

The BIH induction hobs from Blizzard are not only more efficient compared to traditional methods but look the part too thanks to the black glass hob and touch control panel with an LED display on the front.

The BIH range gets up to optimal temperature quickly using less energy than conventional methods and thanks to its timer, automatically turns off the unit after 2 hours of inactivity. This safe & easy to use unit is a staple in any catering kitchen.



Features

- Stainless steel construction
- Energy efficient
- Glass hob
- Quick to heat up and cook
- Stylish glass fronted touch control panel with LED display
- Temperature control
- Timer 0-180mins

MODEL	DESCRIPTION	TEMPERATURE RANGE	INDUCTION PAN DIAMETER (cm)	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BIH1	Single Hob	+60°C / +240°C	12 - 26	H117 x W340 x D432	3000W	13amp	7.5	£330
BIH2	Double Hob	+60°C / +240°C	12 - 26	H123 x W390 x D713	6000W	30amp	15.2	£755
BSPIH	Stock Pot Hob	+60°C / +240°C	17 - 34	H130 x W440 x D540	3000W	13amp	10.9	£343



STAINLESS STEEL
SALAMANDER GRILL

Description

Whether you prefer counter top or wall mounted the BSG salamander grill from Blizzard is the perfect option for all your toasting, grilling and heating needs. With integrated manual temperature and timer controls along with indication LED's you can ensure ultimate control over your grilling needs.

Featuring four cooking height levels, adjustable chrome plated grill rack with handles and an integrated crumb tray to complete this perfect catering appliance.



Features

- Stainless steel construction
- Adjustable chrome plated grill rack with handles
- 4 cooking height levels
- Integral crumb tray
- Timer 0 to 15mins

MODEL	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BSG1	H279 x W628 x D430	2000W	13amp	19	£378
OPTIONAL EXTRAS (Applicable Units)					PRICE (RRP)
Wall bracket					£175.09



STAINLESS STEEL SIX SLOT TOASTER

Description

Lightly browned, toasted or burnt - however you take your toast the B6ST will provide the perfect result every time thanks to it's integrated mechanical timer. With room for up to six slices of bread you can ensure no matter the size of the order you are able to toast efficiently, making it quick and easy to get breakfast sorted.

Featuring a removable crumb tray that makes it easy and painless to clean and an attractive high sheen stainless steel exterior.



Features

- Stainless steel construction
- Removable crumb tray
- Mechanical timer - auto off
- Toast lifting lever
- Takes 6 slices

MODEL	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
B6ST	H214 x W414 x D259	2500W	13amp	6	£175



STAINLESS STEEL CONVEYOR TOASTER

Description

With only a 25 second cycle time and space for 2 slices to fit side by side, you can keep the bread toasting going with approximately 360 slices per hour output on the BCT2. The speed and temperature can be adjusted dependant on your needs so you can be sure it can keep up with just about anything you throw at it.

Other features include front or rear chute options. 'V' shaped heat deflectors and a crumb tray making clean up even easier.





Features

- Stainless steel construction
- Adjustable speed control
- Front or rear chute options
- Removable crumb tray
- 'V' Shaped heat detectors
- Adjustable legs: 105 to140mm
- Maximum approx 360 slices per hour output
- 25 second cycle time and takes 2 slices side by side

MODEL	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BCT2	H387 x W368 x D418	2240W	13amp	18	£701



BRRCG1



SINGLE AND DOUBLE CONTACT STAINLESS STEEL GRILLS

Description

Whether you're grilling, frying or heating something up, the cast iron plates on the BR range will ensure a sizzling hot experience every time. Counter balanced to ensure the units are stable without the fear of them tipping over the compact contact grills are perfect for a small kitchen looking to save a little space.



Built with 304 stainless steel and featuring integrated manual temperature controls and indication LED lighting you can be sure this small form contact grill fits the part too!



Features

- Stainless steel construction
- Available in both ribbed and smooth configurations
- Supplied with wire cleaning brush
- Cast iron plates
- Counter balances top plates
- Removable drip tray

MODEL	DESCRIPTION	TEMPERATURE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BRSCG1	Single - Top Ribbed, Bottom Smooth	+50°C / +300°C	H210 x W310 x D395	1800W	13amp	16	£366
BRRCG1	Single - Top Ribbed, Bottom Ribbed	+50°C / +300°C	H210 x W310 x D395	1800W	13amp	16	£366
BRSCG2	Double - Top Ribbed, Bottom Smooth	+50°C / +300°C	H210 x W570 x D395	3600W	2 x 13amp	30	£499
BRRCG2	Double - Top Ribbed, Bottom Ribbed	+50°C / +300°C	H210 x W570 x D395	3600W	2 x 13amp	30	£499



STAINLESS STEEL FLAT TOP GRIDDLE

Description

When you're looking for a flat top griddle that can just do it all look no further than the BG-A range from Blizzard. With a wide temperature range the unit works efficiently and quickly to evenly distribute the heat across its 8mm thick surface to cook all produce on the deck at the same speed and consistency.


Thanks to the included removable drip tray to the front of each unit it is beyond simple to quickly clean the deck without the need to stop cooking.

Features

- Stainless steel construction
- 8mm Steel plate
- Removable drip tray
- Temperature control dial
- LED power indicators



MODEL	DESCRIPTION	TEMPERATURE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BG1A	Single flat top	+50°C / +300°C	H237 x W550 x D484	3000W	13amp	25	£365
BG2A	Double flat top	+50°C / +300°C	H237 x W730 x D523	4000W	2 x 13amp	36	£512



SINGLE AND DOUBLE 6L TANK ELECTRIC FRYER

Description

Prepare crispy deep-fried food cooked to perfection every time with the electric 6L fryer from Blizzard. Easily adjust oil temperature with the twist of a dial thanks to the integrated temperature controls while also being able to see when you're ready to get frying thanks to the indication LEDs on the control panel.

Ideal for kitchens with limited space all of our fryers come with wire frying baskets and the BF6 range even comes with a removable tank for easy cleaning & maintenance.



Features

- Stainless steel construction
- Removable tank
- Mesh batter plate
- Lids and baskets supplied
- Basket dimensions 240 x 185 x 100mm deep
- Safety cut out

MODEL	DESCRIPTION	CAPACITY	TEMPERATURE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BF6	Single Tank	6L	+50°C / +190°C	H285 x W310 x D410	2500W	13amp	6	£269
BF6+6	Twin Tank	2 x 6L	+50°C / +190°C	H285 x W549 x D410	5000W	2 x 13amp	12	£482

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Basket	£41.83



SINGLE AND DOUBLE 8L TANK ELECTRIC FRYER WITH DRAIN TAP

Description

Make messy oil changes and cleaning a thing of the past with the BF8 range of electric fryers. Easily drain the oil out of the 8L tank into another container using the included tap before quickly wiping down the stainless steel tank inside.

The Blizzard counter top fryers are an ideal addition to a smaller establishment with limited free-standing space. Constructed from high quality stainless steel and equipped with a manual thermostat that makes accurate temperature control easy.




Features

- Stainless steel construction
- Mesh batter plate
- Lids and baskets supplied
- Basket dimensions 230 x 190 x 140mm deep
- Safety cut out
- Drain tap

MODEL	DESCRIPTION	CAPACITY	TEMPERATURE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BF8	Single Tank	8L	+50°C / +190°C	H405 x W290 x D470	3000W	13amp	11	£415
BF8+8	Twin Tank	2 x 8L	+50°C / +190°C	H405 x W580 x D470	6000W	2 x 13amp	19	£602

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Basket	£42.41



Blizzard

8L STAINLESS STEEL INDUCTION FRYER WITH DRAIN TAP

Description

Efficiency is the aim of the game when it comes to the BIF and thanks to it's induction heated design it achieves that and more! Besides being more energy efficient than conventional fryers the BIF evenly heats the oil in the tank and is able to sustain precise temperatures for longer periods of time, not to mention the fact that no exposed heating element means easier cleaning and maintenance.

1
YEAR
WARRANTY

Features

- Stainless steel construction
- Tank with rounded corners for easy cleaning
- Stylish glass fronted touch control panel with large LED display,ensures longevity and easy cleaning
- Temperature control, with an Auto-OFF timer function
- Lids and baskets supplied
- Crumb tray
- Safety cut out
- Heavy duty drain tap

MODEL	DESCRIPTION	CAPACITY	TEMPERATURE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BIF	Single Tank	8L	+60°C / +190°C	H410 x W288 x D478	3000W	13amp	13.9	£360



FREESTANDING THREE SPEED PLANETARY MIXER

Description

The incredibly versatile planetary mixer range from Blizzard was designed to give outstanding performance every single time you use it. The mixers are perfect for heavy duty work in a commercial kitchen setting. Supplied with wire whisk, dough hook and beater. They make a fantastic addition that will help you work quicker and better.

Featuring a safety stop function, lever operated bowl lift and bowl guard, you can be sure this range has everything you may need from a planetary mixer.



Features

- Three speed settings
- Lever operated bowl lift
- Safety stop function
- Bowl guard
- Stainless steel bowl
- Supplied with wire whisk, dough hook & beater

MODEL	FINISH	BOWL CAPACITY	BOWL SIZE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
FMX7	White	7L	H200 x Ø230	H501 x W333 x D430	650W	13amp	27.5	£970
FMX10	Silver	10L	H227 x Ø250	H612 x W383 x D456	550W	13amp	45	£1071
FMX20	Silver	20L	H300 x Ø320	H755 x W505 x D550	1100W	13amp	80	£1536
FMX30	Silver	30L	H341 x Ø364	H1138 x W605 x D620	1500W	13amp	148	£2724

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Mixer stand	£472



RDA105E



SIMPLE SNACK STAINLESS STEEL COMBINATION OVEN

Description

The RDA range includes simple and easy to use ovens that offer four combinations of roast and steam modes. All units feature high grade 304 stainless steel exterior and interior, internal illumination and manual humidity control flap. The rounded corners of the cooking chamber and height adjustable feet make cleaning easy and painless. All units come supplied with a hand shower to help quickly fill pots and rinse food waste away from the oven floor, making clean up more efficient. **Please note it is suggested to be installed in conjunction with an adequate water softener**






















Features


- High grade 304 stainless steel interior & exterior
- Accepts GN1/1 containers
- Internal illumination
- Left hand hinged as standard
- Supplied with one shelf, tray slides spaced 67mm apart
- Steam generated by direct system
- Supplied with hand shower and fitting kit (to be fitted on-site by installer)
- Easy to use with none complicated controls

MODEL	CONTAINER CAPACITY*	NET CAPACITY	WATER CONSUMPTION /HR	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
RDA105E	5 x GN 1/1	89L	14L / HR	+50°C / +270°C	H600 x W710 x D830	6000W	1 Phase	82	£4904
RDA110E	10 x GN 1/1	169L	14L / HR	+50°C / +270°C	H950 x W710 x D830	12200W	3 Phase	121	£6395
RDA115E	15 x GN 1/1	272L	14L / HR	+50°C / +270°C	H1660 x W750 x D850	18000W	3 Phase	192.5	£8866


*Find our full range of gastronorm pans on page 5.

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Stand (RDA105E,RDA110E)	£665


 FRONT SIDE (DOOR OPEN) BLIZZARD BCM1000 H 311mm W 511mm D 398mm	 FRONT SIDE (DOOR OPEN) BLIZZARD BCM1800 H 368mm W 575mm D 527mm	 FRONT SIDE (DOOR OPEN) BLIZZARD BCM2100 H 368mm W 575mm D 527mm
 FRONT SIDE (DOOR OPEN) BLIZZARD BC01 H 585mm W 595mm D 594mm	 FRONT SIDE (DOOR OPEN) BLIZZARD BPO1 H 280mm W 630mm D 510mm	 FRONT SIDE (DOOR OPEN) BLIZZARD BPO2 H 510mm W 630mm D 510mm
 FRONT SIDE BLIZZARD BIH1 H 117mm W 340mm D 432mm	 FRONT SIDE BLIZZARD BIH2 H 123mm W 390mm D 713mm	 FRONT SIDE BLIZZARD BSPH H 130mm W 440mm D 540mm
 FRONT SIDE BLIZZARD BSG1 H 279mm W 628mm D 430mm	 FRONT SIDE BLIZZARD B6ST H 214mm W 414mm D 259mm	 FRONT SIDE BLIZZARD BCT2 H 387mm W 368mm D 418mm
 FRONT SIDE BLIZZARD BRSCG1 H 210mm W 310mm D 395mm	 FRONT SIDE BLIZZARD BRRCG1 H 210mm W 310mm D 395mm	 FRONT SIDE BLIZZARD BRSCG2 H 210mm W 570mm D 395mm
 FRONT SIDE BLIZZARD BRRCG2 H 210mm W 570mm D 395mm	 FRONT SIDE BLIZZARD BG1A H 237mm W 550mm D 484mm	 FRONT SIDE BLIZZARD BG2A H 236mm W 730mm D 523mm
 FRONT SIDE BLIZZARD BF6 H 285mm W 310mm D 410mm	 FRONT SIDE BLIZZARD BF6+6 H 285mm W 549mm D 410mm	 FRONT SIDE BLIZZARD BF8 H 405mm W 290mm D 470mm




BLIZZARD BF8+8
H 405mm W 580mm D 470mm




BLIZZARD BIF
H 410mm W 288mm D 478mm




BLIZZARD FMX7
H 501mm W 333mm D 430mm




BLIZZARD FMX10
H 612mm W 383mm D 456mm




BLIZZARD FMX20
H 755mm W 505mm D 550mm




BLIZZARD FMX30
H 1138mm W 605mm D 620mm




BLIZZARD RDA105
H 600mm W 710mm D 830mm



BLIZZARD RDA110
H 950mm W 710mm D 830mm



BLIZZARD RDA115
H 1660mm W 750mm D 850mm

A black and white photograph showing a close-up of a water dispenser faucet. Water is being poured from the faucet into a metal cup. The background is dark and out of focus, showing parts of the dispenser and a perforated metal surface.

SERVICE EQUIPMENT

Catering Urns | Water Boilers | Counter Top Bain Maries
Free-standing Bain Maries | Hot Cupboards

Whether it's ensuring there's enough hot water to go around or keeping your food warm ready for service we have some great options from Blizzard & Inomak. Why not consider building your own custom gantry complete with halogen heat boxes to suit your specific service needs.



STAINLESS STEEL CYLINDRICAL CATERING URNS

Description

Pre-heating water allows for instant service of hot drinks along with food. Available in various sizes to allow for the perfect selection for your personal needs.


Constructed with AISI 304 stainless steel for added durability the MF catering urns come as standard with an adjustable thermostat allowing temperature control of up to +100°C, water level indicator and a concealed element for easy cleaning.



Features

- AISI 304 stainless steel construction for stronger durability
- Adjustable thermostat temperature control
- Water level indicator
- Concealed element for easy cleaning and maintenance

MODEL	GROSS CAPACITY	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
MF10	10L	H405 x W290 x D290	2000W	13amp	3.4	£123
MF20	20L	H523 x W310 x D310	2500W	13amp	4.5	£148
MF30	30L	H420 x W390 x D390	3000W	13amp	5.2	£171
MF40	40L	H523 x W390 x D390	3000W	13amp	5.9	£196



SLIMLINE STAINLESS STEEL
AUTOFILL WATER BOILER

Description

Ensure you have instant hot water on demand 24/7 with the AF10 from Blizzard. With it's ridged stainless steel construction and robust heavy duty tap the AF10 is ready for use when ever needed with its integrated 10L capacity and auto fill feature which allows for direct plumbing into your water supply via a 3/4" BSP water inlet hose.

With the adjustable digital temperature control, electronic timer for switching the unit on/off and included drip tray you'll struggle to find fault with this auto fill boiler.




Features


- Stainless steel construction
- Comes with 3/4 BSP water inlet hose
- Height of tap facilitates the filling of tall teapots
- Drip tray included
- Adjustable digital temperature controller
- Electronic timer enables programming to automatically switch on and off during one time period
- Robust heavy duty tap designed for constant use
- Productivity 35 Litre per hour

MODEL	GROSS CAPACITY	PRODUCTIVITY (Per Hour)	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
AF10	10L	35L	H630 x W190 x D360	2500W	13amp	9	£380


OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Filter Kit	£181.40
Filter Refill	£65.10




BLIZZARD MF10
H 405mm W 290mm D 290mm




BLIZZARD MF20
H 523mm W 310mm D 310mm



BLIZZARD MF30
H 420mm W 390mm D 390mm



BLIZZARD MF40
H 523mm W 390mm D 390mm



BLIZZARD AF10
H 630mm W 190mm D 360mm



DEEP FILL COUNTER TOP BAIN MARIE WITH CONTAINERS

Description

The perfect counter top bain marie that will ensure your pre-prepped food stays hot and ready to serve for prolonged periods of time while staying compact and manoeuvrable to easily store away when not in use. Coming as standard with 3 GN1/3 containers and lids the BBM1 is suitable for containers up to 150mm deep.

Built from stainless steel with an integrated drainage tap to the front as well as manual thermostat controls for easy access.

Features

- Stainless steel construction
- Suitable for containers up to 150mm deep
- Drainage tap positioned at the front
- Wet well
- Supplied with 3x GN1/3 containers with lids




MODEL	CONTAINER CAPACITY*	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
BBM1	3 x GN 1/3	H255 x W354 x D595	1200W	13amp	13	£358

*Find our full range of gastronorm pans on [page 5](#).



MBV610



COUNTER TOP GASTRONORM BAIN MARIE

Description

This wet well bain marie from Inomak is the perfect no frills counter top unit for keeping your pre-prepared product warm for prolonged periods during service. Available with both an open top or glass canopy with halogen lamps the unit is the perfect option for a low footprint counter top bain marie.

Built from high grade AISI 304 stainless steel and accepting gastronorm containers up to 150mm deep with integrated digital controller and drainage tap.



Features

- High grade AISI 304 stainless steel exterior & interior
- Open or glass canopy options
- Digital controller with temperature display
- Wet well accepts GN1/1 up to 150mm deep
- 130W Halogen lamps on canopy variations
- Canopy variation supplied with perspex sliding doors

MODEL	UNIT STYLE	CAPACITY*	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
MAV67	Open	2 x GN1/1*	-	Up To +90°C	H265 x W760 x D630	2000W	13amp	19	£914
MAV610	Open	3 x GN1/1*	-	Up To +90°C	H265 x W1080 x D630	2000W	13amp	25	£1033
MAV614	Open	4 x GN1/1*	-	Up To +90°C	H265 x W1410 x D630	2000W	13amp	35	£1142
MBV67	Glass Canopy	2 x GN1/1*	2	Up To +90°C	H710 x W760 x D630	2260W	13amp	54	£1555
MBV610	Glass Canopy	3 x GN1/1*	3	Up To +90°C	H710 x W1080 x D630	2390W	13amp	67	£1837
MBV614	Glass Canopy	4 x GN1/1*	4	Up To +90°C	H710 x W1410 x D630	2520W	13amp	81	£2034

*Find our full range of gastronorm pans on [page 5](#).



COUNTER TOP GASTRONORM BAIN MARIE WITH SNEEZE GUARD

Description

Allowing access from both sides of the counter top unit the MEV and MSV bain maries come fitted with a glass sneeze guard to allow for easy self service while still maintaining some health and safety measures whether that be single or double.

Built from high grade AISI 304 stainless steel the wet well accepts gastronorm containers up to 150mm deep (not included) with integrated digital controller and drainage tap to the front of the unit for easy access.




Features

- High grade AISI 304 stainless steel exterior & interior
- Open bain marie with single or double sneeze guard
- Accepts GN1/1 up to 150mm deep
- Digital controller with temperature display
- 130W halogen lamps on canopy variations
- Integrated drainage tap

MODEL	SNEEZE GUARD	CAPACITY*	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
MEV67	Single	2 x GN1/1*	-	Up To +90°C	H710 x W760 x D630	2000W	13amp	37	£1451
MEV610	Single	3 x GN1/1*	-	Up To +90°C	H710 x W1080 x D630	2000W	13amp	48	£1628
MEV614	Single	4 x GN1/1*	-	Up To +90°C	H710 x W1410 x D630	2000W	13amp	56	£1768
MSV67	Double	2 x GN1/1*	2	Up To +90°C	H710 x W760 x D630	2260W	13amp	40	£1516
MSV610	Double	3 x GN1/1*	3	Up To +90°C	H710 x W1080 x D630	2390W	13amp	53	£1694
MSV614	Double	4 x GN1/1*	4	Up To +90°C	H710 x W1410 x D630	2520W	13amp	62	£1834

*Find our full range of gastronorm pans on [page 5](#).





FREESTANDING GASTRONORM BAIN MARIE WITH AMBIENT/HEATED STORAGE

Description

This free-standing unit from Inomak is extremely versatile to your individual needs allowing both open topped bain marie access and a glass canopy version with the option of either a heated or ambient storage base unit.



Features

High grade AISI 304 stainless steel exterior & interior

Open top & glass canopy variations

Heated & ambient storage cupboards

Wet well accepts GN1/1 up to 150mm

Easy access integrated drain tap

MODEL	UNIT TYPE	BASE TYPE	CAPACITY*	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
MDV711	Open	Ambient	3 x GN1/1*	-	Up To +90°C	H860 x W1105 x D700	2000W	13amp	70	£1541
MDV714	Open	Ambient	4 x GN1/1*	-	Up To +90°C	H860 x W1410 x D700	2000W	13amp	90	£1694
MDV718	Open	Ambient	5 x GN1/1*	-	Up To +90°C	H860 x W1795 x D700	2600W	13amp	100	£2017
MHV711	Open	Heated	3 x GN1/1*	-	Up To +90°C	H860 x W1105 x D700	3850W	25amp	74	£1802
MHV714	Open	Heated	4 x GN1/1*	-	Up To +90°C	H860 x W1410 x D700	3850W	25amp	94	£1976
MHV718	Open	Heated	5 x GN1/1*	-	Up To +90°C	H860 x W1795 x D700	4450W	30amp	104	£2305
MFV711	Glass Canopy	Ambient	3 x GN1/1*	3	Up To +90°C	H1310 x W1105 x D700	2390W	13amp	98	£2299
MFV714	Glass Canopy	Ambient	4 x GN1/1*	4	Up To +90°C	H1310 x W1410 x D700	2520W	13amp	114	£2588
MFV718	Glass Canopy	Ambient	5 x GN1/1*	5	Up To +90°C	H1310 x W1795 x D700	3250W	25amp	141	£3020
MIV711	Glass Canopy	Heated	3 x GN1/1*	3	Up To +90°C	H1310 x W1105 x D700	4240W	25amp	102	£2584
MIV714	Glass Canopy	Heated	4 x GN1/1*	4	Up To +90°C	H1310 x W1410 x D700	4370W	25amp	118	£2887
MIV718	Glass Canopy	Heated	5 x GN1/1*	5	Up To +90°C	H1310 x W1795 x D700	5100W	30amp	145	£3453

*Find our full range of gastronorm pans on [page 5](#).



FREESTANDING GASTRONORM BAIN MARIE WITH HEATED GANTRY, SNEEZE GUARD & AMBIENT/HEATED STORAGE

Description

Allowing access to the free-standing bain marie from both sides along with a choice of single and double sneeze guards Inomak allows ultimate versatility. Have your choice of heated or ambient base storage with sliding door access.




Features


- High grade AISI 304 stainless steel exterior & interior
- Open top & glass canopy variations
- Heated & ambient storage cupboards
- Wet well accepts GN1/1 up to 150mm
- Easy access integrated drain tap
- Full width heated gantry

MODEL	SNEEZE GUARD	BASE TYPE	CAPACITY*	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
MVV711	Single	Ambient	3 x GN1/1*	3	Up To +90°C	H1310 x W1105 x D700	2390W	13amp	77	£2070
MVV714	Single	Ambient	4 x GN1/1*	4	Up To +90°C	H1310 x W1410 x D700	2520W	13amp	91	£2349
MVV718	Single	Ambient	5 x GN1/1*	5	Up To +90°C	H1310 x W1795 x D700	3250W	25amp	112	£2753
MJV711	Single	Heated	3 x GN1/1*	3	Up To +90°C	H1310 x W1105 x D700	4240W	25amp	81	£2352
MJV714	Single	Heated	4 x GN1/1*	4	Up To +90°C	H1310 x W1410 x D700	4370W	25amp	95	£2632
MJV718	Single	Heated	5 x GN1/1*	5	Up To +90°C	H1310 x W1795 x D700	5100W	30amp	116	£3125
MRV711	Double	Ambient	3 x GN1/1*	3	Up To +90°C	H1310 x W1105 x D700	2390W	13amp	82	£2133
MRV714	Double	Ambient	4 x GN1/1*	4	Up To +90°C	H1310 x W1410 x D700	2520W	13amp	97	£2414
MRV718	Double	Ambient	5 x GN1/1*	5	Up To +90°C	H1310 x W1795 x D700	3250W	25amp	120	£2819
MQV711	Double	Heated	3 x GN1/1*	3	Up To +90°C	H1310 x W1105 x D700	4240W	25amp	86	£2416
MQV714	Double	Heated	4 x GN1/1*	4	Up To +90°C	H1310 x W1410 x D700	4370W	25amp	101	£2697
MQV718	Double	Heated	5 x GN1/1*	5	Up To +90°C	H1310 x W1795 x D700	5100W	30amp	124	£3191


*Find our full range of gastronorm pans on page 5.




I NOKAK MDV711 (MHV711)
H 860mm W 1105mm D 700mm




I NOKAK MDV714 (MHV714)
H 860mm W 1410mm D 700mm




I NOKAK MDV718 (MHV718)
H 860mm W 1795mm D 700mm




I NOKAK MFV711 (MIV711)
H 1310mm W 1105mm D 700mm




I NOKAK MFV714 (MIV714)
H 1310mm W 1410mm D 700mm




I NOKAK MFV718 (MIV718)
H 1310mm W 1795mm D 700mm




I NOKAK MVV711 (MJV711)
H 1310mm W 1105mm D 700mm




I NOKAK MVV714 (MJV714)
H 1310mm W 1410mm D 700mm




I NOKAK MVV718 (MJV718)
H 1310mm W 1795mm D 700mm



I NOKAK MRV711 (MQV711)
H 1310mm W 1105mm D 700mm



I NOKAK MRV714 (MQV714)
H 1310mm W 1410mm D 700mm



I NOKAK MRV718 (MQV718)
H 1310mm W 1795mm D 700mm



FREE STANDING STAINLESS STEEL HEATED CUPBOARDS

Description

Pre-heating plates or keeping warm meals ready for service is key in any kitchen or service sector and the Inomak HCP heated cupboard is the perfect candidate for this.

Built with high grade AISI 304 stainless steel, double skinned insulated sliding doors to improve efficiency, adjustable legs, one fixed perforated shelf and fan assisted heating which all contribute to create a well rounded and effective heated cupboard. Use the RE, RD & XWH gantries and heated lamps in conjunction with this product.



Features

- High grade AISI 304 stainless steel exterior & interior
- Double wall insulated doors
- Fan assisted heating
- Adjustable legs as standard
- 1 Fixed perforated shelf
- Digital controller & display

MODEL	CAPACITY (PLATES)	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
HCP11	695	+30°C / +72°C	H865 x W1100 x D700	1450W	13amp	80	£1463
HCP14	850	+30°C / +72°C	H865 x W1390 x D700	1450W	13amp	94	£1623
HCP16	1000	+30°C / +72°C	H865 x W1600 x D700	1850W	13amp	112	£1769
HCP19	1200	+30°C / +72°C	H865 x W1890 x D700	1850W	13amp	131	£1941
OPTIONAL EXTRAS (Applicable Units)							PRICE (RRP)
Castors supply & fit							£255.55



STAINLESS STEEL GANTRIES AND HALOGEN HEATED BOXES

Description

The RE, RD and XWH are the perfect addition to any heated cupboard/counter set up with options available for any size configuration you can think of.

Built with high grade AISI 304 stainless steel the gantries can be single or double stacked along with additions of heated boxes that provide both heat and light to the unit below. Items can be ordered separately or fitted before dispatch by our service engineers for an additional cost on application.




MODEL	UNIT TYPE	DIMENSIONS (mm)	WEIGHT (kg)	PRICE (RRP)
RE311	Single Gantry	H465 x W1090 x D333	6.5	£376
RE314	Single Gantry	H465 x W1390 x D333	8	£419
RE316	Single Gantry	H465 x W1590 x D333	9	£478
RE318	Single Gantry	H465 x W1790 x D333	10	£511
RE319	Single Gantry	H465 x W1890 x D333	10.5	£541
RD311	Double Gantry	H765 x W1090 x D333	12	£475
RD314	Double Gantry	H765 x W1390 x D333	15	£561


Features

- High grade AISI 304 stainless steel exterior and interior
- Designed to fit Inomax hot cupboards & open bain maries
- 130W halogen lamps


MODEL	UNIT TYPE	DIMENSIONS (mm)	WEIGHT (kg)	PRICE (RRP)
RD316	Double Gantry	H765 x W1590 x D333	16	£636
RD318	Double Gantry	H765 x W1790 x D333	19	£703
RD319	Double Gantry	H765 x W1890 x D333	19.5	£737
XWH11	3 Heated Lamps	H60 x W950 x D122	4	£414
XWH14	4 Heated Lamps	H60 x W1252 x D122	5	£460
XWH16	5 Heated Lamps	H60 x W1452 x D122	6	£508
XWH19	6 Heated Lamps	H60 x W1752 x D122	7	£574




INOMAK HCP11
H 865mm W 1100mm D 700mm




INOMAK HCP14
H 865mm W 1390mm D 700mm




INOMAK HCP16
H 865mm W 1600mm D 700mm




INOMAK HCP19
H 865mm W 1890mm D 700mm




INOMAK RE311
H 465mm W 1090mm D 333mm




INOMAK RE314
H 465mm W 1390mm D 333mm




INOMAK RE316
H 465mm W 1590mm D 333mm




INOMAK RE318
H 465mm W 1790mm D 333mm




INOMAK RE319
H 465mm W 1890mm D 333mm




INOMAK RD311
H 765mm W 1090mm D 333mm




INOMAK RD314
H 765mm W 1390mm D 333mm



INOMAK RD316
H 765mm W 1590mm D 333mm



INOMAK RD318
H 765mm W 1790mm D 333mm



INOMAK RD319
H 765mm W 1890mm D 333mm




WAREWASHING

Under Counter | Passthrough

Our range of warewashing products are built to last with consideration for every eventuality whether a small compact space or large open washing station you're sure to find the equipment perfect for your needs.



STORM40



STORM THERMO-STOP GLASSWASHER

Description

The king of simplicity brought to you by Blizzards very own Storm range couldn't be any better value for money if it tried. With outstanding features such as a double skinned door for quieter running, automatic detergent and rinse aid dosing and of course the 2 glass baskets supplied as standard you would be hard done by to find a better glass washing solution on the market.



Features

- High grade 304 stainless steel construction
- Pressed tank and rounded corners to aid cleaning of machine
- Double skin door for quieter running and improved efficiency
- Rotating wash and rinse arms removable for cleaning
- Automatic detergent and rinse aid dosing
- 3 cycles - 90/120/180 seconds
- Thermo-stop ensures a hot rinse temperature on every cycle
- Adjustable wash and rinse thermostats
- Available with or without drain pump (DP)

MODEL	CAPACITY	MAX GLASS HEIGHT (mm)	WATER USAGE	BASKET SIZE (mm)	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
STORM35	13 Pint Glasses	220	2L	350 x 350	H650 x W430 x D475	2.7W	13amp	37	£1327
STORM35DP	13 Pint Glasses	220	2L	350 x 350	H650 x W430 x D475	2.7W	13amp	40	£1388
STORM40	16 Pint Glasses	270	2.5L	400 x 400	H720 x W470 x D520	2.7W	13amp	44	£1572
STORM40DP	16 Pint Glasses	270	2.5L	400 x 400	H720 x W470 x D520	2.7W	13amp	47	£1633
STORM50	25 Pint Glasses	320	2.7L	500 x 500	H820 x W600 x D600	2.6W	13amp	67	£1999
STORM50DP	25 Pint Glasses	320	2.7L	500 x 500	H820 x W600 x D600	2.6W	13amp	70	£2060

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)	OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Universal Stand	£212.74	Basket (STORM40,STORM40DP)	£53.36
Basket (STORM35,STORM35DP)	£50.82	Basket (STORM50,STORM50DP)	£80.15
		Water softener	£228.24



STORM50BT



STORM THERMO-STOP DISHWASHER WITH BREAK TANK

Description

A lot like its glass washing sibling the WRAS approved STORM-BT range offers unrivalled value for money with some outstanding features to suit. Fitted as standard with an integrated break tank, detachable spray arms, surface filters and more.

Although coming as standard with a gravity drain you can further the ease of use of the unit via the optional integral drain pump variant offering more flexible options when it comes to drainage and unit fitting options.



Features

- High grade 304 stainless steel construction
- Pressed tank and rounded corners to aid cleaning of machine
- Double skin door for quieter running and improved efficiency
- Rotating wash and rinse arms removable for cleaning
- Fitted with break tank and rinse booster
- Surface filters as standard
- Automatic detergent and rinse aid dosing
- 3 cycles - 90/120/180 seconds
- Available with or without drain pump (DP)

MODEL	CAPACITY	MAX PLATE DIAMETER (mm)	WATER USAGE	BASKET SIZE (mm)	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)	PRICE (RRP)
STORM50BT	18 Dishes	320	2.7L	500 x 500	H820 x W600 x D600	6.2W	30amp	71	£2316
STORM50BTDP	18 Dishes	320	2.7L	500 x 500	H820 x W600 x D600	6.2W	30amp	74	£2517

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Universal stand	£212.74
Basket (STORM50BT,STORM50BTDP)	£80.15
Plate Basket (STORM50BT,STORM50BTDP)	£122.74
Water softener	£228.24



STORM100BTDP



STORM PASSTHROUGH DISHWASHER WITH AUTOSTART HOOD

Description

If you're looking for a little more pot washing capacity then look no further than the STORM100BTDP. Built from high grade 304 stainless steel and powered by two high powered wash pumps the unit is perfect for any busy kitchen environment.

Fitted as standard with a detergent pump, rinse aid pump, rinse booster pump, break tank and drain pump Blizzard has ensured all of their dishwasher technology is packed into the perfect all round unit.











Features

- High grade 304 stainless steel construction
- Pressed tank and rounded corners to aid cleaning of machine
- Powerful wash performance using two high powered wash pumps
- AA Air gap-Integrated break tank to conform with water regulations
- Rotating wash and rinse arms removable for cleaning
- Fitted with detergent pump, rinse-aid pump, rinse booster pump, break tank and drain pump
- Stainless steel surface filters plus secondary filter to reduce blockages
- Automatic detergent and rinse aid dosing
- Configurable power supply, to suit either a 60A, 40A, 30A single phase or 20A 4 phase power supplies. **Please note this must be specified at the time of order.**

MODEL	BASKETS /HR	LOADING HEIGHT (mm)	WATER USAGE	BASKET SIZE (mm)	POWER USAGE	WEIGHT (kg)	DIMENSIONS (mm)	PRICE (RRP)
STORM100BTDP	65	400	3L	500 x 500	13.2W	124	H1440 x W675 x D675	£3852
BZ-SIDE650	Dishwasher table - left / right or front fitting - 304 grade stainless steel						H830 x W650 x D633	£289
BZ-SIDE1250	Dishwasher table - left / right or front fitting - 304 grade stainless steel						H830 x W1250 x D633	£423
BZ-TROLLEY	Trolley for dishwasher baskets - 304 grade stainless steel						H750 x W560 x D560	£358

OPTIONAL EXTRAS (Applicable Units)	PRICE (RRP)
Trolley	£385.05
Dishwasher table - 650mm	£298
Dishwasher table - 1250mm	£423.15
Water softener	£228.24





SPARES DEPARTMENT

Located at our Blackburn head office, our spares departments offers OEM spares for our own brands Blizzard & Koldbox, as well as a vast array of spares and accessories for our partner brands such as Inomak, Simag, Crystal and more!

In need of new universal spares and tools? Why not check out our very own VanstoX range that includes everything from controllers to scales and gauges.

Place your order with a member of our dedicated spares team before 3.30pm and receive your product the next day

T: 01254614488 | E: spares@pentlandwholesale.co.uk



Pentland Wholesale Limited

Blizzard House
Unit 17, Walker Industrial Estate
Walker Road, Blackburn, Lancashire
BB1 2QE

T: 01254 614444

F: 01254 614477

E: sales@pentlandwholesale.co.uk

W: www.pentlandwholesale.co.uk

WORKING **EXCLUSIVELY IN THE UK** WITH TOP
REFRIGERATION & CATERING BRANDS

